

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Indian Agency Window Rock  
Arizona  
Allottee San Juan  
Lease No. 15-02-023-1095


SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

November 20, 1956

Well No. 1 is located 750 ft. from N line and 1400 ft. from W line of sec. 8

22 22 Section 2 22W 24W 122W  
(4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Window Rock San Juan County New Mexico  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 6724.0 ft. Ungravelled 02

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Approximately 200 ft. of 10-3/8" OD surface casing will be set and cement circulated to surface. It is then planned to drill an 8-3/4" hole with conventional rotary tools and run to an approximate total depth of 4,000 ft., or through the Guling and section. The Pictured Cliffs sand and the Guling sand will be tested, and drill stem tested if the core indicates commercial productivity. Electric and geologic logs will then be run, and if commercial oil or gas shows are encountered 2-1/2" OD 14 and 15.75 2-1/2" surface casing will be set through the pay section and cemented with 200 cubic regular cement. Cement plug log will be run and the well will be selectively perforated and sand-oil freed for completion.

If the well is a dry hole, it will be plugged in accordance with State rules and regulations.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.


Company Anderson-Brickard Oil Corporation

Address 1720 Broadway

Denver, Colorado

ORIGINAL SIGNED BY  
By KARL A. BASHARA

Title District Superintendent





NEW MEXICO  
OIL CONSERVATION COMMISSION

Form C-128

Well Location and/or Gas Proration Plat

Date \_\_\_\_\_

Operator ANDERSON - PRICHARD OIL CORPORATION Lease JEN NA PIA


Well No. 1 Section 2 Township 25 NORTH Range 10 WEST, NMPM

Located 790 Feet From the NORTH Line, 1850 Feet From the WEST Line,

SAN JUAN County, New Mexico. G. L. Elevation 6754.0 UNGRADED.

Name of Producing Formation \_\_\_\_\_ Pool \_\_\_\_\_ Dedicated Acreage \_\_\_\_\_

(Note: All distances must be from outer boundaries of Section)



NOTE

This section of form is to be used for gas wells only.



SCALE: 1"=1000'

1. Is this Well a Dual Comp. ? Yes \_\_\_\_\_ No X.

2. If the answer to Question 1 is yes, are there any other dually completed wells within the dedicated acreage? Yes \_\_\_\_\_ No \_\_\_\_\_.

ORIGINAL SIGNED BY  
KARL A. BASHAM

Name \_\_\_\_\_  
Position District Superintendent  
Representing Anderson-Prichard Oil Corp.  
Address 1740 Broadway, Denver, Colorado

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Date Surveyed 27 NOVEMBER 1956

James P. Leese  
Registered Professional Engineer and/or  
Land Surveyor James P. Leese