Form 9-8	381 a.
(Feb. 19	51)

Fe	D. 19	o1,		
Г	7			. 1
1	į			
ľ				1
1.			ļ	
1		•	1	
1.				ļ
-1		1	ì	1

(SUBMIT IN TRIPLICATE)

Appi	get Bureau No. 42-R358.4. coval expires 12-31-60.
Land Office	Santa Fe
Lease No	078124
Unit	Lundean

UNITED STATES

!	
DEPART	MENT OF THE INTERIOR
GI	EOLOGICAL SURVEY
- CORICE	S AND REPORTS ON WELLS
SUNDRY NOTICE	S AND REPORTS ON WELLS
	watto cultifultrans
TICE OF INTENTION TO DRILL	The state of shooting up Acidization
TO CHANGE PLANS	PROPERTY REPORT OF ALTERING CASING
TO TEST WATER SHOT-OTT	SUBSEQUENT REPORT OF ALTERNITO OR REPAIR SUBSEQUENT REPORT OF ABANDONMENT SUBSEQUENT REPORT OF ABANDONMENT
OTICE OF INTENTION TO RE-DRILL OR REPAIR WELL OTICE OF INTENTION TO SHOOT OR ACIDIZE	WELL HISTORY
OTICE OF INTENTION TO SHOOT ON METALOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELLS
AND TO ARANDON WELL	
OTICE OF INTENTION TO	ECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)
(INDICATE ABOVE BY CH	ECK MARK NATURE OF THE STATE OF
	December 19 , 19.57
	(T)
	(N) 1: and 660 ft. from \text{\text{L}} line of sec4
usi 1-A is located 660	ft. from. (1) line and
ell No.	ft. from $\begin{bmatrix} N \\ B \end{bmatrix}$ line and 660 ft. from $\begin{bmatrix} E \\ W \end{bmatrix}$ line of sec. 4. 10-W N. M. P. M. Meridian
NE NR/4 Sec. 4	(Meridian) (Range)
	(State or Territory)
Wildcat	(County or Subdivision)
(Field)	level is 6718 ft.
	ve sea level is
The elevation of the derrick moor about	
The elevation of the derrick floor abo	DETAILS OF WORK
The elevation of the derrick noor and	DETAILS OF WORK nds; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement-
State names of and expected depths to objective saling poi	DE 1 ATLAS onds; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, contact nots; show sizes, weights, and lengths of proposed work) ints, and all other important proposed work)
(State names of and expected depths to objective saing poing poing poing poing T. D. 175°	DETAILS OF WORK and a strong
(State names of and expected depths to objective saing poing poing poing poing T. D. 175°	nds; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, containing, and all other important proposed work) and all other important proposed work) and all other important proposed work)
(State names of and expected depths to objective saing poing poing poing poing T. D. 175°	nds; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, containing, and all other important proposed work) and all other important proposed work) and all other important proposed work)
(State names of and expected depths to objective saing points 12-10-57 T. D. 175' Ran 4 joints 10-3/4", 32.75#, cement, 2% CaCl ₂ circulated	nds; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, contents, and all other important proposed work) Armco SW casing (161') set at 172' with 125 sacks to surface, held 500# for 30 minutes.
(State names of and expected depths to objective saing points 12-10-57 T. D. 175' Ran 4 joints 10-3/4", 32.75#, cement, 2% CaCl ₂ circulated	nds; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, contents, and all other important proposed work) Armco SW casing (161') set at 172' with 125 sacks to surface, held 500# for 30 minutes.
(State names of and expected depths to objective saing points 12-10-57 T. D. 175' Ran 4 joints 10-3/4", 32.75#, cement, 2% CaCl ₂ circulated	nds; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, contents, and all other important proposed work) Armco SW casing (161') set at 172' with 125 sacks to surface, held 500# for 30 minutes.
(State names of and expected depths to objective saing points 12-10-57 T. D. 175' Ran 4 joints 10-3/4", 32.75#, cement, 2% CaCl ₂ circulated	nds; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, contents, and all other important proposed work) Armco SW casing (161') set at 172' with 125 sacks to surface, held 500# for 30 minutes.
State names of and expected depths to objective saing points 12-10-57 T. D. 175' Ran 4 joints 10-3/4", 32.75#, cement, 2% CaCl ₂ circulated I understand that this plan of work must recommany. El Paso Natural	nds; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, contents, and all other important proposed work) Armco SW casing (161') set at 172' with 125 sacks to surface, held 500# for 30 minutes.
State names of and expected depths to objective saing points 12-10-57 T. D. 175' Ran 4 joints 10-3/4", 32.75#, cement, 2% CaCl ₂ circulated I understand that this plan of work must rec El Paso Natural	nds; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, contents, and all other important proposed work) Armco SW casing (161') set at 172' with 125 sacks to surface, held 500# for 30 minutes.
(State names of and expected depths to objective saing points 12-10-57 T. D. 175' Ran 4 joints 10-3/4", 32.75#, cement, 2% CaCl ₂ circulated	Armco SW casing (161') set at 172' with 125 sacks to surface, held 500# for 30 minutes. Selve approval in writing by the Geological Survey before operations may be commenced. Gas Products Company Ton. N. M.
State names of and expected depths to objective saing points 12-10-57 T. D. 175' Ran 4 joints 10-3/4", 32.75#, cement, 2% CaCl ₂ circulated I understand that this plan of work must rec El Paso Natural	Armco SW casing (161') set at 172' with 125 sacks to surface, held 500# for 30 minutes. Selve approval in writing by the Geological Survey before operations may be commenced. Ges Products Company Ton. N. M. By
State names of and expected depths to objective saing points 12-10-57 T. D. 175' Ran 4 joints 10-3/4", 32.75#, cement, 2% CaCl ₂ circulated I understand that this plan of work must rec El Paso Natural	Armco SW casing (161') set at 172' with 125 sacks to surface, held 500# for 30 minutes. Selve approval in writing by the Geological Survey before operations may be commenced. Gas Products Company Ton. N. M.