

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB NO. 1004-0135  
Expires: November 30, 2000

**SUNDRY NOTICES AND REPORTS ON WELLS**  
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.*

**SUBMIT IN TRIPLICATE - Other instructions on reverse side.**

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. NMSF079231
2. Name of Operator BURLINGTON RESOURCES O&G CO LP		6. If Indian, Allottee or Tribe Name EASTERN NAVAJO
3a. Address P O BOX 4289 FARMINGTON, NM 87499		7. If Unit or CA/Agreement, Name and/or No. NMNM78395C
3b. Phone No. (include area code) Ph: 505.326.9700		8. Well Name and No. HUERFANO 149
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 18 T25N R9W Mer NESW 1650FSL 1650FWL 36.39825 N Lat, 107.83290 W Lon		9. API Well No. 30-045-11743-00-S1
		10. Field and Pool, or Exploratory UNNAMED
		11. County or Parish, and State SAN JUAN COUNTY, NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Deepen
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Alter Casing
	<input type="checkbox"/> Fracture Treat
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Change Plans
	<input type="checkbox"/> Plug and Abandon
	<input type="checkbox"/> Convert to Injection
	<input type="checkbox"/> Plug Back
	<input type="checkbox"/> Production (Start/Resume)
	<input type="checkbox"/> Reclamation
	<input type="checkbox"/> Recomplete
	<input type="checkbox"/> Temporarily Abandon
	<input type="checkbox"/> Water Disposal
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Well Integrity
	<input checked="" type="checkbox"/> WRK

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

(8-16-01) MIRU. ND WH. NU BOP. TOO H w/2-3/8" tbg & pkr. SDON.

(8-17-01) TIH, tag up @ 6620'. TOO H. TIH w/RBP, set @ 6549'. PT backside to 500 psi, slowly bleed off. Move up hole & reset RBP. Still pumping water up csg. TOO H w/RBP. SDON.

(8-20-01) (Verbal approval from Jim Lovato, BLM, to sqz) TIH w/pkr, set @ 60'. PT down tbg to 500 psi, OK. Pull up 50'. PT backside, flowing out BH. TOO H w/pkr. ND BOP. ND tbg hanger. Cmt to surface. Set pkr @ 8', PT to 500 psi, OK. Set pkr @ 6'. PT below to 500 psi, bad csg @ 5-6' from surface. TOO H w/pkr. Ran CBL @ 785'-surface. Solid cmt @ 385'-surface. Mix Class "B" cmt w/3% calcium chloride, flow to pit until good cmt, circ down csg. Circ 1 bbl cmt. NU BOP. SDON.

(8-21-01) Drill cmt w/bit & wtr, bad cmt. Circ back out BH. ND BOP. Pump cmt down csg, flow out BH to pit. Pressure up to 400 psi/2 min, bleed off pressure. Pour wtr down top of csg. Pressure up to 400 psi, close cmt valve. SDON.

(8-22-01) Dig out around WH down 4' on 8-5/8" csg, hit cmt. Brk up cmt. Corroded csg just below cmt on outside of 8-5/8" csg. Cut 8-5/8" csg 4' down & cut 4-1/2" csg 3-1/2" down. Weld replacement 8-5/8" csg into BH. Replace bad piece of 4-1/2" csg. Install new seal assembly. Csg cemented in, no movement. Set tbg hanger on & bolt down. Fill dirt into dug out area around WH. SDON.

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #7331 verified by the BLM Well Information System  
For BURLINGTON RESOURCES O&G CO LP, sent to the Farmington  
Committed to AFMSS for processing by Maurice Johnson on 09/25/2001 (01MXJ3334SE)

Name (Printed/Typed) (None Specified)

Title

Signature

Date 09/24/2001

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By _____	Title _____	ACCEPTED FOR RECORD
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office _____	NOV 16 2001
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.		

\*\* REVISED \*\* REVISED \*\* REVISED \*\* REVISED \*\* REVISED \*\* REVISED \*\* REVISED \*\* REVISED \*\*

**Additional data for EC transaction #7331 that would not fit on the form**

**32. Additional remarks, continued**

(8-23-01) Load hole, PT to 300#, held pressure. TIH w/bit, tag cmt @ 12'. Drill out cmt. TOOH. TIH, CO w/air to Baker G plug. TOOH w/G plug. SDON.

(8-24-01) TIH w/212 jts 2-3/8" 4.7# J-55 tbg, set @ 6609'. SN @ 6591'. ND BOP. NU WH. TIH w/pump & rods. PT & pump action, OK. RD. Rig released.

## Revisions to Operator-Submitted EC Data for Sundry Notice #7331

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	OTHER SR	WRK SR
Lease:	SF-079231	NMSF079231
Agreement:		NMNM78395C
Operator:	BURLINGTON RESOURCES OIL & GAS 3401 EAST 30TH FARMINGTON, NM 87402 Ph: 505.326.9727 Fx: 505.326.9563	BURLINGTON RESOURCES O&G CO LP P O BOX 4289 FARMINGTON, NM 87499 Ph: 505.326.9700
Contact:	PEGGY COLE REPORT AUTHORIZER E-Mail: pbradfield@br-inc.com	(None Specified)
Location:		
State:	NM	NM
County:	SAN JUAN	SAN JUAN
Field/Pool:	BASIN DAKOTA	UNNAMED
Well/Facility:	HUERFANO UNIT 149 Sec 18 T25N R9W Mer NESW 1650FSL 1650FWL	HUERFANO 149 Sec 18 T25N R9W Mer NESW 1650FSL 1650FWL 36.39825 N Lat, 107.83290 W Lon