



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Santa Fe, N.M.  
Lease No. SF-078064  
Unit Carson

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	<b>Converted to Injector</b>	<b>X</b>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

January 29, 19 62

Well No. 24-13 is located 560 ft. from SW line and 1980 ft. from SE line of sec. 13  
SE SW 13 25N 12W T14N R14E  
 (1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Bisti San Juan New Mexico  
 (Field) (County or Subdivision) (State or Territory)

The elevation of the ~~derrick floor~~ Kelly Bushing above sea level is 6416.4 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Conversion Work:

1. Pressure tested tubing with 1000 psi for 15 minutes, OK.
2. Swabbed while running clean Point Lookout water (treated with Triton X-100 detergent) down casing. After tubing became clean, pulled. Bailed clean.
3. Ran tubing with packer.
4. Pumped 60 bbls. of inhibited water down annulus to displace uninhibited fluid. Set packer at 4800, and filled with inhibited water. Will Notify when injection starts.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Shell Oil Company

Address P. O. Box 1200

Farmington, N.M.

By W. M. Marshall  
 Title Division Exploitation Engineer