



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office _____
Lease No. _____
Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Well No. 24 is located 100 ft. from S line and 50 ft. from E line of sec. 24
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
1311 (Field) 1311 (County or Subdivision) 1311 (State or Territory)

The elevation of the derrick floor above sea level is 1100 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

8-17-59
8-17-59 Run and cemented 11 1/2" 40 lb. casing at 11" with 12
to 120 cu. ft. Portland cement treated with 2% sodium silicate.
8-17-59 well returns to surface. Surface temperature 77°F., formation
temperature 75°F. Estimated strength after 12 hrs. 1000 psi.
checked up and sealed. Pressure tested casing and well with 100 psi.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Wellbore Agency
Address Box 100
1311
By W. J. HARRARD
Title Geologist in Charge