UNITED STATES DEPARTMENT OF THE INTERIOR (Other Instructions on reverse side)

GEOLOGICAL SURVEY				14-20-603-1300 6. IE INDIAN, ALLEST ON THIME MANE 7. UNIT AURIC MEST POSTE 1-0161 Birli Unit 8. FARM OR LEANE NAME	
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)			G. TE INDIAN, ALLEG		
1. OIL S. WELL OTHER 2. NAME OF OPPRATOR			Locat B		
Skelly Oil Company 3. ADDRESS OF OPERATOR			9, WELL NO.	9. WELL, NO.	
1860 Lincoln Street, D 4. LOCATION OF WELL (Report location clear See also space 17 below.) At surface		25 10. FIRED AND POOL, OF WILDCAT Bisti Lower Gallup			
660' FSL & 660' FV	Ti. BEC., T., R., M., G., SURVEY OR A	OR BUK. ASD BEA. 9-25N-10W			
14. PERMIT NO.	15. ELEVATIONS (Show whether D	r. Rr, GR, etc.)	12, COUNTY OF PAR		
	6572' GR		San Juan	Hew Mexico	
16. Check Appr	opriate Box To Indicate 1	Nature of Notice, Report,	or Other Data		
NOTICE OF INTENTIO	n TO:	ave	SEQUENT REPORT OF;	·	
TEST WATER SHUT-OFF PUL	L OR ALTER CASING	WATER SHUT-OFF	REPAIRIN	ta well	
FRACTURE TREAT MUE	LTIPLE COMPLETE	FRACTURE TREATMENT	ALTERÍN	DRICKO D	
· -	INDON*	BHOOTING OR ACIDIZING	ARANDON	MENT*	
(Other)	ANGE PLANS	(Other) (NOTE: Report re	sults of multiple completi completion Report and Log	on on Well	
17. DESCRIBE PROPOSED OR COMPLETED OPERAT proposed work. If well is directional nent to this work.)	rions (Clearly state all pertined ily drilled, give subsurface loca	nt details, and give pertipent d	ates, including estimated-	date it its minister	
All depths shown are	from Ground Level	•	ال	UL 1 9 1971	
This well has reached Plans are to plug and		 ·		OCON. COM. DIST. 3	
First Plug - (5065'-	- 5165') 100' plug	g across the Gallup	Zone Perfs. 51	30-5146'	
Second Plug- 50' insi	lde of the 5-1/2" o	casing and 50' abov	e where casing	is shot in to	
Third Plug - (1375'- coal se		g extending downwar Pictured Cliffs San		e Fruitland	
Fourth Plug- (645'-bottom	745') 100' plus of the Ojo Alamo		above to 50'	below the	
10 sacks of cement in	n top of surface c	asing with dry hole	marker		
			•	•	
				÷	
18. I hereby certify that the foregoing is to	rue and correct	Lond Clear			
SIGNED To Toyle	TITLE	Lead Clerk	DATE Ju	11y 16, 1971	
(This space for Federal or State office	use)		(
APPROVED BY	TITLE		DATE		
CONDITIONS OF APPROVAL, IF ANY	<i>[</i> :				