



LOCATE WELL CORRECTLY

U. S. LAND OFFICE **Santa Fe**
SERIAL NUMBER **NM 04224**
LEASE OR PERMIT TO PROSPECT _____
Quitza

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

Company **BENSON-MONTIN** Address **2808 FIRST NATIONAL BUILDING, OKLAHOMA CITY, OKLA.**
Lessor or Tract **QUITZAU** Field **BALLARD** State **NEW MEXICO**
Well No. **11** Sec. **3**, T. **25N**, R. **8E**, Meridian **N.M. P.M.**, County **SAN JUAN**
Location **1316 ft. N. of N. Line and 188 ft. E. of E. Line of SEC. 3, T. 25N., R. 8E., Meridian N.M. P.M.** Elevation **7004**
(Elevation above sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.
Signed *[Signature]*
Date **May 21st, 1956** Title **Field Superintendent**

The summary on this page is for the condition of the well at above date.

Commenced drilling **February 8th, 1956** Finished drilling **March 14th, 1956**
OIL OR GAS SANDS OR ZONES
(Denote gas by G)

No. 1, from **2683** to **2766 (9)** No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from _____ to _____ No. 3, from _____ to _____
No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Grade	Length	Type of shoe	Cut and pulled from	Perforated		Purpose
							From	To	
8-5/8"	24#	8	J-55	92'	None				Surface
5-1/2"	15.5#	8	J-55	2305'	Texas Pattern				Production

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
8-5/8"	101.5'	70	Pump & Plug		
5-1/2"	2715'	100	" " "		

PLUGS AND ADAPTERS

Heaving plug—Material **None** Length _____ Depth set _____
Adapters—Material **None** Size _____

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out
		None				

TOOLS USED

Rotary tools were used from **Surface** feet to **2766** feet, and from _____ feet to _____ feet
Cable tools were used from **Box to drill in** feet to _____ feet, and from _____ feet to _____ feet

DATES

Ran Tubing **April 15th**, 19 **56** State Potential Test: Put to producing **May 18th**, 19 **56**
The production for the first 24 hours was _____ barrels of fluid of which _____ % was oil; _____ % emulsion; _____ % water; and _____ % sediment. Gravity, °Bé. _____
If gas well, cu. ft. per 24 hours **6,154,000** Gallons gasoline per 1,000 cu. ft. of gas _____
Rock pressure, lbs. per sq. in. **631**

EMPLOYEES

Benson-Montin-Greer, Driller _____, Driller
Drilling Corp., Driller _____, Driller

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
Surface	2620	2620	Surface sand & shale, Ojo Alamo, Kirtland & Fruitland formations
2620	2629	9	Coal
2629	2643	14	Shale
2643	2645	2	Coal
2645	2663	18	Shale
2663	2670	7	Coal
2670	2683	13	Shale
2683	2766	83	Sand

TOP OF PICTURED CLIFFS 2683'

