SUBMIT IN TRIPLICATE* (Other instructions on reverse side)

Form approved. Budget Bureau No. 42-R1425.

UNITED STATES DEPARTMENT OF THE INTERIOR

A	PI	20	-045	- 2	24	33
~					<u> </u>	

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK IN MORE ALL CONTROL OF THE MANE APPLICATION FOR PERMIT TO DRILL, DEEPEN PLUG BACK		DEIMEN			· · · · · · · · · · · · · · · · · · ·	1	5. LEASE DESIGNA	TION AND SERIAL NO.	
APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK TITTE OF WALL DEEPEN PLUG BACK NAVAJO		GEOLO	OGICAL SURV	/EY			86296 NA	00-0 37	
DRILL DEPEN DEPEN DEPEN DEPEN DISTRICT PLUG BACK DITER OF WELL NO. 1. CHARLE MANN DAVAGE NAME OF GREATOR DATE. NOTE: Subject acreage is not dedicated to a suffice productive and addition of production of star of cases of proposal is defined by the productive and cases of proposal is defined by the productive and cases of proposal is defined by the productive and cases of proposal is defined by the proposal is defined by th	APPLICATIO	N FOR PERMIT	TO DRILL.	DEEP	EN. OR PLUG B	ACK	6. IF INDIAN, ALI	OTTEE OR TRIBE NAME	
THE OF HOLE STAN OF ILLIES OF OTHER CAME OF OTHER SAME NAVAJO Union 0il Company of California December of Other State Of Cotation of California December of Other State Of Cotation of California P. O. Box 2620 - Casper, WY 82601 Incrinor of will Company of California P. O. Box 2620 - Casper, WY 82601 Incrinor of Will Company of California December of California P. O. Box 2620 - Casper, WY 82601 Incrinor of Will Company of California Incrinor of Will Company At surface 1500' FSL & 1150' FEL At proposed prod. 1008 December of Loss Determine Incrinor will Company 22 miles south of Bloomfield, New Mexico Determine Incrinor Williams Determine Incrinor Williams Determine Incrinor Williams 10. NO. of Acres of Lass San Juan New Mexication of Casper						7 () ()	Navajo		
The space for Federal or State office age. Continue Continue	DR	ILL 🛛	DEEPEN		PLUG BAG		7. UNIT AGREEMI	NT NAME	
WRILE OF PROCESS Union Oil Company of California Decreases of oreactor P. O. Box 2620 - Casper, WY 82601 10. FIELD AND PROCESS P. O. Box 2620 - Casper, WY 82601 At Nurface of Wallet (Report location clearly and in accordance with any State requirements") At Surface of Wallet (Report location clearly and in accordance with any State requirements") At proper processor of the Casper of				_				,	
Union Oil Company of California P. O. Box 2620 - Casper, WY 82601 10. Fills and Foods of California P. O. Box 2620 - Casper, WY 82601 10. Fills and Foods of California P. O. Box 2620 - Casper, WY 82601 10. Fills and Foods of California 10. Fills and Foods of California At proposed prof. some Dakota 1. Sec. 1, 7.25N., R. 11W.	WELL V	VELL X OTHER					S. FARM OR LEAS	E NAME	
ADDITANCE OF OPERATOR P. O. Box 2620 - Casper, NY 82601 100 FIEL DAY FOR A STATE DESCRIPTION OF WHILE (Report location clearly and in accordance with any State requirements.) At Purposed prod. once Dakota I Soo' FSL & 1150' FSL At proposed prod. once Dakota I Sec. 1, N. N. OB ALCE. 12 OUNTED ON MEASURE TOWN OF FORT OFFICE! 22 miles south of Bloomfield, New Mexico DETAINER FROM PROPOSED! PROPOSED PROGRAM II. NO. OF ACRES IN LASES TO ASTRUMENT ON ASSET ON ASSET ON ON A CRESS IN LASES TO ASTRUMENT ON ASSET ON ASSET ON ASSET ON A CRESS IN LASES TO ASTRUMENT ON ASSET ON ASSET ON A CRESS IN LASES TO ASTRUMENT ON ASSET ON A CRESS IN LASES TO ASTRUMENT ON ASSET ON A CRESS IN LASES TO ASTRUMENT ON ASSET ON A CRESS IN LASES TO ASTRUMENT ON ASSET ON A CRESS IN LASES TO ASTRUMENT ON ASSET ON A CRESS IN LASES TO ASTRUMENT ON ASSET ON A CRESS IN LASES TO ASTRUMENT ON ASSET ON A CRESS IN LASES TO ASTRUMENT ON ASSET ON A CRESS IN LASES TO ASTRUMENT ON ASSET ON A CRESS IN LASES TO ASTRUMENT ON ASSET ON A CRESS IN LASES TO ASTRUMENT ON ASSET ON A CRESS IN LASES TO ASTRUMENT ON ASSET ON A CRESS IN LASES TO ASSET ON A C									
P. O. BOX 2620 - Casper, WY 82601 10. FILE AND POOL, OR WILDCAY AND SUMPLY LOCATIONS OF WELL (Report location clearly and in accordance with any State requirements.) 110. FILE AND POOL, OR WILDCAY 110. FILE AND POOL OR STATE AND ADMITS. AND SUMPLY OR ARMA 111. SEC. 1, T. 25N., R. 11W. 112. COUNTY OR FARIERI 13. STATE 113. STATE 114. SEC. 1, T. 25N., R. 11W. 115. SEC. 1, T. 25N., R. 11W. 116. NO. OR ARMS THE NEW POOL ARMA 117. NO. OR ARMS THE NEW POOL ARMA 118. SEC. 1, T. 25N., R. 11W. 119. SEC. 1, T. 25N., R. 11W. 110. SEC. 1, T. 25N., R. 11W. 111. SEC. 1, T. 25N., R. 11W. 112. COUNTY OR FARIERI 13. STATE 113. STATE 114. SEC. 1, T. 25N., R. 11W. 115. SEC. 1, T. 25N., R. 11W. 116. NO. OR ARMS THE NEW POOL ARMS 117. NO. OR ARMS THE NEW POOL ARMS 118. SEC. 1, T. 25N., R. 11W. 119. SEC. 1, T. 25N., R. 11W. 110. SEC. 1, T. 25N., R. 11W. 110. SEC. 1, T. 25N., R. 11W. 111. SEC. 1, T. 25N., R. 11W. 112. SEC. 1, T. 25N., R. 11W. 113. STATE 114. SEC. 1, T. 25N., R. 11W. 115. SEC. 1, T. 25N., R. 11W. 116. NO. OR ARMS THE NEW POOL ARMS 117. NO. OR ARMS THE NEW POOL ARMS 118. SEC. 1, T. 25N., R. 11W. 119. SEC. 1, T. 25N., R. 11W. 110. SEC. 1, T. 25N., R. 11W. 110. SEC. 1, T. 25N., R. 11W. 111. AND SUBJECT ARMS 112. SEC. 1, T. 25N., R. 11W. 113. STATE 114. SEC. 1, T. 25N., R. 11W. 115. SEC. 1, T. 25N., R. 11W. 115. SEC. 1, T. 25N., R. 11W. 116. NO. OR ARMS THE ARMS THE NEW POOL ARM		Oil Company of	California					•	
Basin Dakota 15.00 FSL & 1150 FEL At proposed prod. some Dakota 1. Sec. 1, T. 25N., R. 11W. 1. Sec		n 0600 a		0000					
The proposed production is indicated, run and cement 8-5/8" casing. Drill 7-7/8" hole to 6340' PROPOSED PROGRAM DEFINITION OF THE SIZE OF CASING SIZE OF ASING AND CEMENT OF THE SIZE OF CASING AND CEMENT OF THE SIZE OF THE SIZ							10. FIELD AND PO	OOL, OR WILDCAT	
DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR FORT OFFICE* 22 miles south of Bloomfield, New Mexico DISTANCE FROM PROPOSED* LOCATION TO REAREST TOWN OR FORT OFFICE* 12. COUNTY OR PARISON 13. STATE 13. STATE 13. STATE 13. STATE 15. NO. OF ACRES ARRINGED 17. NO. OF ACRES ARRINGED 17. NO. OF ACRES ARRINGED 18. STATE 18. STATE	At surface			tto any	State requirements.*)].		· - - - ·	
DISTANCE IN MILES AND DESCRIPTOR PRODUCTION FROM PRESENT TOWN OR FOST OFFICE' 22 miles south of Bloomfield, New Mexico DISTANCE FROM PROPOSED' TOWN PROPOSED' TOWN PROPOSED' TOWN PROPOSED CASEING MEXICO DISTANCE FROM PROPOSED' TOWN PROPOSED CASEING MEXICO DISTANCE FROM PROPOSED' TOWN PROPOSED CASEING MEXICO DISTANCE FROM PROPOSED CASEING MEXICO DISTANCE FROM PROPOSED CASEING MEXICO DISTANCE FROM PROPOSED CASEING MEXICO MEXICO PROPOSED CASEING MEXICO MEXICO PROPOSED CASEING AND CEMENTING PROGRAM BIES OF HOLE BIES OF CASEING PROPOSED CASING AND CEMENTING PROGRAM BIES OF HOLE BIES OF CASEING WEIGHT FER FOOT SETTING DEFFRE QUANTITY OF CEMENT 12-1/4" 8-5/8" 24# 790' 300 sacks or to surface 4-12-76 PROPOSED PROGRAM Drill 12-1/4" hole to 790'. Run and cement 8-5/8" casing. Drill 7-7/8" hole to 6340' Log and if production is indicated, run and cement 5-1/2" casing. The well will be completed with 2-3/8" tubing. The B.O.P. will be given a daily operational test and each test logged. NOTE: Subject acreage is not dedicated to a gas purchaser. APR 7 1976 NOTE: Subject acreage is not dedicated to a gas purchaser. APR 7 1976 LOS COLCICAL SURVEY. APR 7 1976 LOS COLCICAL SURVEY. LOS COLCICA	150	00' FSL & 1150'	FEL				AND SURVEY	., OR BLK. Or area	
DISTANCE IN MILES AND DIRECTION FROM MEASEST TOWN OR POST OFFICE'S 22 miles south of Bloomfield, New Mexico DISTANCE FROM FROM FROM THE LABSE DISTANCE FROM FROM FROM THE LABSE PROPERTY OR LARGE LIFE, FT. (Also to nearest drig, unit line) PROPERTY OR LARGE LIFE, FT. (Also to nearest drig, unit line) PROPERTY OR LARGE LIFE, FT. (Also to nearest drig, unit line) PROPERTY OR LARGE LIFE, FT. (Also to nearest drig, unit line) PROPERTY OR LARGE LIFE, FT. (Also to nearest drig, unit line) PROPERTY OR LARGE LIFE, FT. (Also to nearest drig, unit line) PROPERTY OR LARGE LIFE, FT. (Also to nearest drig, unit line) PROPERTY OR LARGE LIFE, FT. (Also to nearest drig, unit line) PROPERTY OR LARGE LIFE, FT. (Also to nearest drig, unit line) PROPOSED CASING AND CEMENTING PROGRAM BRIEF OF ROLE SIZE OF CASING PROPOSED CASING AND CEMENTING PROGRAM BRIEF OF ROLE SIZE OF CASING PROPOSED CASING AND CEMENTING PROGRAM PROPOSED PROGRAM PROPOSED PROGRAM Drill 12-1/4" hole to 790'. Run and cement 8-5/8" casing. Drill 7-7/8" hole to 6340' Log and if production is indicated, run and cement 5-1/2" casing. The well will be completed with 2-3/8" tubing. The B.O.P. will be given a daily operational test and each test logged. NOTE: Subject acreage is not dedicated to a case purchaser. APR 8 1976 U. S. GEOLOGICAL SURVEY U. S. GEOLOGICAL SURVEY U. S. GEOLOGICAL SURVEY APR 7 1976 APR 7 1976 U. S. GEOLOGICAL SURVEY APR 6 1976 APR 7						+	0 1 =	05	
22 miles south of Bloomfield, New Mexico DETAINE FROM PROPOSED CHOCKET TO WARRE IN LEASE 17. NO. OF ACRES ASSIGNED TO THE MARKET IN PLANE (Also to searest drig unit line, if any) 1150'			PER TOWN OF BOO	OF APPL	• • • • • • • • • • • • • • • • • • •		Sec. I, T	. 25N.,R.11W.	
DEFENCE FROM PROPOSED LOCATION TO MARREY NO. 11. 15. No. OF ACRES IN LEASE TO MARREY NO. 11. 16. No. OF ACRES IN LEASE TO MARREY NO. 15. 16. 16. 16. No. OF ACRES IN LEASE TO MARREY WELL, DUILLING, COMPLETE TO MARRY ELEVATIONS (Show whether DF, RT, GR, etc.) PROPOSED CASING AND CEMENTING PROGRAM SHER OF HOLE SHER OF HOLE SHER OF CASING WEIGHT PER FOOT SETTING DEPTH QUANTITY OF CEMENT 12-1/4" 8-5/8" 24# 790' 300 sacks or to surface 400 sacks PROPOSED PROGRAM Drill 12-1/4" hole to 790'. Run and cement 8-5/8" casing. Drill 7-7/8" hole to 6340' Log and if production is indicated, run and cement 5-1/2" casing. The well will be completed with 2-3/8" tubing. The B.O.P. will be given a daily operational test and each test logged. NOTE: Subject acreage is not dedicated to a sac purchaser. APR 7 1976 U. S. GEOLOCICAL SURVEY U.							_		
LOCATION TO MEARENT TO THIS WELL STATES AND THE STATE TO THIS WELL STATES AND THE TOTAL TO THE STATE TO THE S	DISTANCE FROM PROP	OSED*	mrierd, New			17 NO 0		New Mexic	
CAISO to mearest drig, unit line, if any 1150 19. PROPOSED DEFTH 20. ROTARI OR CABLE TOOLS TO MEAREST WELL, DULLING, COMPLETED, TOOLS OF THE MEAREST WELL, DILLING, COMPLETED, TOOLS OF THE MEAREST WELL, DULLING, COMPLETED, TOOLS O	LOCATION TO NEAREST PROPERTY OR LEASE 1	T LINE, FT.	11501	} ~ ~ ~			THIS WELL		
TO NEAREST WELL DRILLING, COMPLETED, ON THIS LESS, T. NOTE ON LEASE 6340' ROTATURE FOR ON THIS LESS, T. NOTE ON LEASE REVATIONS (Show whether DF, RT, CR, etc.) PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE SIZE OF HOLE SIZE OF CASING WEIGHT PER POOT SETTING DEFTH QUANTITY OF CEMENT 12-1/4" 8-5/8" 24# 790' 300 sacks or to Surface 7-7/8" 5-1/2" 15.5# 6340' 400 sacks PROPOSED PROGRAM Drill 12-1/4" hole to 790'. Run and cement 8-5/8" casing. Drill 7-7/8" hole to 6340' Log and if production is indicated, run and cement 5-1/2" casing. The well will be completed with 2-3/8" tubing. The B.O.P. will be given a daily operational test and each test logged. NOTE: Subject acreage is not dedicated to a 232 purchaser. APR 7 1976 NOTE: Subject acreage is not dedicated to a 232 purchaser. U. S. CEOLOGICAL SURVED LIP proposal is to drill or deepen directionally, give pertine day in bush ray locations and measured and true vertical depths. Give blowout enter program, it any. SHONED R. C. Ladd, Jr. THIS District Drilling Supt. DATE 4-2-76 (This space for Federal or State office use)	(Also to nearest dri	g. unit line, if any)	1120.	10 7				· .	
ELEVATIONS (Show whether DF, RT, GR, etc.) 6431' G.L. PROPOSED CASING AND CEMENTING PROGRAM PROPOSED CASING AND CEMENTING PROGRAM SIZE OF CASING SETTING DEPTH QUANTITY OF CEMENT 12-1/4" 8-5/8" 5-1/2" 15.5# 790' 300 sacks or to surface 4-00 sacks PROPOSED PROGRAM Drill 12-1/4" hole to 790'. Run and cement 8-5/8" casing. Drill 7-7/8" hole to 6340' Log and if production is indicated, run and cement 5-1/2" casing. The well will be completed with 2-3/8" tubing. The B.O.P. will be given a daily operational test and each test logged. NOTE: Subject acreage is not dedicated to a case purchaser. NOTE: Subject acreage is not dedicated to a case purchaser. APR 7 1976 NOTE: Subject acreage is not dedicated to a case purchaser. LI proposal is to drill or deepen directionally, give pertine additional substrates locations and measured and true vertical depths. Give blowout enter program, if any. BIONED R.C. Liadd, Jr. TITLE District Drilling Supt. DATE 4-2-76 (This space for Federal or State office use)	TO NEAREST WELL, D	RILLING, COMPLETED,	-	13. P.		20. ROTAR			
PROPOSED CASING AND CEMENTING PROGRAM SIZE OF ROLE SIZE OF CASING WEIGHT FER FOOT SETTING DEFTH QUANTITI OF CEMENT 12-1/4" 8-5/8" 24# 790' 300 sacks or to surface 400 sacks PROPOSED PROGRAM Drill 12-1/4" hole to 790'. Run and cement 8-5/8" casing. Drill 7-7/8" hole to 6340' Log and if production is indicated, run and cement 5-1/2" casing. The well will be completed with 2-3/8" tubing. The B.O.P. will be given a daily operational test and each test logged. NOTE: Subject acreage is not dedicated to a case purchaser. NOTE: Subject acreage is not dedicated to a case purchaser. APR 7 1976 U. S. GEOLOGICAL SURVED APR 8 976 U. S. GEOLOGICAL SURVED APR 7 1976 SHOWE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to APR 1976 APR 8 976 U. S. GEOLOGICAL SURVED APR 8 976 U. S. GEOLOGICAL SURVED APR 7 1976 SHONED R. G. Ladd, Jr. TITLE District Drilling Supt. DATE 4-2-76 (This space for Federal or State office use)	. _	Notie	on Lease	<u> </u>	. 0340	<u> </u>		TO WARE WILL OF LAND	
PROPOSED CASING AND CEMENTING PROGRAM SIZE OF BOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH QUANTITY OF CEMENT 12-1/4" 8-5/8" 24# 790 300 sacks or to surface 7-7/8" 5-1/2" 15.5# 6340 400 sacks PROPOSED PROGRAM Drill 12-1/4" hole to 790 Run and cement 8-5/8" casing. Drill 7-7/8" hole to 6340 Log and if production is indicated, run and cement 5-1/2" casing. The well will be completed with 2-3/8" tubing. The B.O.P. will be given a daily operational test and each test logged. NOTE: Subject acreage is not dedicated to a 222 purchaser.		•							
BIZE OF HOLE SIZE OF CASING			DRODOGMD GAGE	NG AN	N AMACHANIA DRAAD		1 4-14	2-76	
12-1/4" 8-5/8" 24# 790' 300 sacks or to surface 7-7/8" 5-1/2" 15.5# 6340' 400 sacks PROPOSED PROGRAM Drill 12-1/4" hole to 790'. Run and cement 8-5/8" casing. Drill 7-7/8" hole to 6340' Log and if production is indicated, run and cement 5-1/2" casing. The well will be completed with 2-3/8" tubing. The B.O.P. will be given a daily operational test and each test logged. NOTE: Subject acreage is not dedicated to a case purchaser. APR 8 976 U. S. GEOLCCICAL SURVED LIPOPOSED PROGRAM: If proposal is to a complete the productive zone and proposed new productive. If proposal is to drill or deepen directionally, give pertinent data to a present productive zone and proposed new productive enter program, if any. RIGHER STATE DISTRICT DRILLING SUPE. APR 7 1976 U. S. GEOLCCICAL SURVED LIPOPOSED PROGRAM: If proposal is to a complete the proposed new productive zone and proposed new productive enter program, if any. APR 7 1976 U. S. GEOLCCICAL SURVED LIPOPOSED PROFED PROFED PROFED PROFED PROFED THE PROFED TH			PROPOSED CASI	NG AN.	D CEMENTING PROGRA	.М			
PROPOSED PROGRAM Drill 12-1/4" hole to 790'. Run and cement 8-5/8" casing. Drill 7-7/8" hole to 6340' Log and if production is indicated, run and cement 5-1/2" casing. The well will be completed with 2-3/8" tubing. The B.O.P. will be given a daily operational test and each test logged. NOTE: Subject acreage is not dedicated to a gas purchaser. APR 8 976 U. S. GEOLOGICAL SURVEY. APR 1976 U. S. GEOLOGICAL SURVEY. APR 1976 BIONED STATE PROPOSED PROGRAM: If proposal is to the or Dougland, give data on present productive zone and proposed new productive enter program, if any. SIGNED R. G. Ladd, Jr. TITLE District Drilling Supt. DATE 4-2-76 (This space for Federal or State office use)							QUANTITY OF (CEMENT	
PROPOSED PROGRAM Drill 12-1/4" hole to 790'. Run and cement 8-5/8" casing. Drill 7-7/8" hole to 6340' Log and if production is indicated, run and cement 5-1/2" casing. The well will be completed with 2-3/8" tubing. The B.O.P. will be given a daily operational test and each test logged. NOTE: Subject acreage is not dedicated to a sage purchaser. APR 8 976 U. S. GEOLCOICAL SURVEY CAPTER OF THE PROPOSED PROGRAM: If proposal is to the proposal is to drill or deepen directionally, give pertinent datasets unbadding locations and measured and true vertical depths. Give blowout enter program, if any. RIGNED R. G. Ladd, Jr. TITLE District Drilling Supt. DATE 4-2-76 (This space for Federal or State office use)		I — — — — — — — — — — — — — — — — — — —				300	300 sacks or to surface		
Drill 12-1/4" hole to 790'. Run and cement 8-5/8" casing. Drill 7-7/8" hole to 6340'. Log and if production is indicated, run and cement 5-1/2" casing. The well will be completed with 2-3/8" tubing. The B.O.P. will be given a daily operational test and each test logged. NOTE: Subject acreage is not dedicated to a gas purchaser. APR 7 1976 U. S. GEOLOGICAL SURVEY LEGUE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to the operation of pur back, give data on present productive zone and proposed new productive enter program, if any. RIGHED APR 6. Ladd, Jr. TITLE District Drilling Supt. DATE 4-2-76 (This space for Federal or State office use)	7-7/8"	5-1/2"	15.5#	·	6340	400	sacks		
Drill 12-1/4" hole to 790'. Run and cement 8-5/8" casing. Drill 7-7/8" hole to 6340'. Log and if production is indicated, run and cement 5-1/2" casing. The well will be completed with 2-3/8" tubing. The B.O.P. will be given a daily operational test and each test logged. NOTE: Subject acreage is not dedicated to a gas purchaser. APR 7 1976 U. S. GEOLOGICAL SURVEY ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to apply back, give data on present productive zone and proposed new productive tenter program, if any. SIGNED R. G. Ladd, Jr. TITLE District Drilling Supt. DATE 4-2-76 (This space for Federal or State office use)					1				
Log and if production is indicated, run and cement 5-1/2" casing. The well will be completed with 2-3/8" tubing. The B.O.P. will be given a daily operational test and each test logged. NOTE: Subject acreage is not dedicated to a gas purchaser. APR 7 1976 U. S. GEOLOGICAL SURVEY ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to be per operation of purchaser of the proposal is to drill or deepen directionally, give pertines data subsafrage locations and measured and true vertical depths. Give blowout center program, if any. BIGNED R. G. Ladd, Jr. TITLE District Drilling Supt. DATE 4-2-76 (This space for Federal or State office use)	PROPOSED PRO	GRAM						,	
Log and if production is indicated, run and cement 5-1/2" casing. The well will be completed with 2-3/8" tubing. The B.O.P. will be given a daily operational test and each test logged. NOTE: Subject acreage is not dedicated to a gas purchaser. APR 7 1976 U. S. GEOLOGICAL SURVEY ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to them of not bed, give data on present productive zone and proposed new productive enter program, if any. BIGNED R. G. Ladd, Jr. TITLE District Drilling Supt. DATE 4-2-76 (This space for Federal or State office use)	Drill 12-1/4	" hole to 790"	. Run and	cemei	nt 8-5/8" casing	nri	11 7_7/8" 1	001e to 63/0!	
NOTE: Subject acreage is not dedicated to a gas purchaser. APR 7 1976 U. S. GEOLOGICAL SURVEY ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to apper or pur bag, give data on present productive zone and proposed new productive enter program, if any. BIGNED ARG. Ladd, Jr. TITLE District Drilling Supt. DATE 4-2-76 (This space for Federal or State office use)									
NOTE: Subject acreage is not dedicated to a sas purchaser. APR 7 1976 U. S. GEOLOGICAL SURVEY APR 8 1976 U. S. GEOLOGICAL SURVEY ONLY DESCRIBE PROPOSED PROGRAM: If proposal is to the proposal is to drill or deepen directionally, give pertinent datables lubarrace locations and measured and true vertical depths. Give blowout enter program, if any. SIGNED R. G. Ladd, Jr. TITLE District Drilling Supt. DATE 4-2-76 (This space for Federal or State office use)							5. 1	a wall bu	
NOTE: Subject acreage is not dedicated to a case purchaser. APR 7 1976 U. S. GEOLOGICAL SURVEY O. M. BIOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to epen of pur back, give data on present productive zone and proposed new productive enter program, if any. BIGNED APR 8 1976 U. S. GEOLOGICAL SURVEY O. M. Give blowout in the proposal is to drill or deepen directionally, give pertinent data is lubsurface locations and measured and true vertical depths. Give blowout enter program, if any. BIGNED APR 7 1976 U. S. GEOLOGICAL SURVEY O. M. BIGNED APR 7 1976 U. S. GEOLOGICAL SURVEY District Drilling Supt. DATE 4-2-76 (This space for Federal or State office use)									
NOTE: Subject acreage is not dedicated to a case purchaser. APR 7 1976 U. S. GEOLOGICAL SURVEY LEGOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to epen of pur back, give data on present productive zone and proposed new productive enter program, if any. SIGNED APR 8 1976 U. S. GEOLOGICAL SURVEY LEGOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to epen of pur back, give data on present productive zone and proposed new productive enter program, if any. BIGNED APR 7 1976 U. S. GEOLOGICAL SURVEY LEGOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to epen of pur back, give data on present productive zone and proposed new productive enter program, if any. BIGNED APR 7 1976 U. S. GEOLOGICAL SURVEY LEGOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to epen of pur back, give data on present productive zone and proposed new productive enter program, if any. BIGNED APR 8 1976 U. S. GEOLOGICAL SURVEY LEGOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposed new productive zone and proposed new productive enter program, if any. BIGNED APR 8 1976 U. S. GEOLOGICAL SURVEY APR 7 1976 U. S. GEOLOGICAL SURVEY APR 7 1976 U. S. GEOLOGICAL SURVEY APR 7 1976 U. S. GEOLOGICAL SURVEY APR 8 1976 U. S. GEOLOGICAL SURVEY APR 7 1976 U. S. GEOLOGICAL SURVEY APR 8 1976 U.	The B.O.P. w	ill be given a	daily oper	ation	nal test and ead	h test	logged.		
NOTE: Subject acreage is not dedicated to a gas purchaser. APR 7 1976 U. S. GEOLOGICAL SURVEY COM. ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to begin of DUC back, give data on present productive zone and proposed new productive. If proposal is to drill or deepen directionally, give pertines data in the description of deepen directionally, give pertines data in the description of deepen directionally, give pertines data in present productive zone and proposed new productive renter program, if any. SIGNED R. G. Ladd, Jr. TITLE District Drilling Supt. DATE 4-2-76 (This space for Federal or State office use)		_		-	The same of the sa				
ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to the property of pur back, give data on present productive zone and proposed new productive renter program, if any. SIGNED A C C C C C								CEIVED	
ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to the property of pur back, give data on present productive zone and proposed new productive renter program, if any. SIGNED A C C C C C				Q[[Ì		
BIGNED U. S. GEOLOGICAL SURVEY OM. ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to the period pure back, give data on present productive zone and proposed new productive renter program, if any. BIGNED ALCOMAN TITLE District Drilling Supt. DATE 4-2-76 (This space for Federal or State office use)		_	/				Į Di	PR 7 1976	
BIGNED U. S. GEOLOGICAL SURVEY OM. ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to the period pure back, give data on present productive zone and proposed new productive renter program, if any. BIGNED ALCOMAN TITLE District Drilling Supt. DATE 4-2-76 (This space for Federal or State office use)	NOTE: Subj	ect acreage is	not dedica	ted 1	to a cas purchas	ser.		1 1010	
BOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to expen of pur back, give data on present productive zone and proposed new productive contents of the proposal is to drill or deepen directionally, give pertinent data is lubalified locations and measured and true vertical depths. Give blowout tenter program, if any. SIGNED R.G. Ladd, Jr. TITLE District Drilling Supt. DATE 4-2-76 (This space for Federal or State office use)			(APK	0 1310		1	COLONIAL ALIBUM	
e. If proposal is to drill or deepen directionally, give pertinent data in tubsurface locations and measured and true vertical depths. Give blowout renter program, if any. Signed	•		\ n	41' A	and COM.				
R. G. Ladd, Jr. (This space for Federal or State office use)	. If proposal is to	drill or deepen directions		da do	olug back, give data on prison and in the surface locations and	esent produ d measured	ctive zone and pro and true vertical	oposed new productive depths. Give blowout	
(This space for Federal or State office use)	SIGNED 3	Lade 4	TI	rle _]	District Drillin	ng Supt	• DATE	4-2-76	
	(This eres for Est	· · · · · · · · · · · · · · · · · · ·	id, Jr.						
PERMIT NOAPPROVAL DATE	(This space for Fede	ran or State omce use)			•				
	PERMIT NO.				APPROVAL DATE				

APPROVED BY CONDITIONS OF APPROVAL, IF ANY:

OKAL

HE S C + 04 you Cetter *See Instructions On Reverse Side

NEW MEXICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT

Form C-102 Supersedes C-128 Effective 1-1-65

		All distances must be fro	m the outer boundaries of	the Section.	
Operator		·	Lease ,		Well No.
Union Cil	Company of C	California	Navaj	o	3 (11)
Unit Letter	Section	Township	Ronge	County	
		,	- I		
	1 1	25 North		San Juar	n
Actual Footage Loc					
1500	feet from the	South line and	1150 _{fee}	t from the East	line
Ground Level Elev.	Producing For	 	Pool		Dedicated Acreage:
6431		kota	Ba si n Dak		5/220
0431		ikota	Dasin Dak	.oca	5/ 320 Acres
1. Outline th	e acreage dedica	ted to the subject wel	l by colored pencil o	r hachure marks on t	the plat below.
	· ·	•	•		•
0 If +b	1 !-	dedicated to the small			a contra
		dedicated to the well,	outline each and ide	ntily the ownership	thereof (both as to working
interest ar	nd royalty).	-			
		•			
3. If more tha	an one lease of d	ifferent ownership is d	edicated to the well.	have the interests o	of all owners been consoli-
		mitization, force-poolin			· · · · · · · · · · · · · · · · · · ·
duicd by c	ommunicization, u	interzacion, force-poortin	6. ctc.		
· · · · · · · · · · · · · · · · · · ·	N			(SEE REVERSE	CIDEN
Yes	No If ar	iswer is "yes," type of	consolidation	(SEE KEVEKSE	SIDE)
			•		
If answer	is "no," list the	owners and tract descri	ptions which have ac	tually been consolid	lated. (Use reverse side of
	f necessary.)				of the second se
	-	1 11 11 11	1 1	1.1 1.1	
					mmunitization, unitization,
forced-pool	ling, or otherwise)	or until a non-standard	unit, eliminating suc	h interests, has been	n approved by the Commis-
sion.	· ·		3	•	,
					
	1	· · · · · · · · · · · · · · · · · · ·			CERTIFICATION
Ī	i		Ì		CER III TOX TION
į.	!		İ		
		•		I hereby	certify that the information con-
			/creil		erein is true and complete to the
	i		OFITI	1 1	·
	1		VITO (1)	best of n	my knowledge and belief.
İ	ļ		1		·
į.			ADD 1 0 1070		7
	· .		APR ! 8 1976	Name	1 1/1/12
					1 Lodd In
l l	1		H. G.M. MIN.	Position	
	1	`	District	Dietri	ict Drilling Supt.
1	,			1 1	ice Diffing Supe.
j	j	, I		Compony	
	i	İ	•	Union	Oil Co. of California
į.	l	l	ı	Date	
	1		1	April	2, 1976
1	,	SEC. I	1	APLIL	444411111111111111111111111111111111111
					AND LAND
1	77		77-3	, iii	CENTY That The Well Occation
W.I. Owner	1	3.1.2		Jareby	Sentity that the well-location
Royalty In	iterest - Nava	ijo Royalty	nterest - Navaj	•	5
			1		n this plat was plotted from field
	<u>.</u>		. 1	agones of	ad AB Sau NOs made y me or
11	ŀ		1 1	nder my	superstripg, and that the same
		Navajo Al	.lotted - 160 ac		and correct to the best of my
Navajo All	.otted - 160 a	ic.			Standard & B
	!			knawley	AND POLICE STREET, AND THE STR
H	+	# -		# "%"	UN ECHOLICIAN
	t	1			Page 1 Commence of the Commenc
		A common of the	<u> </u>	Date Surve	
	!			<u> </u>	
	ı	ill	1-00	March	n 30, 1976
	1		1500	\$ 	Professional Engineer
	1		1	I I	nd Surveyor
	1	· American	!		,
	1	- Individual]	E . 9	17/1/1/
<u></u>		. TO ANDREWS SEE SECTION OF THE PROPERTY OF TH			, which have
				Certificate	No. 3602
0 330 550	00 1920 1550 155	0 3310 3540: 3055	1 1	' ' l	E.V.Echohawk LS
0 330 660 -	90 1320 1650 198	0 2310 2640 2000	1500 1000 5	00 O	L. A. T. CIIOIIGMV CO

1 -

enion vil Jumpan) of Cilifornia og

1.038

6431

Union owns W.I. under both tracts and plans to communitize the S^1_2 of Section 1, Township 25 North, Range 11 West after the well is drilled.

.

Caren sky 1976

 $g_{G,Q}$

il whichorsola.V.B