

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 42-R1424.
LEASE DESIGNATION AND SERIAL NO.

14-20-603-1423
6. IF INDIAN, ALLOTTEE OR TRIBE NAME

Navajo

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Ka Da Pah

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

WAW-Fruitland-PC

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Section 3, T25N, R12W

12. COUNTY OR PARISH 13. STATE
San Juan NM

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL ☐ GAS WELL ☒ OTHER

2. NAME OF OPERATOR

Hixon Development Company

3. ADDRESS OF OPERATOR

P.O. Box 2810, Farmington, New Mexico 87401

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

790' FSL, 1000' FWL, Section 3, T25N, R12W

14. PERMIT NO.

15. ELEVATIONS (Show whether DP, RT, GR, etc.)
6188' GLE

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

Plug back

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL


ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any
proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones perti-
nent to this work.) *

The subject well was completed 9-27-77 as a WAW-Fruitland-PC gas well. Current pipeline production is 5 MCFD, 100 BWPD. It is not commercial. It is proposed to abandon the Pictured Cliffs - Fruitland zones and recomplete in the Farmington Sand as follows:
(1) Squeeze off perforations 1117'-33', 1112'-14' by pumping 50 sacks cement and displacing with a wiper plug to about 871'.
(2) Perforate Farmington Sand interval 598'-608' with 2-JSPF.
(3) Acidize with 500 gallons 15% acid, swab in, test and put on production.



18. I hereby certify that the foregoing is true and correct

SIGNED

Petroleum Engineer

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

APPROVED

OCT 9 1979

DAVID MALDONADO
DISTRICT OIL & GAS SUPERVISOR

*See Instructions on Reverse Side