

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1.	OIL WELL <input type="checkbox"/>	GAS WELL <input checked="" type="checkbox"/>	OTHER <input type="checkbox"/>
2. NAME OF OPERATOR	Hixon Development Company		
3. ADDRESS OF OPERATOR	P.O. Box 2810, Farmington, NM 87401		
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface	790' FSL, 1850' FEL Unit O Section 6-T25N-R12W		
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT, GR, etc.) 6206' GL		

5. LEASE DESIGNATION AND SERIAL NO. SF-078056	
6. IF INDIAN, ALLOTTEE OR TRIBE NAME Navajo	
7. UNIT AGREEMENT NAME	
8. FARM OR LEASE NAME Federal "C"	
9. WELL NO. 4	
10. FIELD AND POOL, OR WILDCAT NIPP-PC	
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec 6-25N-12W	
12. COUNTY OR PARISH San Juan	13. STATE NM

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐

FRACTURE TREAT ☐

SHOOT OR ACIDIZE ☐

REPAIR WELL ☐

(Other) ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPLETE ☐

ABANDON* ☒

CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐

FRACTURE TREATMENT ☐

SHOOTING OR ACIDIZING ☐

(Other) ☐

REPAIRING WELL ☐


ALTERING CASING ☐

ABANDONMENT* ☐

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

The subject well is a non-commercial Pictured Cliffs well. It is proposed to P & A this well as follows (1) Fill 2-7/8" casing by pumping 30 sacks cement from PBD @ 1229'-20'. (2) Back off top joint of 2-7/8" casing. (3) Fill 5-1/2" surface casing cavity with 5 sacks cement and set dry hole marker.



18. I hereby certify that the foregoing is true and correct

SIGNED

Petroleum Engineer

DATE May 26, 1978

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side