Form	9-331
(May	1963)

## UNITED STATES

SUBMIT IN TRIPLICATE.

Form approved.

<b>uy 1</b> 000,	D	EPARTMENT OF THE INTERIOR (Other Instructions geological survey	5. LEASE DESIGNATION AND SERIAL NO14-20-5250
(Do not		Y NOTICES AND REPORTS ON WELLS of for proposals to drill or to deepen or plug back to a different reservoir. "APPLICATION FOR PERMIT—" for such proposals.)	6. IF INDIAN, ALLOTTEE OR TRIBE NAME Navajo
	GAS WELL	OTHER	7, UNIT AGREEMENT NAME
NAME OF OPE	HATOR		 8 PARM OR LEASE NAME

4.	OIL [T] GAS [Y]	7. UNIT AGREEMENT NAME
	WE'LL WELL OTHER	
2.	NAME OF OPERATOR	8. FARM OR LEASE NAME
	Ludwick Exploration Company	East Carson Navajo
3.	ADDRESS OF OPERATOR	9. WELL NO.
	P.O. Box 2614, Farmington, New Mexico 87401	1
4.	LOCATION OF WELL (Report location clearly and in accordance with any State requirements.  See also space 17 below.)	10. FIELD AND POOL, OR WILDCAT
	At surface	Wildcat
	790' FSL, 1850' FEL, Section 23-T25N-R11W	11. SEC., T., R., M., OR BLE. AND SURVEY OR AREA
	, , , , , , , , , , , , , , , , , , ,	23-T25N-R <b>建</b> W
14		
14	PERMIT NO. 15. ELEVATIONS (Show whether DF, RT, GR, etc.)	12. COUNTY OR PARISH 13. STATE
	6502' GL	San Juan NM

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:			SUBSEQUENT REPORT OF:		
		1			
TEST WATER SHUT-OFF	<u> </u>	PULL OR ALTER CASING		WATER SHUT-OFF	REPAIRING WELL
FRACTURE TREAT		MULTIPLE COMPLETE		FRACTURE TREATMENT	ALTERING CASING
SHOOT OR ACIDIZE		ABANDON*		SHOOTING OR ACIDIZING	ABANDONMENT*
REPAIR WELL	L	CHANGE PLANS		(Other) Drilling Progress	X
(Other)				(NOTE: Report results of mult Completion or Recompletion Re	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Spudded well 7-01-78. Drilled 7-7/8" hole to 34'. Run 34' 5-1/2" 15.5# J-55 casing. Cement with 5 sacks Class B cement. Drill 4-3/4" hole to 1465'. Run IES and BHC Density logs. Log tops as follows:

> Ojo Alamo 405' Kirtland 543' Fruitland 900' Pictured Cliffs 1322'

Run 1448' 2-7/8" 6.5# J-55 casing. Cement with 35 sacks Class G cement.

18. I hereby certify that the foregoing is true and correct Liknes Xuchara TITLE Chemical Engineer DATE July 27th, 1978 (This space for Federal or State office use) APPROVED BY CONDITIONS OF APPROVAL, IF ANY: