Form 9-331 Dec. 1973

Form	Approved.	
Budg	t Bureau No. 42-R141	,

Dec. 1973	Budget Bureau No. 42-R1424
UNITED STATES	5. LEASE C-14-20-5017
DEPARTMENT OF THE INTERIOR	· · · · · · · · · · · · · · · · · · ·
GEOLOGICAL SURVEY	Nav. Allot. NOO 6. IF INDIAN, ALLOTTEE OR TRIBE NAME
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.)	7. UNIT AGREEMENT NAME
reservoir. Use Form 9–331–C for such proposals.)	8. FARM OR LEASE NAME
1. oil gas	Hostein Yazza
well gas well X other	9. WELL NO.
2. NAME OF OPERATOR	1
El Paso Natural Gas Company	10. FIELD OR WILDCAT NAME
3. ADDRESS OF OPERATOR	Basin Dakota
PO Box 289, Farmington, NM 87401	11. SEC., T., R., M., OR BLK. AND SURVEY OR
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17	AREA
below.)	Sec. 26, T-25-N, R-9-W, NMPM
AT SURFACE: 1900'S, 1130'W AT TOP PROD. INTERVAL:	12. COUNTY OR PARISH 13. STATE
AT TOTAL DEPTH:	San Juan NM
	14. API NO.
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA	
REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD)
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	
FRACTURE TREAT	to the many time of the second
SHOOT OR ACIDIZE	**************************************
PULL OR ALTER CASING	(NOTE: Report results of multiple completion or zone
MULTIPLE COMPLETE U	change on Form 9–330.)
CHANGE ZONES	18Z
ABANDON*	
(other) U. S. GEGLEGICAL FARMINGTON, F	
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state including estimated date of starting any proposed work. If well is demeasured and true vertical depths for all markers and zones pertinent	e all pertinent details, and give pertinent dates,
3-24-82 Stung into retainer at 64	90'. Attempted to squeeze
	inot perforations at 4000 psi.
	cement retainer at 6404'.
	all for water production.
	The second of th
Since the well still produced exces	sive amounts of water, it
is intended to sting into retainer	
off lower perforations with 50 sks.	
then be tested for water production	
choir be debuted for mater production.	\KLPLIATO./
	1,000
	AUG 0 1 1982
1	CON COM.
Subsurface Safety Valve Manu. and Type	ON COM.
18. I hereby certify that the to ego gris true and correct	DIST. 3
Project	
	Engr. DATE JAR PROVED
(This space for Federal or State of	
(Tims space for Federal of State of	fice use) AS AMENDED
APPROVED BY TITLE CONDITIONS OF APPROVAL, IF ANY:	PATE
CONDITIONS OF AFFROYAL, IF ANT:	JUL 3 0 130C
	100000000000000000000000000000000000000

NMOCC

*See Instructions on Reverse Side

FOR JAMES F.