

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ gas ☐ other ☐
well well well

2. NAME OF OPERATOR
Shell Oil Company

3. ADDRESS OF OPERATOR
P. O. Box 831, Houston, TX 77001

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 790 FNL, 1100 FEL, Section 10
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF	☐	☐
FRACTURE TREAT	☐	☐
SHOOT OR ACIDIZE	☐	☐
REPAIR WELL	☐	☐
PULL OR ALTER CASING	☐	☐
MULTIPLE COMPLETE	☐	☐
CHANGE ZONES	☐	☐
ABANDON*	☐	☐
(other) <u>X</u>		

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

See attached well history.



Subsurface Safety Valve: Manu. and Type _____

18. I hereby certify that the foregoing is true and correct

SIGNED S. M. Goba TITLE Supervisor DATE April 1, 1980
Regulatory-Permits

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

5. LEASE NM-070322	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
7. UNIT AGREEMENT NAME	8. FARM OR LEASE NAME Carson Unit
9. WELL NO. 202	10. FIELD OR WELL NAME Bisti
11. SEC., T., R., OR BLK. AND SURVEY OR AREA NE/4 NE/4 S 20, T 5N, R 12W	12. COUNTY OR PARISH San Juan
13. STATE New Mexico	14. API NO.
15. ELEVATIONS (SHOW DF, KDB, AND WD)	

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

Instructions

NEW MEXICO

BISTI FIELD

Shell-Carson 202
(D) Wilson #4
1200' Pictured Cliffs Test
\$ 2M
WI - 100%
GR 6232'

Status: 100% rigged up. Prep. to mix spud mud.

MAR 18 1980

NEW MEXICO

BISTI FIELD

Shell-Carson 202
(D) Wilson #4
1200' Pictured Cliffs Test
\$7M/\$33M
WI - 100%
GR 6232'
7" csg at 135'

145/145//1/5. Status: Nipple up.
Ran 7" csg to 135'.
Spudded at 7:00 AM, 3-18-80
Location: 790 FNL, 1100 FEL,
Section 10, T25N, R12W
San Juan County, NM

MAR 19 1980

NEW MEXICO

BISTI FIELD

Shell-Carson 202
(D) Wilson #4
1200' Pictured Cliffs Test
\$11M/\$33M
WI - 100%
GR 6232'
7" csg @ 135'

145/0//2/5. Status: Shut down for night.
W.O. cmt & build choke manifold & kill line.

MAR 20 1980

NEW MEXICO

BISTI FIELD

Shell-Carson 202
(D) Wilson #4
1200' Pictured Cliffs Test
\$13M/\$33M
WI - 100%
GR 6232'
7" csg @ 135'

145/0//3/5. Status: Shut down for night.
Work on choke manifold; repair drum; changeout
drilling line. Test csg to 1000 psi, test BOP.

MAR 21 1980

NEW MEXICO

BISTI FIELD

Shell-Carson 202
(D) Wilson #4
1200' Pictured Cliffs Test
\$19M/\$33M
WI - 100%
GR 6232'
7" csg @ 135'

3-22-80
380/235//4/5. Status: Shut down for night.
Drill out shoe & cmt. Trip in to shoe & secure
for night.
Mud: (.452) 8.7'

3-23-80
900/520//5/5. Status: Shut in for night.
Drilling & pull into shoe to secure rig.
Mud: (.447) 8.5 x 31 x 15.6

3-24-80
1212/312//6/5. Status: Shut in for night.
Rig up loggers. Hit bridge at 644' w/DIL tool.
TIH, wash thru interval, pull into shoe & secure
for night.
Mud: (.530) 10.2 x 45 x 15

NEW MEXICO

BISTI FIELD

Shell-Carson 202

(D) Wilson #4

1200' Pictured Cliffs Test

\$26M/\$33M

WI - 100%

GR 6232'

7" csg @ 135'

1212/0//7/5. Status: TIH.

Ran logs. Trip to shoe & shut in BOP.

Mud: (.536) 10.3 x 45 x 15.5

MAR 25 1980

NEW MEXICO

BISTI FIELD

Shell-Carson 202

(D) Wilson #4

1200' Pictured Cliffs Test

\$32M/\$33M

WI - 100%

GR 6232'

7" csg @ 135'

TD 1208/0//8/5. Status: Moving to Carson 203.

Ran 1208' 2-7/8" 6.5# K-55 tubing. Cmt w/130 sx

65/35 Poz, 6% gel, 6-1/4#/sx Flocele. Tail w/100 sx

50/50 Poz, 2% gel. Bumped plug w/6.9 bbls fresh

water. 100% returns throughout job. Released

rig at 3:30 PM, 3-25-80.

Cost \$32,375.

MAR 26 1980