

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER	5. LEASE DESIGNATION AND SERIAL NO. NM 25446
2. NAME OF OPERATOR Hixon Development Company	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
3. ADDRESS OF OPERATOR P.O. Box 2810, Farmington, New Mexico 87401	7. UNIT AGREEMENT NAME
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 790' FNL, 1000' FEL, Section 18, T25N, R12W	8. FARM OR LEASE NAME Federal 18
	9. WELL NO. 1
	10. FIELD AND POOL, OR WILDCAT Chacra - Wildcat
	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Section 18, T25N, R12W
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT, GR, etc.) GLE - 6531'
	12. COUNTY OR PARISH San Juan
	13. STATE NM

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
(Other) <input type="checkbox"/>	

WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
(Other) <input checked="" type="checkbox"/> Drilling Progress	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

1-25-80: Depth 412'. Pressure tested surface casing to 750 psi. Pressure held for 30 minutes. Drilled out from under surface. Drilled 5" hole to 412'. Totco survey - 1/2°.

1-26-80: Depth 640'. Drilled 5" hole 412'-640'. Mud weight 8.5#/gallon. FL - 10cc. Viscosity - 35.

1-27-80: Depth 1103'. Drilled 5" hole 640'-1103'. Totco survey is 1/2°.

1-28-80: Depth 1760'. Drilled 5" hole 1103'-1760'. Totco survey is 3/4°.

Mud weight is 8.6#/gallon, FL - 6cc, Viscosity is 38 seconds/quart.



ACCEPTED FOR RECORD

FEB 5 '80

BY Kuchars JUN DISTRICT

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE

Petroleum Engineer

DATE

1-30-80

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

NMOCC'

*See Instructions on Reverse Side