

OIL CONSERVATION DIVISION

DISTRICT I  
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II  
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III  
1000 Rio Brazos Rd., Aztec, NM 87410

P.O. Box 2088  
Santa Fe, New Mexico 87504-2088

WELL API NO. 30-045-24224
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. E-6597-2
7. Lease Name or Unit Agreement Name  Virginia State
8. Well No. 3
9. Pool name or Wildcat WAW Fruitland - PC
10. Elevation (Show whether DFL, RKB, RT, GR, etc.) 6282' GLE

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A  
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"  
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER	2. Name of Operator Hixon Development Company
3. Address of Operator P.O. Box 2810, Farmington, New Mexico 87499	4. Well Location Unit Letter M : 790 Feet From The South Line and 790 Feet From The West Line Section 2 Township 25N Range 12W NMPM San Juan County
10. Elevation (Show whether DFL, RKB, RT, GR, etc.) 6282' GLE	

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
OTHER: <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
	CASING TEST AND CEMENT JOB <input type="checkbox"/>
	OTHER: <input type="checkbox"/>

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Hixon Development Company plans to plug and abandon the above well as follows:

- 1) Place a 40 sk. (47.2 cu. ft.) cement plug (Class "B" cement containing 2% CaCl<sub>2</sub>) from PBD of 1360' to surface.
- 2) Cut off wellhead and install regulation dry hole marker.

Work is to be started within the next month.

RECEIVED  
JAN 22 1990  
OIL CON. DIV  
DIST. 3

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Bruce E. Delventhal TITLE Petroleum Engineer DATE January 19, 1990  
Bruce E. Delventhal  
TYPE OR PRINT NAME TELEPHONE NO.

(This space for State Use)

Original Signed by CHARLES GHOLSON

DEPUTY OIL & GAS INSPECTOR, DIST. #3

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE JAN 22 1990  
CONDITIONS OF APPROVAL, IF ANY: