

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well ☒ gas well ☐ other

2. NAME OF OPERATOR

Hixon Development Company

3. ADDRESS OF OPERATOR

P.O. Box 2810, Farmington, NM 87499

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)

AT SURFACE: 2310' FSL, 1650' FEL 7-25-12

AT TOP PROD. INTERVAL:

AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐

FRACTURE TREAT ☐

SHOOT OR ACIDIZE ☐

REPAIR WELL ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPLETE ☐

CHANGE ZONES ☐

ABANDON* ☐

(other) Drilling Progress

SUBSEQUENT REPORT OF:

RECEIVED

APR 10 1984

BUREAU OF LAND MANAGEMENT
FARMINGTON RESOURCE AREA

5. LEASE

SF078056

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

Central Bisti Lower Gallup Unit

8. FARM OR LEASE NAME

9. WELL NO.

97

10. FIELD OR WILDCAT NAME

Bisti Lower Gallup

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Section 7, T25N R12W

12. COUNTY OR PARISH 13. STATE

San Juan

NM

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)

6297' GLE

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Spud well at 9:00 pm 4/2/84. Drilled 12-1/4" hole to 221'. Run 201.46' 8-5/8" 24# K-55 8rd surface casing. Casing was run with guide shoe on top of 1st joint and centralizers on top of 1st and 3rd joints. Casing set at 213.96' KB. Cement surface casing using 175 sacks (206.5 cubic feet) Class B cement with 2% CaCl. Cement circulated to surface. Shut well in.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED

[Signature]

TITLE

Petroleum Engineer

DATE

4/4/84

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

ACCEPTED FOR RECORD

APR 11 1984

*See Instructions on Reverse Side

FARMINGTON RESOURCE AREA

[Stamp]

[Signature]