

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

Budget Bureau No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL ☐ GAS WELL ☒ OTHER ☐	2. NAME OF OPERATOR Hixon Development Company	3. ADDRESS OF OPERATOR P.O. Box 2810, Farmington, N.M. 87499	5. LEASE DESIGNATION AND SERIAL NO. SF 078061	6. IF INDIAN, ALLOTTEE OR TRIBE NAME	7. UNIT AGREEMENT NAME Carson Unit	8. FARM OR LEASE NAME	9. WELL NO. 324-17	10. FIELD AND POOL, OR WILDCAT Basin Fruitland Coal	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 17, T25N, R11W	12. COUNTY OR PARISH San Juan	13. STATE N.M.
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT, GR, etc.) 6422' GLE										

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF ☐	PULL OR ALTER CASING ☐	WATER SHUT-OFF ☐	REPAIRING WELL ☐
FRACTURE TREAT ☐	MULTIPLE COMPLETE ☐	FRACTURE TREATMENT ☐	ALTERING CASING ☐
SHOOT OR ACIDIZE ☐	ABANDON* ☐	SHOOTING OR ACIDIZING ☐	ABANDONMENT* ☐
REPAIR WELL ☐	CHANGE PLANS ☐	(Other) <u>Amended APD</u> ☒	(Other) ☐
(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)			

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) *

Please accept this sundry as an amendment to the Application for Permit to Drill for the above referenced well.

Production casing will be 4-1/2", 9.5#, J-55, ST&C, Range 3, Smls.

Attached are an amended Pressure Control Equipment Schematic and Drilling Rig Location Plat.

RECEIVED

APR 12 1990

OIL CON. DIV.
DIST. 3

18. I hereby certify that the foregoing is true and correct

SIGNED Aldrich L. Kuchera TITLE President

(This space for Federal or State office use)


APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____

*See Instructions on Reverse Side

APPROVED	
DATE	MAR 23 1990
DATE	APR 08 1990
Ken Townsend	
FARMINGTON, N.M.	

Hixon Development Company Drilling Rig Location Plat



Hixon Development Company Pressure Control Equipment

- Note: 1. An upper Kelly cock valve will be utilized during drilling. Handle will be available for easy access.
2. Safety valves and necessary subs to fit all drill string in use will be available.

Shaffer Double Gate Blow Out Preventer
6", 3000 psi W.P., 6000 psi Test, Type LWP

