

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 42-R1424

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER		7. UNIT AGREEMENT NAME	
2. NAME OF OPERATOR Hixon Development Company		8. FARM OR LEASE NAME Hixon Federal 19	
3. ADDRESS OF OPERATOR P.O. Box 2810, Farmington, New Mexico 87401		9. WELL NO. 1	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 790' FNL, 790' FEL, Section 19, T25N, R12W		10. FIELD AND POOL, OR WILDCAT Pictured Cliffs	
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Section 19, T25N, R12W	
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT, GR, etc.) 6438' GLE	12. COUNTY OR PARISH San Juan	13. STATE NM

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF	<input type="checkbox"/>	PULL OR ALTER CASING	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	MULTIPLE COMPLETE	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	ABANDON*	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	CHANGE PLANS	<input type="checkbox"/>
(Other)			

SUBSEQUENT REPORT OF:


WATER SHUT-OFF	<input type="checkbox"/>	REPAIRING WELL	<input type="checkbox"/>
FRACTURE TREATMENT	<input type="checkbox"/>	ALTERING CASING	<input type="checkbox"/>
SHOOTING OR ACIDIZING	<input type="checkbox"/>	ABANDONMENT*	<input type="checkbox"/>
(Other)		Drilling Progress	<input checked="" type="checkbox"/>

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Spud well 4-21-80. Drilled 9" hole to 91'. Ran 7" 20# 8rd ST&C casing to 86' KB. Cemented with 25 sacks. Circulate to surface. WOC. 20 hours. Install BOP. Pressure test. Drilled 5" hole to TD - 1440'. Run IES, GR-CNL-CDL open hole surveys. Log tops as follows:

Ojo Alamo - 164'
Kirtland Shale - 193'
Farmington Member - 466'
Fruitland Coal - 1266'
Pictured Cliffs - 1328'



18. I hereby certify that the foregoing is true and correct

SIGNED

[Signature]

TITLE Petroleum Engineer

DATE 4-30-80

(This space for Federal or State office use)

APPROVED BY

TITLE

CONDITIONS OF APPROVAL, IF ANY:

DATE

ACCEPTED FOR RECORD

NMOCG

MAY 5 1980

*See Instructions on Reverse Side

FARMINGTON DISTRICT
BY *[Signature]*