

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE*

(See other instructions on reverse side)

FOR APPROVED
OMB NO. 1004-0137
Expires: December 31, 1991

5. LEASE DESIGNATION AND SERIAL NO.
NM-36585

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME, WELL NO.
Bisti Coal 29#2

9. API WELL NO.
30-045-28812

10. FIELD AND POOL, OR WILDCAT
Basin Fruitland Coal

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA
Sec 29, T25N, R12W

12. COUNTY OR PARISH
San Juan

13. STATE
N.M.

19. ELEV. CASINGHEAD

25. WAS DIRECTIONAL SURVEY MADE
Yes

26. WAS WELL CORED
No

RECEIVED
JUN 17 1993
FARMINGTON, NM
238

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1. TYPE OF WELL: OIL WELL ☐ GAS WELL ☒ DRY ☐ Other ☐

2. TYPE OF COMPLETION: NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. REVER. ☐

3. NAME OF OPERATOR
GIANT EXPLORATION & PRODUCTION

4. ADDRESS AND TELEPHONE NO.
P.O. BOX 2810; FARMINGTON, N.M. 87401 (505)326-3325

5. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*
At surface 1020' FSL, 1415' FWL, Sec. 29, T25N, R12W

At top prod. interval reported below

At total depth

14. PERMIT NO. DATE ISSUED

15. DATE SPUDDED 11-18-92 16. DATE T.D. REACHED 11-20-92 17. DATE COMPL. (Ready to prod.) 05-17-93 18. ELEVATIONS (DF, RKB, RT, OR, ETC.)* 6399' GLE

20. TOTAL DEPTH, MD & TVD 1350' 21. PLUG, BACK T.D., MD & TVD 1305' 22. IF MULTIPLE COMPL. HOW MANY? N/A 23. INTERVALS DRILLED BY

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*
1129' - 1133', 1143' - 1146', 1152' - 1158'

26. TYPE ELECTRIC AND OTHER LOGS RUN
Compensated Density - Neutron logs with caliper and gamma ray

29. CASING RECORD (Report all strings set in well)

CASING SIZE/GRADE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	TOP OF CEMENT, CEMENTING RECORD
7"	20#	128.60'	8-3/4"	See Exhibit "A"
4-1/2"	9.5#	1353.22'	6-1/4"	See Exhibit "A"

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)

SIZE	DEPTH SET (MD)	PACKER SET (MD)
1-1/4"	1128'	

31. PERFORATION RECORD (Interval, size and number)
1129'-1133' 0.40" 16 Holes
1143'-1146' 0.40" 12 Holes
1152'-1158' 0.40" 24 Holes

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
1129'-1133'	Fraced with 3800# 40/70
1143'-1146'	Brady Sand 37,034# 12/20
1152'-1158'	Brady Sand

33. PRODUCTION
DATE FIRST PRODUCTION 05-29-93 PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) Flowing WELL STATUS (Producing or shut-in) Shut-in

DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
05-29-93	24 hrs.	1			0	0	---
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)*	
0	175		0	No flow	0		

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) To be sold TEST WITNESSED BY

35. LIST OF ATTACHMENTS ACCEPTED FOR RECORD

36. I hereby certify, that the foregoing and attached information is complete and correct as determined from all available records

SIGNED John C. Corbett TITLE Sr. Vice President FARMINGTON DISTRICT OFFICE

*(See Instructions and Spaces for Additional Data on Reverse Side)

GEOLOGIC MARKERS

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	TOP	
					MEAS. DEPTH	TRUE VERT. DEPTH
Fruitland	928'					
Basal Fruitland	1129'					
Pictured Cliffs	1205'					

BISTI COAL 29 WELL NO. 2
1020' FSL, 1415' FWL
SECTION 29, TOWNSHIP 25 NORTH, RANGE 12 WEST
LEASE NO. NM - 36585
SAN JUAN COUNTY
NEW MEXICO
COMPLETION REPORT
EXHIBIT "A"

CEMENT RECORD

Surface Casing - Mixed and pumped 60 sks. (70.8 cu.ft.) of Class "B" cement containing 2% CaCl_2 and 1/4#/sk. cellophane flakes. Cement circulated to surface.

Production Casing - Mixed and pumped 75 sks. (154.5 cu.ft.) Class "B" cement containing 2% Thriftyment and 1/4#/sk. cellophane flakes. Tailed in with 70 sks. (82.6 cu.ft.) of Class "B" cement containing 2% CaCl_2 and 1/4#/sk. cellophane flakes. Cement circulated to surface.

15 sks
70

145

155 cu
83

238