Form 9-331 a (Feb. 1951)

(SUBMIT IN TRIPLICATE)

UNITED STATES **DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY**

Dudget D	- C - C - C - C - C - C - C - C - C - C	110.	72	-26-36	, 0. 7.
Form App	roved	ı.			
Land Office	Santa Fe				
Lease No	NM	01	16	39	
Unit					 ··

Basin Dako (Fi	ield)	(County or	Subdivision)	(State or Territory)	
	ield)		Subdivision)	(State or Territory)	
			Subdivision)	(State or Territory)	
			Subdivision)	(State or Torritory)	
			Cub division)	(State on Mounitains)	
(Fi	ield)	(County or	Subdivision)	(State or Territory)	
(Fi		(County or	Subdivision)	(State or Territory)	
(2.			•	,	
	ground le	vei			
		***	Kann .		
1 1 .*	C.1 WHEEMERS	X . 1	1 . 0290		
ha alarentian	of the denick noo	ahove sea leve	is ozyo ft		
he elevation	of the denies 100	🗗 above sea leve	el is tt.		
he elevation	of the denick noo	rapove sea leve	el 18 rt.		
HE EIEVALION	of the defiler hoo	above sea leve			
		DETAII	S OF WORK		
		DETAIL	D OI WOILL		
					1: : . b
			and the control of the con-		
State names of an	nd expected depths to object	tive sands; show size	, weights, and lengths of pro	posed casings; indicate mudo `	iing jobs, cement-
itate names of an	nd expected depths to object	tive sands; show sizes ing points, and all ot	, weights, and lengths of pro ner important proposed work	posed casings; indicate mude)	iing jobs, cement-
					itng jobs, cement-
					iing jobs, cement-
			, weights, and lengths of proner important proposed work r this well is a		iing jobs, cement-
					iing jobs, cement-
					ing jobs, cement-
P	roposed drilling	g program fo	r this well is a	s follows:	ing jobs, cement-
P	roposed drilling	g program fo	r this well is a	s follows:	ing jobs, cement-
P. I. Dr	roposed drillin	g program fo	r this well is a surface to total	s follows:	17 [] /
P. I. Dr	roposed drillin	g program fo	r this well is a surface to total	s follows:	7.11/h
P. 1. Dr	roposed drillin	g program fo	r this well is a surface to total	s follows:	7-WA
1. Dr 2. Dr	roposed drillin	g program for tools from to approxim	r this well is a surface to total ately 200 feet a	s follows: depth. nd cement 8 5/24	TIVEN
l. Dr 2. Dr	roposed drilling the state of t	g program for tools from to approxim	r this well is a surface to total ately 200 feet a rface with 125 s	depth. nd cement 8 5/20 acks.	TEVED
l. Dr 2. Dr	roposed drilling the state of t	g program for tools from to approxim	r this well is a surface to total ately 200 feet a rface with 125 s	depth. nd cement 8 5/20 acks.	TEVED
l. Dr 2. Dr	roposed drilling the state of t	g program for tools from to approxim	r this well is a surface to total ately 200 feet a rface with 125 s	depth. nd cement 8 5/20 acks.	TIVED
1. Dr 2. Dr ca 3. Dr	roposed drilling ill with rotary ill a 12½" hold sing from total ill a 7 7/8" ho	g program for tools from to approxim depth to su	r this well is a surface to total ately 200 feet a	depth. nd cement 8 5/20 acks.	TIVED
1. Dr 2. Dr ca 3. Dr	roposed drilling ill with rotary ill a 12½" hold sing from total ill a 7 7/8" ho	g program for tools from to approxim depth to su	r this well is a surface to total ately 200 feet a rface with 125 s	depth. nd cement 8 5/20 acks.	TI 4 1963
1. Dr 2. Dr ca 3. Dr	roposed drilling ill with rotary ill a 12½" hold sing from total ill a 7 7/8" housing with 150 s	tools from to approxim depth to su le to approximacks.	r this well is a surface to total ately 200 feet a rface with 125 s imately 7000° an	depth. nd cement 8 5/80 acks. d cement 40	TI 4 1963
l. Dr 2. Dr ca 3. Dr	roposed drilling ill with rotary ill a 12½" hold sing from total ill a 7 7/8" housing with 150 s	tools from to approxim depth to su le to approximacks.	r this well is a surface to total ately 200 feet a rface with 125 s imately 7000° an	depth. nd cement 8 5/80 acks. d cement 40	TIVED
1. Dr 2. Dr ca 3. Dr ca 4. Pe	roposed drilling ill with rotary ill a 12½" hole sing from total ill a 7 7/8" hosping with 150 stropate the Dai	tools from to approxim depth to su le to approximacks.	r this well is a surface to total ately 200 feet a rface with 125 s	depth. nd cement 8 5/80 acks. d cement 40	TI 4 1963
1. Dr 2. Dr ca 3. Dr ca 4. Pe	roposed drilling ill with rotary ill a 12½" hole sing from total ill a 7 7/8" hosping with 150 serforate the Dai	tools from to approxim depth to su le to approximacks.	r this well is a surface to total ately 200 feet a rface with 125 s imately 7000° an	depth. nd cement 8 5/80 acks. d cement 40	CEVED
1. Dr 2. Dr ca 3. Dr ca 4. Pe	roposed drilling ill with rotary ill a 12½" hold sing from total ill a 7 7/8" housing with 150 s	tools from to approxim depth to su le to approximacks.	r this well is a surface to total ately 200 feet a rface with 125 s imately 7000° an	depth. nd cement 8 5/80 acks. d cement 40	TIVED
1. Dr 2. Dr ca 3. Dr ca 4. Pe	roposed drilling ill with rotary ill a 12½" hole sing from total ill a 7 7/8" hosping with 150 serforate the Dai	tools from to approxim depth to su le to approximacks.	r this well is a surface to total ately 200 feet a rface with 125 s imately 7000° an	depth. nd cement 8 5/80 acks. d cement 40	TIVED
1. Dr 2. Dr ca 3. Dr ca 4. Pe	roposed drilling ill with rotary ill a 12½" hole sing from total ill a 7 7/8" hosping with 150 serforate the Dai	tools from to approxim depth to su le to approximacks.	r this well is a surface to total ately 200 feet a rface with 125 s imately 7000° an	depth. nd cement 8 5/80 acks. d cement 40	TIVED
1. Dr 2. Dr ca 3. Dr ca 4. Pe	roposed drilling ill with rotary ill a 12½" hole sing from total ill a 7 7/8" hosping with 150 serforate the Dai	tools from to approxim depth to su le to approximacks.	r this well is a surface to total ately 200 feet a rface with 125 s imately 7000° an	depth. nd cement 8 5/80 acks. d cement 40	TI 4 1963
1. Dr 2. Dr ca 3. Dr ca 4. Pe	roposed drilling ill with rotary ill a 12½" hole sing from total ill a 7 7/8" hosping with 150 serforate the Dai	tools from to approxim depth to su le to approximacks.	r this well is a surface to total ately 200 feet a rface with 125 s imately 7000° an	depth. nd cement 8 5/80 acks. d cement 40	TIVED
1. Dr 2. Dr ca 3. Dr ca 4. Pe	roposed drilling ill with rotary ill a 12½" hole sing from total ill a 7 7/8" hosping with 150 serforate the Dai	tools from to approxim depth to su le to approximacks.	r this well is a surface to total ately 200 feet a rface with 125 s imately 7000° an	depth. nd cement 8 5/80 acks. d cement 40	CIVED CT 4 1963
1. Dr 2. Dr ca 3. Dr ca 4. Pe	roposed drilling ill with rotary ill a 12½" hole sing from total ill a 7 7/8" hosping with 150 serforate the Dai	tools from to approxim depth to su le to approximacks.	r this well is a surface to total ately 200 feet a rface with 125 s imately 7000° an	depth. nd cement 8 5/80 acks. d cement 40	TIVED
1. Dr 2. Dr ca 3. Dr ca 4. Pe	roposed drilling ill with rotary ill a 12½" hole sing from total ill a 7 7/8" hosping with 150 serforate the Dai	tools from to approxim depth to su le to approximacks.	r this well is a surface to total ately 200 feet a rface with 125 s imately 7000° an	depth. nd cement 8 5/80 acks. d cement 40	TIVED
1. Dr 2. Dr ca 3. Dr ca 4. Pe	roposed drilling the state of t	tools from to approxim depth to subjects approximately acks.	r this well is a surface to total ately 200 feet a rface with 125 s imately 7000° an zone and treat	depth. nd cement 8 5/20 acks. d cement 41/1 with sand weter	TIVED
1. Dr 2. Dr ca 3. Dr ca 4. Pe	roposed drilling the state of t	tools from to approxim depth to subjects approximately acks.	r this well is a surface to total ately 200 feet a rface with 125 s imately 7000° an	depth. nd cement 8 5/20 acks. d cement 41/1 with sand weter	TIVED
1. Dr 2. Dr ca 3. Dr ca 4. Pe	roposed drilling ill with rotary ill a 12½" hole sing from total ill a 7 7/8" hosing with 150 striperate the Dail ac.	tools from to approxim depth to su le to approx acks. treceive approvalin w	r this well is a surface to total ately 200 feet a rface with 125 s imately 7000° an zone and treat	depth. nd cement 8 5/20 acks. d cement 41/1 with sand weter	TIVED
1. Dr 2. Dr ca 3. Dr ca 4. Pe	roposed drilling ill with rotary ill a 12½" hole sing from total ill a 7 7/8" hosing with 150 striperate the Dail ac.	tools from to approxim depth to su le to approx acks. treceive approvalin w	r this well is a surface to total ately 200 feet a rface with 125 s imately 7000° an zone and treat	depth. nd cement 8 5/20 acks. d cement 41/1 with sand weter	TIVED
1. Dr 2. Dr 2. Dr 3. Dr 4. Pe fr	roposed drilling ill with rotary ill a 12½" hole sing from total ill a 7 7/8" hosing with 150 starforate the Dail ac.	tools from to approxim depth to su le to approx acks. treceive approvalin w	r this well is a surface to total ately 200 feet a rface with 125 s imately 7000° an zone and treat	depth. nd cement 8 5/20 acks. d cement 41/1 with sand weter	TIVED
1. Dr 2. Dr 2. Dr 3. Dr ca 4. Pe fr	roposed drilling ill with rotary ill a 12½" hole sing from total ill a 7 7/8" ho sing with 150 striprate the Dairac. hat this plan of work mus. E. L. Funding	tools from to approxim depth to su le to approx acks. treceive approvalin v psland	r this well is a surface to total ately 200 feet a rface with 125 s imately 7000° an zone and treat	depth. nd cement 8 5/20 acks. d cement 41/1 with sand weter	TIVED
1. Dr 2. Dr 2. Dr ca 3. Dr ca 4. Pe fr	roposed drilling ill with rotary ill a 12½" hole sing from total ill a 7 7/8" ho sing with 150 striprate the Dairac. hat this plan of work mus. E. L. Funding	tools from to approxim depth to su le to approx acks. treceive approvalin v psland	r this well is a surface to total ately 200 feet a rface with 125 s imately 7000° an zone and treat	depth. nd cement 8 5/20 acks. d cement 41/1 with sand weter	TIVED
J. Dr 2. Dr 2. Dr 2. Dr 2. Dr 4. Pe fr	roposed drilling roposed drilling from total sing from total rill a 7 7/8" hoseing with 150 stricted the Dail rac. hat this plan of work must be L. Funding with 150 stricted the Dail rac.	tools from to approxim depth to su le to approx acks. tota-Graneros treceive approval in w ps land	r this well is a surface to total ately 200 feet a rface with 125 s imately 7000° an zone and treat	depth. nd cement 8 5/20 acks. d cement 41/1 with sand weter	TIVED
J. Dr 2. Dr 2. Dr 2. Dr 2. Dr 4. Pe fr	roposed drilling roposed drilling from total sing from total rill a 7 7/8" hoseing with 150 stricted the Dail rac. hat this plan of work must be L. Funding with 150 stricted the Dail rac.	tools from to approxim depth to su le to approx acks. tota-Graneros treceive approval in w ps land	r this well is a surface to total ately 200 feet a rface with 125 s imately 7000' an zone and treat	depth. nd cement 8 5/20 acks. d cement 4000 with sand weter vey before operations may be	CILVED TI 4 1963 COMMENCED Commenced.
I understand the ompany	roposed drilling roposed drilling from total sing from total rill a 7 7/8" hose sing with 150 stricted the Dail rac. hat this plan of work must be L. Funding with 150 stricted the Dail rac.	tools from to approxim depth to su le to approx acks. tota-Graneros treceive approval in w ps land	r this well is a surface to total ately 200 feet a rface with 125 s imately 7000' an zone and treat	depth. nd cement 8 5/20 acks. d cement 4000 with sand weter vey before operations may be	CILVED TI 4 1963 COMMENCED Commenced.
I. Dr 2. Dr 2. Dr 3. Dr 4. Pe fr I understand the ompany	roposed drilling roposed drilling from total sing from total rill a 7 7/8" hose sing with 150 stricted the Dail rac. hat this plan of work must be L. Funding with 150 stricted the Dail rac.	tools from to approxim depth to su le to approx acks. tota-Graneros treceive approval in w ps land	r this well is a surface to total ately 200 feet a rface with 125 s imately 7000' an zone and treat	depth. nd cement 8 5/20 acks. d cement 4000 with sand weter vey before operations may be	CILVED
I. Dr 2. Dr 2. Dr 3. Dr 4. Pe fr I understand the ompany	roposed drilling roposed drilling from total sing from total rill a 7 7/8" hoseing with 150 stricted the Dail rac. hat this plan of work must be L. Funding with 150 stricted the Dail rac.	tools from to approxim depth to su le to approx acks. tota-Graneros treceive approval in w ps land	r this well is a surface to total ately 200 feet a rface with 125 s imately 7000' an zone and treat	depth. nd cement 8 5/20 acks. d cement 4000 with sand weter vey before operations may be	CILVED
I understand the ompany	roposed drilling roposed drilling from total sing from total rill a 7 7/8" hose sing with 150 stricted the Dail rac. hat this plan of work must be L. Funding with 150 stricted the Dail rac.	tools from to approxim depth to su le to approx acks. tota-Graneros treceive approval in w ps land	r this well is a surface to total ately 200 feet a rface with 125 s imately 7000' an zone and treat	depth. nd cement 8 5/20 acks. d cement 4000 with sand weter vey before operations may be	CILVED
I understand the	roposed drilling roposed drilling from total sing from total rill a 7 7/8" hose sing with 150 stricted the Dail rac. hat this plan of work must be L. Funding with 150 stricted the Dail rac.	tools from to approxim depth to su le to approx acks. tota-Graneros treceive approval in w ps land	r this well is a surface to total ately 200 feet a rface with 125 s imately 7000' an zone and treat	depth. nd cement 8 5/20 acks. d cement 4000 with sand weter vey before operations may be	CILVED TI 4 1963
I understand the ompany	roposed drilling roposed drilling from total sing from total rill a 7 7/8" hose sing with 150 stricted the Dail rac. hat this plan of work must be L. Funding with 150 stricted the Dail rac.	tools from to approxim depth to su le to approx acks. tota-Graneros treceive approval in w ps land	r this well is a surface to total ately 200 feet a rface with 125 s imately 7000' an zone and treat	depth. nd cement 8 5/20 acks. d cement 41/1 with sand weter	CIVED

Well Location and former unitarity of the

octon A.		$\boldsymbol{\sigma}$	in Oct	ober	10,1963
Is the Operator the only owner in the dedictor Yes X No	20 1000.0 200.0 10 Graners 11 Graners	1 + 25 as From ad an die plac 1	26 II Control of Manager of Mana	ST 320 Migraed C	W NMP Lit Acre
The state of the domestion two the property of the state	and the second	grandere	rija Palaiskaska (Kaliberatzijska)	veti +₩.	
		•			OFFFILI
				- /	CCTLAG
				(OIL CON C
ecos is	Note: All dist	ances must be f	rom outer tou	ndaries o	pecifoli.
Section A showe is true and complete the new implantable and belief.	190 0				
Ben Donegan 1402 Denvey U.S. National		· · · · · · · · · · · · · · · · · · ·			
1402 Dervey U.S. National Center Building		1_			
Denver, Colorado		<u> </u>	20		
				. =	
				:	
	•			_	
	0 330 660 990	1320 1650 1950 2313		1500 100	0 5GO C
		~ `	nes equal 1 mi	ia	

made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Pegister i Professional Engineer and or Land Sarreyor James Leese N. Mex. Reg. No. 1403

Faculty: 1 New Mexico ;

Farmington New Mexico

Y MEXICO OIL CONSERVATION COMMISSION

Well Location and Acreage Dedication Plan

ction A.	Dais Jayvary 1/ 1969				1964
Page 1			PAT.		
erato E. L. FUNDINGSLAND D	ction 20	Township	26 N	Runge 7 W	NMP
1020 Fact From NORTH	Line. (90	F	eet From	EST	L in
RIO ARLILIA G. L. Elevat	ion_6200.0	Dedicate	ವ Acreage	<u> 320 . </u>	A cre
me of Producing Formation Datata	staneros	Pool	<u>basivi</u>		
Is the Operator the only owner in the dedic	ated acreage outlined	d on the plat be	elow?		
Yes No No If the answer to question one is "no",	have the interests o	fall the owner	rs been cons	olidated by c	ommunitiz atic
agreement or otherwise? Yes	No If an	swer is "yes"	, Type of C	onsolidation.	
If the answer to question two is "ne", li-	st all the owners and		ve interests		
<u> </u>		-		_	
				DEO	
				ME	BIVE
				JAN	1964
ection B.	Note: All dista	nces must be fr	om outer bou		,
		i		FALSE COLO	GIONE BUKVEY
Section A above is true and complete	72.	i	i	1	27 FE-11 MENTED
the best of my knowledge and belief.	+ 1/2		1		
i 📻	190 0	1	1	ı	
LUNDINGSLAND (Operator)		<u> </u>		1	
EL Fundingsland, Jr		ŧ	1		1
(Representative)		i e		į	I
102 Denver U.S Not'l Center		'	' 		
(Address)		,		1	
Deriver, Colorado			20		
	1	1	1		
		ŧ	,	1	N
- I flushingsand for				1	
, , , , , , , , , , , , , , , , , , , ,	ı	1			
		<u> </u>	!		
WELLEN .	1	1			
וווענט /	1				
/ WADELL act	+ - =				
JAN 2 2 1964 OM. COM.				1	,
JAN 2 2 1904 JIL CON. COM.					
JIL CON. 3		20 1650 1980 23 10	2640 2000	1500 1000	500 0
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	0 330 660 990 13	Scale 4 inch			
The state of the s					
and the second s					_
This is to	certify that the above	e plat was pre	epared from	field notes of	actual surv
	or under my superv	ision and that	the same ar	e true and co	rrect to the b
of my know	vledge and belief.		2 Oata	nen 1062	
Sesi)		Date Surveyed	1 _ 2 0000	1702	

Register d Professional Engineer and or Land Surveyor James P Leese N. Mex. Reg. No. 1403