UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

5.	LEASE	
SF	080670	
6.	IF INDIAM	ALLOTTEE OR TRIBE NAME

SUNDRY	NOTICES	AND	REPORTS	ON	WELLS		
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)							

7. UNIT AGREEMENT NAME

#8

<u>San Juan 27-4 Unit</u> 8. FARM OR LEASE NAME

1.	oil well		gas well	X	other			
2.	2. NAME OF OPERATOR							
	E1	Pas	o Nati	ıral	Gas Co.			

9. WELL NO.

3. ADDRESS OF OPERATOR

10. FIELD OR WILDCAT NAME Tapacito Pictured Cliffs

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 AT SURFACE: 947'S, 1800'W AT TOP PROD. INTERVAL: AT TOTAL DEPTH:

Sec. 32, T-27-N, R-4-W 12. COUNTY OR PARISH 13. STATE NM Rio Arriba

14. API NO.

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

15. ELEVATIONS (SHOW DF, KDB, AND WD)

REQUEST FOR APPROVAL TO: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL PULL OR ALTER CASING MULTIPLE COMPLETE CHANGE ZONES ABANDON* (other) Isolation Retainer

SUBSEQUENT REPORT OF: JUL 16 1980OTE: Report results of multiple completion or zone change on Form 9-330.) U. S. GEOLOGICAL GUENEY FARMINGTON, N. M.

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Recently the subject well developed a casing leak and became non-producable. It is proposed to set a 5 1/2" cement retainer on tubing above the perforations to isolate them from the casing leak.

After the retainer is set, the subject well will be evaluated for 90 days. If production returns and the economics are favorable then the well will be permanently repaired. This work should begin approximately June 20, 1982.

It well fails to return to a produce ble status then it will be PiA. after 90 day evaluation

Set @ _ Subsurface Safety Valve: Manu. and Type _

18. I hereby certify that the foregoing and correct Production Engineer DATE his space for Federal or State office use)

APPROVED BY CONDITIONS

ĎΑΤ

JAMES F. SIMS DISTRICT ENGINEER

Instructions on Reverse Side