


(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office **Santa Fe**
Lease No. **080213**
Unit **Rincon Unit**



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/> X	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL		

RECEIVED
AUG 6 1963

U. S. GEOLOGICAL SURVEY
FARMINGTON, NEW MEXICO

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 5, 1963

Well No. 186(GD) is located 840 ft. from ~~W~~^S line and 1570 ft. from ~~W~~^E line of sec. 33

SE/4 Sec. 33 27N 7W N.M.P.M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Largo Gallup & Basin Dakota Rio Arriba
(Field) (County or Subdivision)

New Mexico
(State or Territory)

The elevation of the derrick floor above sea level is 6725 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mud circulation points, and all other important proposed work)

It is intended to drill a well with rotary tools and dually complete in the Dakota and Gallup formations. Mud circulation will be used from surface to total depth. Possible productive intervals will be perforated and fractured. Est. T. D. 7549'.

Casing Program:

9 5/8" @ 300' w/200 sacks cement circulated to surface.
5 1/2" @ 7549' w/2 stage collar set 50' - 100' below base of Point Lookout.
3 Stage collar set 50' - 100' below base of Pictured Cliffs. Cement first stage w/255 sacks to cover 100' above top of Gallup. Second stage w/220 sacks to cover 100' above Cliff House. Third stage w/180 sacks to cover Ojo Alamo.

The SE/4 of Section 33 is dedicated to the Gallup formation.
The S/2 of Section 33 is dedicated to the Dakota formation.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **El Paso Natural Gas Company**

Address **Box 990**

Farmington, New Mexico

By


Petroleum Engineer



255
220
180
655

clm

ES Oberly



NEW MEXICO OIL CONSERVATION COMMISSION

Well Location and Acreage Dedication Plat

Section A.

Date **JUNE 27, 1963**

Operator **EL PASO NATURAL GAS COMPANY** Lease **RINCON UNIT** **SF080213**
 Well No. **186 (GD)** Unit Letter **O** Section **33** Township **27-N** Range **7-W** NMPM
 Located **840** Feet From **SOUTH** Line **1570** Feet From **EAST** Line
 County **RIO ARriba** G. L. Elevation **6715** Dedicated Acreage **160 & 320** Acres
 Name of Producing Formation **GALLUP & DAKOTA** Pool **LARGO GALLUP & BASIN DAKOTA**

1. Is the Operator the only owner in the dedicated acreage outlined on the plat below?

Yes ☒ No ☐2. If the answer to question one is "no", have the interests of all the owners been consolidated by communitization agreement or otherwise? Yes ☐ No ☐ If answer is "yes", Type of Consolidation.

3. If the answer to question two is "no", list all the owners and their respective interests below:

Owner


Land Description

Section B.

This is to certify that the information
 in Section A above is true and complete
 to the best of my knowledge and belief.

El Paso Natural Gas Company
 (Operator)
OR.G.NAL SIGNED E. S. OBERLY
 (Representative)
Box 920
 (Address)
Farmington, New Mexico

Note: All distances must be from outer boundaries of section.



Scale 4 inches equal 1 mile

This is to certify that the above plat was prepared from field notes of actual surveys
 made by me or under my supervision and that the same are true and correct to the best
 of my knowledge and belief.

(Seal)

Date Surveyed **JUNE 24, 1963**

Farmington, New Mexico

David O. Vickers
 Registered Professional Engineer and/or Land Surveyor

