



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe

Lease No. 079394

Unit San Juan 27-5 Unit
14-08-001-750

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	

RECEIVED
JUL 14 1960
U.S. GEOLOGICAL SURVEY
SANTA FE, N.M.

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

July 14, 1960

Well No. 56 (Pa) is located 1650 ft. from (N) line and 990 ft. from (E) line of sec. 34

S.W. 1/4 Sec. 34
(1/4 Sec. and Sec. No.)

27 E
(Twp.)

5 W
(Range)

N.M.P.M.
(Meridian)

So. Blanco P.C. (Ext) Blanco N.V.
(Field)

Rio Arriba
(County or Subdivision)

New Mexico
(State or Territory)

The elevation of the derrick floor above sea level is 5739 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

On 7-9-60. Total Depth 5627.

Run 69 jts. 5 1/2", J-55, 15.50 # liner (2275') set from 3349 to 5627, with 285 lbs. reg. cement, 1/8" Flacala/sk. & 4 # Gel, 12.5 #/sk Oilsonite. Held 1000 # 30 minutes. Approximate strength after 16 hrs. 1281. W.O.C. 18 hrs. Top of cement by temp. survey at 3349'.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company El Paso Natural Gas Company

Address Box 990

Farmington, New Mexico

ORIGINAL SIGNED H.E. McANALLY

By _____

Title Petroleum Engineer