

State of New Mexico
Energy, Minerals and Natural Resources Department
Oil Conservation Division

Sundry Notices and Reports on Wells

1. Type of Well
GAS

2. Name of Operator
MERIDIAN OIL

3. Address & Phone No. of Operator
PO Box 4289, Farmington, NM 87499 (505) 326-9700

4. Location of Well, Footage, Sec., T, R, M
1650' FNL, 1665' FEL, Sec. 36, T-27-N, R-5-W, NMPM, Rio Arriba County

API # (assigned by OCD)
30-039-06828

5. Lease Number

6. State Oil & Gas Lease #
E-290-3

7. Lease Name/Unit Name

San Juan 27-5 Unit

8. Well No.

36

9. Pool Name or Wildcat
Tapacito Pictured Cliffs
Blanco Mesaverde

10. Elevation: 7171 GR

Type of Submission

☒ Notice of Intent
☐ Subsequent Report
☐ Final Abandonment

Type of Action

☐ Abandonment ☐ Change of Plans
☐ Recompletion ☐ New Construction
☐ Plugging Back ☐ Non-Routine Fracturing
☐ Casing Repair ☐ Water Shut off
☐ Altering Casing ☐ Conversion to Injection
☒ Other - Pay add

13. Describe Proposed or Completed Operations

It is intended to add pay in the Cliff House and Menefee intervals according to the following procedure:

TOOH w/Pictured Cliffs and Mesaverde tubing. Set retrievable bridge plug above the Point Lookout perforations. Perforate and fracture treat the Cliff House and Menefee intervals in one stage. Clean out all intervals and test potential. Rerun Pictured Cliffs and Mesaverde tubing. Return the well to production.

RECEIVED
FEB - 7 1996

OIL CON. DIV.
DIST. 3

SIGNATURE *[Signature]* (LLL9) Regulatory Administrator February 5, 1996

(This space for State Use)

Approved by *Johnny Robinson* Title DEPUTY OIL & GAS INSPECTOR, DIST. #3 Date FEB - 7 1996

San Juan 27-5 Unit #36²
Unit G, Sec 36, T-27-N, R-4-W

Location: 1650' FNL, 1665' FEL
 Rio Arriba County, NM

Latitude: 36-31-37
Longitude: 107-12-19

Current Field: Blanco MV / Tapacito PC
Spud: 6/14/58
Elev GL: 7131'
TD: 6286'

Completed: 7/28/58
Elev KB:
PBTD: 6215'

CASING RECORD:

<u>Hole Size</u>	<u>Casing Size</u>	<u>Weight</u>	<u>Grade</u>	<u>Depth Set</u>	<u>Cmt Vol</u>	<u>Cmt Top</u>
15"	10-3/4"	32.75#	Armco S.W.	173'	150 sks	Surf
9-7/8"	7-5/8"	26.4#	J-55	4108'	150 sks	3250'

LINER RECORD:

<u>Hole Size</u>	<u>Casing Size</u>	<u>Weight</u>	<u>Grade</u>	<u>Depth Set</u>	<u>Cmt Vol</u>	<u>Cmt Top</u>
6-3/4"	5-1/2"	15.5#	J-55	4042' - 6271'	300 sks	4042'

TUBING RECORD:

<u>Tubing Size</u>	<u>Weight</u>	<u>Grade</u>	<u>Depth Set</u>	<u>Joints</u>	<u>Other</u>	<u>Depth</u>
1-1/4"	2.4#	J-55	3862'	134		
2"	4.7#	J-55	6139'	205		
					Bkr EGJ Pkr	4092'

FORMATION TOPS:

Ojo Alamo	3334'	Cliffhouse	5625'
Kirtland	3547'	Menefee	5701'
Fruitland	3682'	Pt Lookout	6058'
Pictured Cliffs	3918'	Gallup	
Lewis	3983'	Dakota	

Logs Run: ES, GRN, IND, ML, TS

Completions: Pictured Cliffs
 3922-38, 3944-62
 40,000# sand and 37,900 gal
 water + 35 balls

Mesaverde - Point Lookout
 6070-98, 6116-30, 6136-50,
 6162-82, 6190-6204
 60,000# sand and 55,365 gal
 water + 150 balls

Workover History:

SAN JUAN 27-5 UNIT #36

Unit G, Section 36, T-27-N, R-5-W
Lat. 36-31-37, Long. 107-12-19

CURRENT WELLBORE SCHEMATIC

