

George A. Faust
District III
District Oil & Gas Inspector

District III
P.O. Drawer 100, Artesia 88221
NM 88221

District III
1000 Rio Brazos Rd, Aztec,
NM 87410

State of New Mexico
Energy, Minerals and Natural Resources Dept.

OIL CONSERVATION DIVISION
2040 S. Pacheco
Santa Fe, New Mexico 87504


SUBMIT 1 COPY TO
APPROPRIATE
DISTRICT OFFICE
AND 1 COPY TO
SANTA FE OFFICE

Approved
FEB - 6 1991
OIL & GAS DIV.

PIT REMEDIATION AND CLOSURE REPORT

Operator: Caulkins Oil Company		Telephone: (505) 632-1544
Address: P.O. Box 340, Bloomfield, NM 87413		
Facility or Well Name: <u>Breech "F" 8</u>		
Location: Unit or Qtr/Qtr <u>A</u> Sec <u>34</u> T <u>27N</u> R <u>6W</u> County <u>Rio Arriba</u>		
Pit Type: Separator <u>X</u> Dehydrator <u> </u> Other <u> </u>		
Land Type: BLM <u>X</u> , State <u> </u> , Fee <u> </u> , Other <u> </u>		
Pit Location: Pit dimensions: length <u>30'</u> , width <u>27'</u> , depth <u>12'</u> (Attach diagram)		
References: wellhead <u>X</u> , other <u> </u>		
Footage from reference: <u>55'</u>		
Direction from reference: <u>78</u> Degrees <u>X</u> East North <u>X</u> of <u> </u> West South <u> </u>		
Depth to Ground Water: (Vertical distance from contaminants to seasonal high water elevation of ground water)	Less than 50 feet 50 feet to 99 feet Greater than 100 feet	(20 points) (10 points) (0 points) <u>0</u>
Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or; less than 1000 feet from all other water sources)	Yes No	(20 points) (0 points) <u>0</u>
Distance to Surface Water: (Horizontal distance to perennial lakes, ponds, rivers, streams, creeks, irrigation canals and ditches)	Less than 200 feet 200 feet to 1000 feet Greater than 1000 feet	(20 points) (10 points) (0 points) <u>0</u>
RANKING SCORE (TOTAL POINTS):		<u>0</u>

SIGNATURE Robert L Verquer PRINTED NAME
AND TITLE ROBERT L. VERQUER, SUPERINTENDENT



Organic Analysis - Pit Closure

Caulkins Oil Company

Project ID:	Breech Pits	Report Date:	06/30/97
Sample ID:	Breech F 8 - Landfarm	Date Sampled:	06/05/97
Lab ID:	7031	Date Received:	06/06/97
Sample Matrix:	Soil	Preservative:	Cool
		Condition:	Intact

Target Analyte	Concentration (mg/kg)	Detection Limit (mg/kg)
Total Aromatic Hydrocarbons	ND	
Benzene	ND	0.39
Toluene	ND	0.39
Ethylbenzene	ND	0.39
m,p-Xylenes	ND	0.79
o-Xylene	ND	0.39
Total Volatile Petroleum Hydrocarbons	ND	35.5
Total Recoverable Petroleum Hydrocarbons	59.5	31.7

Quality Control:	Surrogate	Percent Recovery	Acceptance Limits
	Trifluorotoluene	98	81 - 117%
	Trifluorotoluene	97	50 - 150 %
	o-Terphenyl	90	50 - 150%

Reference: Method 5030, Purge and Trap; Method 8020, Aromatic Recoverable Organics;
Test Methods for Evaluating Solid Wastes, SW-846, United States
Environmental Protection Agency, Final Update I, July, 1992.

EPA Method 8015A, modified. "Nonhalogenated Volatile Organics by Gas
Chromatography." Test Methods for Evaluating Solid Waste, Physical/
Chemical Methods, SW-846, 3rd Ed, Final Update I, July, 1992. USEPA.

Comments:

Sandy Johnson
Review
For Videna

Organic Analysis - Pit ClosureCaulkins Oil Company

Project ID: Breech Pits
Sample ID: Breech F 8 - Pit
Lab ID: 7030
Sample Matrix: Soil

Report Date: 06/30/97
Date Sampled: 06/05/97
Date Received: 06/06/97
Preservative: Cool
Condition: Intact

Target Analyte	Concentration (mg/kg)	Detection Limit (mg/kg)
----------------	--------------------------	----------------------------

Total Aromatic Hydrocarbons**ND**

Benzene	ND	0.35
Toluene	ND	0.35
Ethylbenzene	ND	0.35
m,p-Xylenes	ND	0.70
o-Xylene	ND	0.35

Total Volatile Petroleum Hydrocarbons**ND****31.7****Total Recoverable Petroleum Hydrocarbons****86.3****31.5**

Quality Control:	Surrogate	Percent Recovery	Acceptance Limits
	Trifluorotoluene	94	81 - 117%
	Trifluorotoluene	94	50 - 150 %
	o-Terphenyl	99	50 - 150%

Reference: Method 5030, Purge and Trap; Method 8020, Aromatic Recoverable Organics;
Test Methods for Evaluating Solid Wastes, SW-846, United States
Environmental Protection Agency, Final Update I, July, 1992.


EPA Method 8015A, modified. "Nonhalogenated Volatile Organics by Gas
Chromatography." Test Methods for Evaluating Solid Waste, Physical/
Chemical Methods, SW-846, 3rd Ed, Final Update I, July, 1992. USEPA.

Comments:

Sandy Johnson
Review for Videna John

WELL NAME: Brech F 8

CAULKINS OIL
SITE SECURITY DIAGRAM



THIS LEASE IS SUBJECT TO THE SITE SECURITY PLAN
FOR NORTHWEST NEW MEXICO OPERATIONS. THE
PLAN IS LOCATED AT:

CAULKINS OIL COMPANY
2001 EAST BLANCO BLVD.
BLOOMFIELD, NEW MEXICO 87413

ALL SALES VALVE ON TANKS AND BS&W DRAW VALVES CLOSED AND
SEALED WHILE WELL PRODUCING AND SHUT-IN.

CAULKINS OIL COMPANY
LEASE NO.: N4NNM03547
LOCATION: NE/4 NE/4 SEC. 34,
T. 27N., R. 6W