

Budget Bureau No. 42-R358.4
Approval expires 12-31-60.

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 03947
Unit _____
Branch #1

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

May 2, 1958

Well No. WV-12 is located 990 ft. from N line and 990 ft. from E line of sec. 35
NE 1/4 Section 35 27N 6W 104E
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Blanco Mesa Verde Hio Arriba New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is _____ ft. will furnish later

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)


It is proposed to drill a well with rotary drilling equipment through the Mesa Verde sands at approximately 5700'. The well will be drilled with mud through the Pictured Cliffs sand; after setting 7-5/8" casing through the Pictured Cliffs, it will be gas drilled to 5700' unless conditions are encountered that would prevent it, in which case mud will be used. 10-3/4" surface casing will be set at approximately 120' and will be cemented with enough cement to circulate to surface. 7-5/8" casing will be set at approximately 3500' and will be cemented with 250 sks. A 5 1/2" liner will be cemented from approximately 3450' to 5700' using enough cement to cement it from top to bottom, approximately 350 sks. The well will be water free'd after perforating, the Point Lookout, Cliff House and Pictured Sands to be perforated and free'd separately. 2" tubing shall be run to approximately 5600' with a packer set at 3500'; 1 1/2" EUE tubing shall be run to approximately 3400'.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company CAULKING OIL COMPANY

Address Box 967

Farmington, New Mexico



Field Surt.

NEW MEXICO OIL CONSERVATION COMMISSION

Well Location and Acreage Dedication Plat

Section A.

Date May 5, 1958


Operator CALKINS ~~ETAL OPERATING ACCOUNT~~ Oil Company Lease Breach "F"
Well No. MV 12 Unit Letter A Section 35 Township 27 North Range 6 West NMPM
Located 990 Feet From North Line, 990 Feet From East Line
County Rio Arriba G. L. Elevation 6608 Dedicated Acreage 320 Mesa Verde Acres
Name of Producing Formation Mesa Verde - Pictured Cliffs Pool Blanca MV 1169 Pictured Cliffs

1. Is the Operator the only owner* in the dedicated acreage outlined on the plat below?
Yes ☒ No ☐
2. If the answer to question one is "no," have the interests of all the owners been consolidated by communitization agreement or otherwise? Yes ☐ No ☐. If answer is "yes,"
Type of Consolidation _____
3. If the answer to question two is "no," list all the owners and their respective interests below:

Owner

Land Description

Section B



This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.

CALKINS Oil Co
(Operator)
AO Gray
(Representative)
Box 967
Farmington, N.M.
Address

This is to certify that the well location and acreage plat in Section B was prepared from field notes and actual surveys made by me or under my supervision and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed May 3, 1958

Ernest V. Echolaw
Ernest V. Echolaw
Registered Land Surveyor.

Certificate No. 1545