

(SUBMIT IN TRIPLICATE)

Land Office Santa Fe

Lease No. 01547

Unit _____

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Breach "F"

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....		SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

September 5, 19 63

Well No. L-11 is located 990 ft. from N line and 2310 ft. from E line of sec. 35

NE 1/4 Section 35
(1/4 Sec. and Sec. No.)

26 North 6 West
(Twp.) (Range)

101W
(Meridian)

Basin Dakota
(Field)

Rio Arriba
(County or Subdivision)

New Mexico
(State or Territory)

The elevation of the derrick floor above sea level is 6602 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate shooting points, and all other important proposed work)

TD 7664. Cemented 4 1/2" casing at 7663 as follows:

0 to 989'	11.6# J-55 STAC	32 jts.	988.98'
989 to 6738'	10.5# J-55 STAC	187 jts.	5747.70'
6738 to 7763'	11.6# J-55 STAC	29 jts.	926.32'



1st Stage Cement: Thru shoe with 150 sacks 12% gel cement containing 12% gilsonite per sack followed by 100 sacks latex cement

2nd Stage Cement: Thru multiple stage cementing collar at 5597 with 350 sacks 12% gel cement containing 12% gilsonite per sack followed by 50 sacks neat. Closed stage collar with 2000# pressure. Plug down 8-30-63 at 8:00 PM

Cement will set a minimum of 120 hours before drilling out

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Caulkins Oil Company

Address Box 780

Farmington, New Mexico

By Frank Gray

Title Superintendent