


## NEW MEXICO OIL CONSERVATION COMMISSION

## NOTICE OF INTENTION TO DRILL

See Rules 101 and 1104.

If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval.




**Albuquerque, New Mexico**  
Place

**Sept. 29, 1952**  
Date

Notice hereby is given that it is our intention to commence the drilling of a well to be known as.....

**Francis L. Harvey** **None-State** well No. **1** in **Elizabethtown**  
Company or Operator Lease  
of Sec. **32**, T. **27N**, R. **7E**, N. M. P. M. **Wilcox** Pool, **Rio Arriba** County.

N



AREA 640 ACRES

LOCATE WELL CORRECTLY

The well is **890** feet from (N.) **2N** line and **1650** feet from **2E** (W.) line of the above section.

(Give location from section lines. Cross out wrong directions.)

If state land the oil and gas lease is No. .... Assignment No. ....

If patented land the owner is .....

Address .....

If government land the permittee is .....

Address .....

The lessee is **Francis L. Harvey**

Address **Box 990, Elizabethtown, Texas**

We propose to drill well with drilling equipment as follows: **Rotary tools**

The status of a bond for this well in conformance with Rule 101 of the General Rules and Regulations of the Commission is as follows: **\$10,000 Blanket Bond on file with the Commission**

We propose to use the following strings of casing and to land or cement them as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
	<b>10-3/4" 7"</b>	<b>26# 17#</b>	<b>Second Hand</b>	<b>150' 2600'</b>	<b>Cemented</b>	<b>50 200</b>

If changes in the above plans become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about **2800** feet.

Additional information: **We propose to drill this well to and through the Pictured Cliffs sand, estimated T.V. 2800', cement 7" casing on top of the sand, drill in minimum 2800' the sand, shoot with approximately 3 qts. to the foot with solidified nitro glycerine, clean out, run 1" screen line to T.V. and complete as gas well.**

Approved **SEP 29 1952** 19.....

except as follows:

**Francis L. Harvey**  
Company or Operator

By **Francis L. Harvey**

Position **Co-owner**

Send communications regarding well to:

Name **Francis L. Harvey**

Address **Box 990, Elizabethtown, Texas**

OIL CONSERVATION COMMISSION,

By **Al Greer**

Title **Oil and Gas Inspector Dist. #3**

Company Francis L. Harvey

Lease \_\_\_\_\_ Well No. \_\_\_\_\_


Sec. 32, T. 27 N., R. 7 W., N.M.P.M.

Location 890' from the North line and 1650' from the West line.

Elevation 6611.2 Ungraded ground.

Rio Arriba County

New Mexico



Scale—4 inches equal 1 mile.

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

*Charles J. Finklea*

Seal:

Registered Professional  
Engineer and Land Surveyor.

Charles J. Finklea  
N. Mex. Reg. No. 1302

Surveyed September 15, 1952.

**OIL CONSERVATION COMMISSION**  
**AZTEC DISTRICT OFFICE**

No. Copies Received **10**

**DISTRIBUTION**

	NO. FURNISHED	
Operator	1	
Santa Fe	1	
Protraction Office		
State Land Office	1	
U. S. G. S.	2	
Transporter		
File	1	✓