

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 000570
Unit San Juan 27-4 Unit
14-08-001-1054

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	X
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

July 14, 1958Well No. 17 (20) is located 310 ft. from Box line and 1190 ft. from W line of sec. 20SW Sec. 20
(¼ Sec. and Sec. No.)27N
(Twp.)4W
(Range)N.M.P.M.
(Meridian)Blanco M.V. - Tapacito
(Field) P.C. Dist.Rio Arriba
(County or Subdivision)New Mexico
(State or Territory)The elevation of the derrick floor above sea level is 5320 ft.


DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

7-11-58. Total Depth 5986'.
Run 56 joints 5 1/2", 15.50#, J-55 liner (2207') set from 3776' to 5983' with
125 sacks regular cement, 125 sacks Pozmix, 66 gal. 1/8" Flocrete/sk followed by
50 sacks regular cement.

Hold 1000' for 30 minutes.

Top of cement by temperature survey at 3776'.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company El Paso Natural Gas CompanyAddress Box 797Farmington, New MexicoBy Original Signed D. C. JohnstonTitle Petroleum Engineer