

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS NOTICES

Submit this notice in TRIPLICATE to the District Office, Oil Conservation Commission, before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Notice by Checking Below

NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO TEMPORARILY ABANDON WELL		NOTICE OF INTENTION TO DRILL DEEPER	
NOTICE OF INTENTION TO PLUG WELL		NOTICE OF INTENTION TO PLUG BACK		NOTICE OF INTENTION TO SET LINER	
NOTICE OF INTENTION TO SQUEEZE		NOTICE OF INTENTION TO ACIDIZE		NOTICE OF INTENTION TO SHOOT (Nitro)	
NOTICE OF INTENTION TO GUN PERFORATE		NOTICE OF INTENTION (OTHER) Workover Well	X	NOTICE OF INTENTION (OTHER)	

OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICO

Farmington, New Mexico
(Place)

May 21, 1958
(Date)

Gentlemen:


Following is a Notice of Intention to do certain work as described below at the

Texas National Petroleum Co. Santa Fe **079364** Well No. **1** in **Rincon**
(Company or Operator) (Unit)
SE $\frac{1}{4}$ **SE** $\frac{1}{4}$ of Sec. **30**, T. **27N**, R. **6W**, NMPM, **So. Blanco-Dakota** Pool
(40-acre Subdivision) **Rio Arriba** County.

FULL DETAILS OF PROPOSED PLAN OF WORK (FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

Texas National Petroleum Co. proposes to work over the subject well in the following manner:

1. Clean out to 7605' FBTD.
2. Run 5-1/2" liner from 7250 to 7605' and cement with 200 sack cement.
3. Run Gamma Ray log and perforate the Dakota with 4 jets per foot, 7482-7504; 7518-7570.
4. Frac with 500 gallons mud acid, 75,000 gallons water and 75,000 pounds 20-40 sand.
5. Set Magnesium bridge plug, with cal-seal cover, at 7450'.
6. Perforate Graneros with 4 jets per foot, 7350-7420'.
7. Frac with 500 gallons mud acid, 50,000 gallons water and 50,000 pounds 20-40 sand.
8. Clean out to 7605' FBTD, run tubing and tie well into line.



Approved..... 1958
Except as follows:

Approved
OIL CONSERVATION COMMISSION
By.....
Title.....

TEXAS NATIONAL PETROLEUM CO.

Company or Operator

By.....
D. E. A. Johnson
Position **General Mgr. of the Four Corners Area**
Send Communications regarding well to:

Name **TEXAS NATIONAL PETROLEUM CO.**
405 1/2 West Broadway
Address **Farmington, New Mexico**