

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office East

Lease No. 475

Unit Area Unit

SUNDRY NOTICES AND REPORTS ON WELLS

RECEIVED

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

_____ 19__

Well No. 1-2 (NO) is located 1100 ft. from [N] line and 475 ft. from [E] line of sec. _____

1/4 Sec. 30 (1/4 Sec. and Sec. No.) 37 (Twp.) 15 (Range) T.M.M. (Meridian)

Black Hills (Field) Dakota (County or Subdivision) South Dakota (State or Territory)

The elevation of the derrick floor above sea level is 4000 ft.


DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work.)

On 10-1-59 Total depth 3221'.
Run 10 joints 9 5/8", 40, N-80, casing (300') and 10 joints 9 5/8", 30, J-50 casing (300') for a total of 100 joints (3221') set at 3221' w/100 lbs regular cement with 4% Gel, 12 1/2 lb/sk Gilsomite & 10 lbs neat.

Set 1000/30 minutes.

Top of cement by temperature survey 2000'.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company El Paso Natural Gas Company

Address Box 997
Farmington, New Mexico

By Original Signed D.W. McLean

Title Geologist