



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Santa Fe  
Lease No. 679367  
Unit San Juan 28-0 Unit  
14-00-001-10.1

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	<u>Water Fracture</u> .....

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

February 28, 19 57

Well No. 10 is located 993 ft. from 1000 N line and 990 ft. from 1000 W line of sec. 45  
SW Section 25 27N 06W 10MPM  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
So. Blanco Ext. & Blanco Rio Arriba New Mexico  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 6594 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate muddling jobs, cementing points, and all other important proposed work)

2-23-57 COED 5525'. Water fractured Point Lookout perf. int. 5354-67, 5370-92, 5406-17, 5493-5506 (4 jet/ft.) with 50,200 gal. water & 40,000# sand. EDP 2100#, max. pr. 2100#, avg. tr. pr. 1800#. I.R. 62.5 BPM. Flush 10,000 gals.

2-23-57 Temp. B.P. @ 5200'. Water fractured Cliff House perf. int. 4908-30, 4936-52, 4960-75, 4997-5006 (2 Dyna jet/ft.) with 57,000 gal. water & 60,000# sand. EDP 1900#, max. pr. 1800#, avg. tr. pr. 1800#. I.R. 57.4 BPM. Flush 10,000 gals.

2-25-57 Temp. B.F. @ 4610'. Water fractured Pictured Cliffs perf. int. 3212-24, 3236-3256 (2 Dyna jet/ft.) with 62,000 gal. water & 40,000# sand. EDP 3000# & none, Max. pr. 1600# & 1800#, avg. tr. pr. 1600# & 1800#. I.R. 63.4 BPM. Flush 8000 gals. Fraced with 20,000# sand & 40 balls followed with 20,000# sand & flush.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company El Paso Natural Gas Company

Address Box 997  
Farmington, New Mexico

Original Signed EWELL N. WALSH

By \_\_\_\_\_

Title Petroleum Engineer