Budget B	ureau l	No.	42-B	25R.4
Approval	expire	12-	31-0	0.

()	Peb. 1	961)	•	

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office	Senta Fe
Lense No	079394
Unit 60	n Jann 27-5 Uni
14	-08-001-950

		1 11		
ICE OF INTENTION TO DRILL		! !!	IT REPORT OF WATE	TO GOTTO
ICE OF INTENTION TO CHAN		1 1	T REPORT OF SHOOT	шш
ICE OF INTENTION TO TEST			T REPORT OF ALTER	AUC III SUA
ice of intention to re-de ice of intention to shoo			T REPORT OF RE-DR T REPORT OF ABANE	
ICE OF INTENTION TO PULL		1 4	TARY WELL HISTORY	
ICE OF INTENTION TO ABANI		lister		1, 0, 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
(INI	DICATE ABOVE BY CHECK I	MARK NATURE OF REPO	RT, NOTICE, OR OTHE	R DATA) August 8 , 196
No. 66 is lo	cated 1090 ft. f	$rom_{-} \left\{ S \right\}$ line an	d # 990 ft. fr	om W line of sec.
SM/4 Sec. 27	271	51/	N.M.P.M.	
(% Sec. and Sec. No.) S. Blanco P. C.	(Twp.)	(Range)	(Meridian)	70711
	DE.	TAILS OF WO	RK .	AUG 1 1 1961
names of and expected depth of l. Total Depth r fractured Mesa 22 with 58,134 (f, evg. tr. pr. 2 balls for 2 st	DE' he to objective sands; sho ing points, and 5565'. COTD Verde perf. is gallons water (2600°. I.R. 6	TAILS OF WOIl ow sizes, weights, and le i all other important po 55291. zet. 551.0-5500	RK ngths of proposed of oposed work) 5 5490-60; and. 20 pr	- JON. COM.
ol Total Depth fractured Ness 22 with 58,134 , avg. tr. pr. 3	be to objective sands; sho ing points, and 5565°. COTD (Section 1) Verde perf. 1: gallons water (2600). I.R. 6: ages.	TAILS OF WOI ow sizes, weights, and led all other important pa 55291. zt. 5510-5500 and 60,000 e 5 EFM. Flash	RK ngths of proposed of opposed work) 5490-80; and. ED pr. 7400 gallo	SANA-34; 5426-16;
of and expected depth of the fractured Hess. 22 with 58,134 (24, 50, 50, 50) balls for 2 standard that this plan of which the standard that the st	DE' he to objective sands; sho ing points, and 5565'. COTD Verde perf. is gallons water (2600%. I.R. 6	TAILS OF WOLLD WE STATE AND LESS TO SERVICE SE	RK ngths of proposed is oposed work) 5490-80; 7400 gallo	Shirt-3h; 5h26-16; 1200f; max. pr.
r fractured Hose -22 with 58,134 f, avg. tr. pr. 3 balls for 2 st	DE' he to objective sands; sho ing points, and 5565'. COTD Verde perf. is gallons water (2600%. I.R. 6	TAILS OF WOLLD WE STATE AND LESS TO SERVICE SE	RK ngths of proposed is oposed work) 5490-80; 7400 gallo	sings; hiditate mydding; be, comes 5444-34; 5426-16; 1200f; max. pr. Bropped 2 sets e operations may be commenced.