# New Mexico OIL CONSERVATION COMMISSION Aztec, New Mexico

April 11, 1958

Mignella Petroleum Company P.O. Box 2406 Hobbe, New Mexico

Att: G. S. Young, Jr.
District Superintendent of Production

Rei Magnolia #5 Jicarilla "G" SW:Section 25-27N-3W Rio Arriba County

#### Gentlemen:

This letter will serve as your tentative approval for the dual completion of the above well as a gas-gas dual in the Pictured Cliffs and Mesaverde Formations.

It is understood the well will be equipped as set out in your application. Upon final completion, application for administrative approval should be made to Mr. A. L. Porter in Santa Fe, as provided in Rule 112.

Yours very truly

Emery C. Arnold Supervisor, District #3

BCA I ke

oc: Mr. A. L. Porter, Jr. OCC, Santa Fe, H.N.

# Piew Mexico Oil POSSONESSION Artisc May Mexico

gamen editarea alaa eesi See See Seesa aan eda mi

na programa de la composición del la composición del composición de la composición de la composición del composición del composición de la composición del composi

#### and the first

okon aliku olego olego olego olego olego olego arab olego Ben arab olego Ben arab olego olego

ంగాగా ఉంది. దూరా కేస్తాన్ని కార్స్ కార్స్ కార్స్ కార్స్ కార్ స్టాన్స్ ఉంది. మూడర్ కోట్లుక కారణం కొన్ని ఈ కేస్ట్స్ కార్స్ కూర్ ఎక్కువారు అంది. కార్లుకే ఎక్కువారి కూడా క్రిస్తున్నారు. కారణం కేస్స్ కార్స్ కార్స్ కార్స్ క్రిస్ కార్స్ కేస్ట్ కార్స్ ఆ క్రిస్ కోమ్ కూడా ఉంది. కూడా కూడా కేస్తాన్నారు కోస్ కోమ్ కూడా ఉంది. కార్స్ కార్స్ కోమ్ కూడా ఉంది. కోస్ట్ కోమ్ కూడా ఉంది. కూడా కూడా కోస్తింది.

e a company

TANGER OF THE SECOND

4.1

and the second of the control of the



### Magnolia Petroleum Company

A Socony Mobil Company

P. O. Box 2406 Hobbs, New Mexico April 7, 1958

New Mexico Oil Conservation Commission Aztec, New Mexico

Attention: Mr. Emery C. Arnold

Re: Jicarilla "G" #5
Sec. 25-T27N-R3W
Blanco Field
Rio Arriba County, New Mexico

Gentlemen:

We propose to drill the subject well to a projected depth of  $6400^{\circ}$ . It is further proposed to dually complete this well in the Pictured Cliffs and Mesa Verde zones.

We further propose to set approximately 350' of 10-3/4" casing, h100' of 7-5/8" intermediate string, and set 2h00' of 5-1/2" liner on bottom. We will perforate in the Pictured Cliffs zone and Mesa Verde zone and attempt a dual gas completion. Dual tubing strings will be run.

The subject well is located 990' FSL and 990' FWL of Section 25, T-27N, R-3W, Rio Arriba County, New Mexico.

Yours very truly,

G. S. Young, Jr.

District Superintendent

of Production

GSYJr:mc