

(SUBMIT IN TRIPLICATE)


Land Office Santa Fe

Lease No. 00267-B

Unit San Juan 26-6 Upland

14-C8-001-1051

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	Water Frac. <input checked="" type="checkbox"/>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)


September 21, 1959

Well No. 85(14) is located 1840 ft. from [N] line and 1460 ft. from [E] line of sec. 25

14/4 DEC. 25 27N 6W N.T.M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Blanco M.V. (C. So. Blanco P.C. Rio Arriba
(Field) (County or Subdivision)

New Mexico
(State or Territory)



The elevation of the derrick floor above sea level is 6394 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

9-14-59 Total Depth 5444'. C.O.T.D. 5416'. Water fractured Point Lookout perf. int. 5272-5280; 5308-5316; 5328-5334; 5342-5350; 5388-5398 w/60,840 gallons water and 60,000# sand. BD pr. 1250#, max. pr. 2100#, avg. tr. pr. 1300-1400-1650-2100#. I.R. 66.2 BPM. Flush 9000 gallons. Dropped 3 sets of 20 balls for 4 stages.

9-15-59 Total Depth 5444'. Temporary bridge plug at 4850'. Water fractured Cliff House perf. int. 4760-4770; 4802-4812 w/30,500 gallons water and 30,000# sand. BD pr. 3000#, max. pr. 3000#, avg. tr. pr. 1700-2000#. I.R. 51.1 BPM. Flush 8000 gallons. Dropped 1 set of 15 balls for 2 stages.

9-15-59 Total Depth 5444'. Temporary bridge plug at 3350'. Water fractured Pictured Cliffs perf. int. 3066-3074; 3084-3094; 3102-3116 w/35,750 gallons water and 35,000# sand. BD pr. 1100#, max. pr. 1300#, avg. tr. pr. 1100-1300-1300-1000-1050#. I.R. 58.0 BPM. Flush 6500 gallons. Dropped 4 sets of 10 balls for 5 stages. Used 1% Calcium Chloride in frac. water.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company El Paso Natural Gas Company

Address Box 927

Farrington, New Mexico

By Original Signed By: D.H. Oheim

Title Petroleum Engineer