

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

RECEIVED  
BLM

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.

**SUBMIT IN TRIPLICATE**

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Amoco Production Company Attn: John Hampton

3. Address and Telephone No.

P.O. Box 800, Denver, Colorado 80201

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1720' FNL, 1665' FWL, Sec. 30, T27N-R7W

5. Lease Designation and Serial No.  
NM-03560

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

San Juan 28-7 Unit

8. Well Name and No.  
123

9. API Well No.  
30 039 06906

10. Field and Pool, or Exploratory Area  
Blanco PC So.

11. County or Parish, State  
Rio Arriba, New Mexico

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☒ Notice of Intent  
☐ Subsequent Report  
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment  
☐ Recompletion  
☐ Plugging Back  
☒ Casing Repair  
☐ Altering Casing  
☐ Other  
☐ Change of Plans  
☐ New Construction  
☐ Non-Routine Fracturing  
☐ Water Shut-Off  
☐ Conversion to Injection  
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Amoco Production Company intends to repair a casing leak on the subject well, see attached for procedure:

RECEIVED  
SEP 25 1991  
OIL CON. DIV.  
DIST. 3

If you have any questions please call Julie Zamora at 303-830-6003.

14. I hereby certify that the foregoing is true and correct

Signed

*John Hampton*

Title Sr. Staff Admin. Supv.

Date 9/6/91

(This space for Federal or State office use)

Approved by

Conditions of approval, if any:

Title

Date

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

\*See Instruction on Reverse Side

NMOOD

San Juan 28-7 Unit #123  
Section 30F-T27N-R7W  
Rio Arriba County, New Mexico  
Bradenhead Repair

- 1) MIRUSU. NDWH. NUBOPs. Kill well if necessary with 2% KCl water.
- 2) Release packer and TOH with tubing and packer. Visually inspect tubing and replace any bad joints.
- 3) Log from 2250' to surface with magnetic casing inspection log in order to identify casing leak(s). If multiple leaks discovered, call Denver.
- 4) Dump 4 ft<sup>3</sup> 20/40 sand down wellbore in order to cover perfs (should cover about 20' above top perf). TIH with sinker bar and tag fill to ensure perfs are covered.
- 5) Mix .75 ft<sup>3</sup> of barite and 1.5 ft<sup>3</sup> of sand with enough detergent and water to wet mixture. Dump mixture down casing. TIH with sinker bar and tag fill to ensure perfs are covered.
- 6) Establish circulation through leak with 2% KCl water. Pump dye to determine volume to be squeezed.
- 7) Circulate Class B cement to surface, if possible. Flush with 11 bbl. of water. Re-squeeze if necessary.
- 8) TIH with 1-1/4" tubing and bit and drill out cement and barite plug. Circulate hole clean to PBTD with N<sub>2</sub>, if necessary.
- 9) Tally in hole with 1-1/4" tubing and land @ 2314'.
- 10) NDBOP. NUWH. Swab well in if necessary.
- 11) RDMOSU. Return well to production.
- 12) If well needs to be swabbed, call in wireline swabbing unit.

Note: All depths are relative to KB, which was 10' above ground level.

Report Major Problems to Eric Root

(303) 830-6016      Work  
(303) 699-2583      Home

SJ 28-7 UNIT 123 2051  
Location - 30F- 27N- 7W  
SINGLE PC  
Orig.Completion - 7/61  
Last File Update - 1/89 by DDM

