

COPY FOR
STATE OF NEW MEXICO
OIL CONSERVATION
COMMISSION
SUBMIT IN TRIPLICATE TO
DISTRICT OFFICE

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 079321
Unit NW/4 Sec. 25
Rincon Unit
I Sec. 916

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

September 30, 1953

Well No. 16 is located 990 ft. from N line and 1650 ft. from E line of sec. 25

NW/4 Sec. 25 27 N 7 W NMPM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
So. Blanco Dogie Canyon Ext. Rio Arriba New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the ~~drill floor~~ above sea level is 6730 ft. UG

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate muddling jobs, cementing points, and all other important proposed work)

Drill 13 3/4 inch Rotary hole to 110 foot. Set 100 feet of 10 3/4 inch surface casing. Circulate out with 100 sacks.

Drill 8 3/4 inch hole to 3100' or top of Pictured Cliff - set 20#, 7 inch casing with 100 sacks regular cement.

Drill 6 inch hole with Cable tools from 3100 to 3200 feet.

Shoot open hole, tamped, with 300 quarts Nitro Gel.


I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Ralph A. Johnston

Address Box 813

Farmington, New Mexico

By James W. Copeland
Title Sub.



COPY FOR
STATE OF NEW MEXICO
OIL CONSERVATION
COMMISSION
SUBMIT IN TRIPLICATE TO
DISTRICT OFFICE

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 079321
Unit NW 1/4 Sec. 25
Rincon Unit
I Sec. 916

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

September 30, 1953

Well No. 16 is located 990 ft. from N line and 1650 ft. from E line of sec. 25

NW 1/4 Sec. 25 27 N 7 W NMPM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

So. Blanco Dogie Canyon Ext. Rio Arriba New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the ~~derisk floor~~ above sea level is 6730 ft. UG

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate muddling jobs, cementing points, and all other important proposed work)

Drill 13 3/4 inch Rotary hole to 110 foot. Set 100 feet of 10 3/4 inch surface casing. Circulate out with 100 sacks.

Drill 8 3/4 inch hole to 3100' or top of Pictured Cliff - set 20#, 7 inch casing with 100 sacks regular cement.

Drill 6 inch hole with Cable tools from 3100 to 3200 feet.

Shoot open hole, tamped, with 300 quarts Nitro Gel.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Ralph A. Johnston

Address Box 513

Farmington, New Mexico

By James W. Copeland
Title Sup.

Land Office Santa FeLease No. 079321Unit 13 1/4 Sec. 25
Rincon Unit
I Sec. 916

COPY FOR
STATE OF NEW MEXICO
**OIL CONSERVATION
COMMISSION**
SUBMIT IN TRIPLICATE TO
DISTRICT OFFICE

**UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY**

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

September 30, 1953

Well No. 16 is located 290 ft. from N line and 1650 ft. from E line of sec. 2513 1/4 Sec. 25
(1/4 Sec. and Sec. No.)27 N
(Twp.)7 W
(Range)13 1/4
(Meridian)So. Blanco Dogie Canyon Ext.
(Field)Rio Arriba
(County or Subdivision)New Mexico
(State or Territory)The elevation of the ~~drill hole~~ above sea level is 6730 ft. UG

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate muddling jobs, cementing points, and all other important proposed work)

Drill 13 3/4 inch Rotary hole to 110 foot. Set 100 feet of 10 3/4 inch surface casing. Circulate out with 100 sacks.

Drill 8 3/4 inch hole to 3100' or top of Pictured Cliffs - set 20", 7 inch casing with 100 sacks regular cement.

Drill 6 inch hole with Cable tools from 3100 to 3200 feet.

Shoot open hole, tamped, with 300 quarts Nitro Gel.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Ralph A. JohnstonAddress Box 313Farrington, New MexicoBy James H. Copeland
James H. Copeland
Title Sup.