

OIL CONSERVATION DIVISION  
P.O. Box 2088  
Santa Fe, New Mexico 87504-2088

RECEIVED  
DEC - 6 1999

**PIT REMEDIATION AND CLOSURE REPORT** OIL CON. DIV.  
DIST. 3

Operator: Burlington Resources (Williams Field Services) Telephone: (801) 584-6361  
Address: P.O. Box 58900, Salt Lake City, Utah 84158-0900  
WellName: SJ 27-4 UNIT #29 ( 86434 )  
Location: Unit or Qtr/Qtr Sec A Sec 26 T 27N R 4W County Rio Arriba  
PitType Dehydrator  
LandType: Forest

Pit Location: Pit dimensions: length 17 ft., width 17 ft., depth 12 ft.  
(Attach diagram)

Reference: Wellhead

Footage from reference: 140 ft.

Direction from reference: 26 Degrees East of North

Depth To Ground Water:	Less than 50 feet	(20 points)	
(Vertical distance from	50 feet to 99 feet	(10 points)	
contaminants to seasonal	Greater than 100 feet	(0 points)	<u>0</u>
high water elevation of			
ground water)			

Wellhead Protection Area:	Yes	(20 points)	
(Less than 200 feet from a private	No	(0 points)	<u>0</u>
domestic water source, or: less than			
1000 feet from all other water sources)			

Distance To Surface Water:	Less than 200 feet	(20 points)	
(Horizontal distance to perennial	200 feet to 1,000 feet	(10 points)	
lakes, ponds, rivers, streams, creeks,	Greater than 1,000 feet	(0 points)	<u>0</u>
irrigation canals and ditches)			

Ranking Score (TOTAL POINTS): 0

Date Remediation Started: 8/20/98

Date Completed: 8/20/98

Remediation Method: Excavation ☒

Approx. Cubic Yard 130

(check all appropriate sections)

Landfarmed ☒Insitu Bioremediation ☐

Other Landfarmed soil after mechanical aeration. LF Headspace 2ppm

Remediation Location: Onsite ☒ Offsite

(ie. landfarmed onsite, name and location of offsite facility)

## General Description Of Remedial Action:

The pit was excavated to remove gross petroleum contamination. The excavated material was mechanically aerated and placed into an onsite landfarm.

Ground Water Encountered: No

Final Pit:

Sample location 27-4#29 V-EXFL-01

Closure Sampling:

(if multiple samples, attach sample results and diagram of sample locations and depths)

Two samples were collected, one sample from the excavation bottom and the second sample was made up of 4 points from each excavation wall.

Sample depth 12 feet

Sample date 8/30/98

Sample time 12:40

Sample Result

Benzene (ppm) &lt;0.050

Total BTEX (ppm) 0.492

Field Headspace (ppm)

TPH (ppm) 6.35

Ground Water Sample: No

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF

DATE 10-11-99 REV.

SIGNATURE

PRINTED NAME  
AND TITLEMark Harvey for Williams Field Services  
PROTECT COORDINATOR



Environmental Services  
P.O. Box 58900  
Salt Lake City, UT 84158-0900

### **Pit Closure and Retirement Addendum- Risk Assessment**

Any residual contamination remaining at the San Juan 27-4 #29 poses low risk to human health and the environment. This conclusion is based in part on the information below:

#### **Toxicity Information**

Toxicity values for TPH have not been established due to the variability of the chemical makeup of TPH. Normally, the toxicity is based on the toxicity of the particular constituents of concern which may be present and are evaluated based on health-based standards. The most common constituents examined include benzene, ethylbenzene, toluene, and xylene.

In the absence of constituents of concern or when the concentrations of the constituents of concern are negligible, the acceptable level of TPH is established by considering the following:

- No liquid product should remain in the soil
- The TPH should not harm vegetation
- The TPH concentrations should not create an odor nuisance
- Hydrocarbon vapors which may emanate from the impacted soil should not generate harmful or explosive vapors
- Site monitoring should indicate that TPH levels are stable or declining

While residual TPH and / or BTEX contamination may exist at this site, excavation activities were suspended based on encountering bedrock or production equipment which limited continued safe excavation. Based on the analysis of the soil confirmation sample and the site conditions, closure of this site is warranted for the following reasons:

1. Soils which exhibited high levels of TPH and BTEX have been removed.
2. Residual TPH concentrations are below levels which would be problematic based on the criteria above.
3. Discharge has been eliminated and a steel tank installed to prevent any future release to soils.
4. Depth to groundwater is estimated at greater than 100'.
5. Vertical migration of contamination is limited due to bedrock and/or the low vertical hydraulic conductivity of underlying soils.
6. TPH concentrations will not increase and are likely to degrade over time in-situ.

**Since there are no nearby receptors or domestic water sources, this site poses little risk to human health and the environment. Closure is justified based on the relatively low total petroleum hydrocarbon (TPH) concentration and the fact that benzene, toluene, ethylbenzene, and xylene meet applicable closure criteria. Additional information may be found in the Technical Background Document titled: *Risk Based Closure of Unlined Surface Impoundment Sites, San Juan Basin, New Mexico.***

# PIT RETIREMENT FORM

86434

Date: 8/20/98

Weather                     

Well Name SS 27-4 #29 Operator BURLINGTON Sec 26 T 22N R 46 UL A

Land Type: BLM STATE FEE INDIAN FOREST County RIO ARriba

One Call Made (505-765-1234)? ☒ N ☒ N

Line Marking Evident? ☒ N ☒ N

## Pit Location:


Reference Wellhead ☒ Other                     

Distance from: 140'

Direction: 26 Degrees ☒ E ☒ N ☒ S  
of  
                     W                      S                     

Starting Pit Dimensions NA x TANK x SET

Final Pit Dimensions 17' x 17' x 12'



Organic Vapor Readings: Start                       
@ 2'                       
@ 4'                       
@ 6'                       
@ 8'                       
@                       
@ 12'

Soil Description: SILTY CLAY  
                      
                      
                      
                      
                      
SANDSTONE - BEDROCK

Well Proximity To: Residence, Domestic Water Well, Stock Well NONE


Arroyo, Wash, Lake, Stream WASH ~ 200 YDS SOUTH

Estimated or Known Distance to Ground Water >100'

Source of Backfill (if other than processed material)                     

Samples collected: Type Progress: Verification: ID 27-4#29-U-EXFL-01 soil / water  
Progress: Verification: ID 27-4#29-U-EXWA-01 soil / water  
Progress: Verification: ID                      soil / water

Sample sent to Lab Via: Cooler Hand Carried                      Other                      Preservative: ICE Other                     



Comments: WAIT ON TANK TO BE PULLED — MOVE TANK + LIVER  
— EXCAVATE + SHRED SOIL — MATERIAL HAS SLIGHT TO MODERATE  
ODOR — SIDEWALLS CLEAN — FLOOR HAS FAINT ODOR — CUT GRASS — RAMP  
+ GERM — PLACE LF ~ 50' WEST —

Soil Shipped to: ON-SITE LF

Prepared by: M. H. H.

## QWAL LABORATORIES, INC.

2911 ROTARY TERRACE, P.O. BOX 562/PITTSBURG, KS 66762/(316)232-1970

## LABORATORY REPORT:

REFERENCE #: 9809139

ENT WILLIAMS FIELD SERVICE-MS4JI  
 TO: P.O. BOX 58900  
 SALT LAKE CITY, UTAH 84108  
 MARK HARVEY  
 PROJECT: 98 PIT REMEDIATION (CRZ)

DATE REPORTED: 09/08/98  
 DATE COLLECTED: 08/30/98  
 DATE RECEIVED: 09/02/98

Reference Fraction: 9809139-08A  
 Sample ID: CRZ/27-4#29 V-EXFL-01 / 86434  
 Sample Date Collected: 08/30/98 12:40:00

Sample Matrix: SOIL

TEST	METHOD	RESULT	UNITS	DL	ANALYZED	BY
OPH	SW846-8015	6.35	MG/KG	2.0	09/04/98	SKW
STEX	SW846 8021			3.0		
BENZENE		ND	MG/KG	0.050	09/04/98	JLO
TOLUENE		0.119	MG/KG	0.050	09/04/98	JLO
ETHYLBENZENE		ND	MG/KG	0.050	09/04/98	JLO
TOTAL XYLENES		0.373	MG/KG	0.050	09/04/98	JLO
BFB (SURROGATE)		84	125	75		

ND-NONE DETECTED  
 DL-DETECTION LIMIT  
 SU-STANDARD UNITS  
 B=DETECTED IN METHOD BLANK

APPROVED BY:

  
 TERRY KOESTER  
 LABORATORY DIRECTOR

## Q W A L L A B O R A T O R I E S, I N C.

2911 ROTARY TERRACE, P.O. BOX 562/PITTSBURG, KS 66762/(316)232-1970

## LABORATORY REPORT:

REFERENCE #: 9809139

SENT WILLIAMS FIELD SERVICE-MS4JT  
TO: P.O. BOX 58900  
SALT LAKE CITY, UTAH 84108  
MARK HARVEY  
PROJECT: 98 PIT REMEDIATION (CRZ)

DATE REPORTED: 09/08/98  
DATE COLLECTED: 08/30/98  
DATE RECEIVED: 09/02/98

Reference Fraction: 9809139-09A

Sample ID: CRZ/27-4#29 V-EXWA-01 / 86434

Sample Matrix: SOIL

Sample Date Collected: 08/30/98 12:40:00

TEST	METHOD	RESULT	UNITS	DL	ANALYZED BY
TPH	SW846-8015	5.90	MG/KG	2.0	09/04/98 SKW
BTEX	SW846 8021			3.0	
BENZENE		ND	MG/KG	0.050	09/04/98 JLO
TOLUENE		ND	MG/KG	0.050	09/04/98 JLO
ETHYLBENZENE		ND	MG/KG	0.050	09/04/98 JLO
TOTAL XYLENES		0.098	MG/KG	0.050	09/04/98 JLO
BFB (SURROGATE)		82	125	75	

ND-NONE DETECTED

DL-DETECTION LIMIT

SU-STANDARD UNITS

B-DETECTED IN METHOD BLANK

APPROVED BY:

  
TERRY KOESTER  
LABORATORY DIRECTOR

**Q W A L L A B O R A T O R I E S, I N C.**

2911 ROTARY TERRACE, P.O. BOX 562/PITTSBURG, KS 66762/(316)232-1970

**REFERENCE #:** 9809139

**LABORATORY REPORT:**

**SENT WILLIAMS FIELD SERVICE-MS4JI**  
**TO: P.O. BOX 58900**  
**SALT LAKE CITY, UTAH 84108**  
**MARK HARVEY**  
**PROJECT: 98 PIT REMEDIATION (CRZ)**

**DATE REPORTED:** 09/08/98  
**DATE COLLECTED:** 08/30/98  
**DATE RECEIVED:** 09/02/98

**Reference Fraction:** 9809139-07A  
**Sample ID:** CRZ/27-4#29 V-LF-01 / 86434  
**Sample Date Collected:** 08/30/98 12:45:00 **HS2**

**Sample Matrix:** SOIL

TEST	METHOD	RESULT	UNITS	DL	ANALYZED	BY
TPH	SW846-8015	472	MG/KG	40.0	09/04/98	SKW

**ND-NONE DETECTED**  
**DL-DETECTION LIMIT**  
**SU-STANDARD UNITS**  
**B-DETECTED IN METHOD BLANK**

**APPROVED BY:**

  
**TERRY KOESTER**  
**LABORATORY DIRECTOR**