

F. Loc. 990/S; 990/E Elev. 6584 DF Spd. 10/6/52 Comp. 11/26/52 TD 3004 PB
Casing S. 9-5/8" @ 133 W 95 St. Int. @ W Sx. Pr. 7" @ 2925 W 100 Sx. T. 1 @ 2985
Csg. Perf. Prod. Stim. Shot 300 qts 2937-3004

L.P. 700 MCF/D After 3 Hrs. Sic. P. 820 PSI After 3 Days GOR Grav. 1st Del. 1/27/53 T r a n s E P

TOPS		NTTD	X	Well Log	X	TEST DATA						
Kirtland		C-102		Plat	X	Schd.	PC	Q	PW	PD	D	AIL
Fruitland		C-103		Electric Log	X							
Pictured Cliffs	2925	C-104	X	C-110	X	54	610	84	232	305	75	
Cliff House		Remarks					55	549	63	230	270	58
Menefee							65	59	34	272	277	51
Point Lookout		Formerly J. R. Sharp #1 Neilson										
Mancos												
Tocito												
Dakota												
Morrison												
Entrada												
Red												

P 0 So Bl PC Co Rio Arriba S 20 T 27N R 7W U P Oper. PNG Lse. SJU 28-7 No. 5
Jan. Feb. Mar. Apr. May June July Aug. Sept. Oct. Nov. Dec.