


UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

Sundry Notices and Reports on Wells

|   |   |
|---|---|
| <p>1. Type of Well<br/>GAS</p> <p>2. Name of Operator<br/><b>BURLINGTON RESOURCES</b> OIL &amp; GAS COMPANY</p> <p>3. Address &amp; Phone No. of Operator<br/>PO Box 4289, Farmington, NM 87499 (505) 326-9700</p> <p>4. Location of Well, Footage, Sec., T, R, M<br/>1140' FNL, 800' FEL Sec. 21, T-27-N, R-05-W, NMPM</p> | <p>5. Lease Number<br/>SF-079394</p> <p>6. If Indian, All. or Tribe Name</p> <p>7. Unit Agreement Name<br/>San Juan 27-5 Unit</p> <p>8. Well Name &amp; Number<br/>SAN JUAN 27-5 UNIT #30</p> <p>9. API Well No.<br/>300390700000</p> <p>10. Field and Pool<br/>Tapacito PC/Blanco MV</p> <p>11. County and State<br/>Rio Arriba Co, NM</p> |
|---|---|



12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA

Type of Submission

Type of Action

|  |  |  |
|--|--|--|
| <input checked="" type="checkbox"/> Notice of Intent | <input type="checkbox"/> Abandonment                       | <input type="checkbox"/> Change of Plans         |
| <input type="checkbox"/> Subsequent Report           | <input type="checkbox"/> Recompletion                      | <input type="checkbox"/> New Construction        |
| <input type="checkbox"/> Final Abandonment           | <input type="checkbox"/> Plugging Back                     | <input type="checkbox"/> Non-Routine Fracturing  |
|  | <input type="checkbox"/> Casing Repair                     | <input type="checkbox"/> Water Shut off          |
|  | <input type="checkbox"/> Altering Casing                   | <input type="checkbox"/> Conversion to Injection |
|  | <input checked="" type="checkbox"/> Other - Re-Stimulation |  |

13. Describe Proposed or Completed Operations

Pull 1 1/4" tbg, 2 3/8" tbg, and pkr. Set RBP above PC perfs. Pressure test casing. Retrieve RBP above PC perfs. Set CIBP above MV perfs. Selectively perf and frac by-passed MV zones. Set RBP above MV perfs. Run packer and frac string. Set packer above PC perfs. Frac PC formation. Retrieve RBP and drill CIBP. Clean out wellbore. Run 2-3/8", 4.70#, J-55, EUE tubing and set @ approximately 5663'.

The well will be down-hole commingled after the workover and returned to production. An application for down-hole commingling is being submitted to the New Mexico Oil Conservation Division.

14. I hereby certify that the foregoing is true and correct.

Signed *Deanna Cole* Title Regulatory Administrator Date 1/26/00

(This space for Federal or State Office use)

APPROVED BY /s/ Charlie Beecham

Title

Team Lead, Petroleum Management

Date

CONDITION OF APPROVAL, if any:

# San Juan 27-5 Unit #30

Tapacito Pictured Cliffs / Blanco Mesaverde

Unit A, Section 21, T27N, R5W

Rio Arriba County, NM

Elevation: 6570' GL, 6580' KB

LAT: 36° 33.78' / LONG: 107° 21.40'

