
Budget Bureau No. 42-R358.4, Form Approved,

(SUBMIT IN TRIPLICATE)

Land Office Sants Fa



UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Unit Rincon Unit

TO DRILL	<u> </u>	ND REPORTS ON V	
INTENTION TO CHANGE DI ANG		SUBSEQUENT REPORT OF WATER SHUT	-OFF
MOTICE OF INTENTION TO TEST WAT	TD CLUE	I WALL OF SHOOTING O	D 401-1-
TOTALE OF INTENTION TO RE-DRILL	OP DEPAID I	REPURI OF ALTERING CA	Clue I I
INTERTION TO SHOOT OF ACIDITA		THE REPORT OF REDDITIONS	
NOTICE OF INTENTION TO PULL OR ALI'ER CASING. NOTICE OF INTENTION TO ABANDON WELL		REPORT OF ABANDONNEL	- I 1
		SUPPLEMENTARY WELL HISTORY	
			X
(INDICA)	E ABOVE BY CHECK MARK N	ATURE OF REPORT, NOTICE, OR OTHER DATA)	
4	-	December 14	
Vell No. 185 is locate	a 990 a.c	In line and 990 ft. from E	, 19
ETTO CO	π. from	line and 990 ft. from E	line of 22
MS Dection 22	27-N	7-12	Time or sec.
(% Sec. and Sec. No.) Basin Dakota	(Twp.) (Ray	47 840 + 1 + 10 + 10 + 10 + 10 + 10 + 10 + 1	
(Field)	Rio Arri		
•	(County or Su		ew Mexico Territory)
he elevation of the derrick fl	oor above sea level	is <u>9991</u> ft.	
ate names of and owners 1 1	DETAILS	OF WORK	
and expected depths to ob	incting and a		
	ing points, and all other i	ights, and lengths of proposed casings; indi	Cate mudding :_k.
12-3-62 Total Depth 79 Perf 7342-48 (2 SFF); Frac w/30,000 gallons water. IR 25.6 RFM'; 3 drops of 12 balls.	ing points, and all other ing points, and al	OF WORK ights, and lengths of proposed casings; indi mportant proposed work) 7565'. 7478-32; 7492-95 (3 SPF sand. Flush w/4830 gall P 2200#, tr pr 2100-4000	cate mudding jobs, cement-
12-3-62 Total Depth 79 Perf 7342-48 (2 SFF); Frac w/30,000 gallons water. IR 25.6 RFM' 1 3 drops of 12 balls.	ing points, and all other ing points, and al	rights, and lengths of proposed casings; indimportant proposed work) 7565'. 7768-82; 7492-95 (3 SPF sand. Flush v/4830 gall. P 2200#, tr pr 2100-4000	Cete mudding jobs, coment. CONTROL OF THE
12-3-62 Total Depth 79 Perf 7342-48 (2 SFF); Frac v/30,000 gallons water. IR 25.6 HPM'; 3 drops of 12 balls.	ing points, and all other ing points, and al	7565'. 7478-32;7492-95 (3 SPF sand. Flush v/4830 gall. P 2200#, tr pr 2100-4000	ECZIVE
Perf 7342-48 (2 SFF); Frac v/80,000 gallons water. IR 25.6 HPM'; 3 drops of 12 balls.	595'. C.O.T.D. 7446-58 (1 BPF) Water, 72.000# Sex pr 4000#, BD	7565'. 7478-32;7492-95 (3 SPF sand. Flush v/4830 gall. P 2200#, tr pr 2100-4000; DEC 1 9 1962	DEG 10 1982 U. S. CECLOCICAL SURVEY FARMINGTON, NEW MEXICO
Perf 7342-48 (2 SFF); Frac v/80,000 gallons water. IR 25.6 HPM'; 3 drops of 12 balls.	595'. C.O.T.D. 7446-58 (1 BPF) Water, 72.000# Sex pr 4000#, BD	7565'. 7478-32;7492-95 (3 SPF sand. Flush v/4830 gall. P 2200#, tr pr 2100-4000; DEC 1 9 1962	DEG 10 1982 U. S. CECLOCICAL SURVEY FARMINGTON, NEW MEXICO
Perf 7342-48 (2 SFF); Frac v/30,000 gallons water. IR 25.6 BFM'; 3 drops of 12 balls.	795' . C.O.T.D. 7446-58 (1 SPF) Water, 72.000# fax pr 4000#, BD	7565'. 7478-32;7492-95 (3 SPF sand. Flush v/4830 gall. P 2200#, tr pr 2100-4000; DEC 1 9 1962	DEG 10 1982 U. S. CECLOCICAL SURVEY FARMINGTON, NEW MEXICO
Perf 7342-48 (2 SFF); Frac v/80,000 gallons water. IR 25.6 HPM'; 3 drops of 12 balls.	795' . C.O.T.D. 7446-58 (1 SPF) Water, 72.000# fax pr 4000#, BD	7565'. 7478-32;7492-95 (3 SPF sand. Flush v/4830 gall. P 2200#, tr pr 2100-4000	DEG 10 1982 U. S. CECLOCICAL SURVEY FARMINGTON, NEW MEXICO

Title Petroleum Engineer