



COPY TO O. C. C.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
P. O. Box 965
Farmington, New Mexico

October 19, 1955

J. Glenn Turner
P. O. Box 728
Farmington, New Mexico

Re: Santa Fe 079298-C

Gentlemen:

Receipt is acknowledged of your "Notice of Intention to Drill" dated October 19, 1955 covering your well No. 2-24-Y Turner-P. P. Ripley in NE 1/4 sec. 24, T. 27 N., R. 7 W., N. M. P. M., Rio Arriba County, New Mexico, So. Blanco P. C. pool.

Your proposed work is hereby approved subject to compliance with the provisions of the "Oil and Gas Operating Regulations" revised May 25, 1942, a copy of which will be sent to you on request, and subject to the following conditions:

1. Drilling operations so authorized are subject to the attached sheet for general conditions of approval.
2. Furnish copies of all logs.

Very truly yours,

(Orig. Sgd.) P. T. McGRATH

P. T. McGrath
District Engineer

PTMcGrath:al



APPROVED
11/1/56

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



WASHINGTON, D. C. 20508

WASHINGTON, D. C. 20508

WASHINGTON, D. C. 20508

WASHINGTON, D. C. 20508

WASHINGTON, D. C. 20508

WASHINGTON, D. C. 20508

WASHINGTON, D. C. 20508

WASHINGTON, D. C. 20508

WASHINGTON, D. C. 20508

WASHINGTON, D. C. 20508

WASHINGTON, D. C. 20508

WASHINGTON, D. C. 20508

			X	

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office **Santa Fe**
Lease No. **079298-C**
Unit **NE/4**

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	XX	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

October 19, 1955, 19

Turner - E. P. Ripley
Well No. 2-24-I is located 1065 ft. from **(N)** line and 1650 ft. from **(E)** line of sec. 24

NE/4 Sec. 24 (1/4 Sec. and Sec. No.) **T 27-N R 7-W** (Twp.) (Range) **N.M.P.M.** (Meridian)
So. Elancon P. Co. (Field) **Rio Arriba County** (County or Subdivision) **New Mexico** (State or Territory)

The elevation of the derrick floor above sea level is 6,663 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Propose to spud with rotary tools - and drill to top of Pictured Cliffs formation expected between 1,900 feet and 2,200 feet below surface. Completion with cable tools - and sand oil fracturing or shooting with solidified nitro-glycerin as conditions warrant.


Casing program: 90 feet of 9-5/8" new 8 rd. thd. 24# casing. Circulate cement to surface, using at least 75 sacks of cement.

5-1/2" OD 14# J-55 casing to be set on top of Pictured Cliffs formation, cemented with 100 sacks regular cement.

1-1/4" tubing to be set within 20 feet of total depth for production. Plans of this lease have been submitted previously, hence are not attached to this notice.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **J. Glenn Turner**
Address **P. O. Box 728**
Farmington, New Mexico


By 
C. Benson Neal, Agent in Farmington
Title



IN REPLY REFER TO:

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
P. O. Box 965
Farmington, New Mexico

July 30, 1955



J. Glenn Turner
Box 728
Farmington, New Mexico

Re: Santa Fe 079298-C

Gentlemen:

Receipt is acknowledged of your "Notice of Intention to Drill" dated July 28, 1955 covering your well No. 2-24X Turner-E.P. Ripley in NE $\frac{1}{4}$ sec. 24, T. 27 N., R. 7 W., N. M. P. M., Rio Arriba County, New Mexico, So. Blanco P.C.

Your proposed work is hereby approved subject to compliance with the provisions of the "Oil and Gas Operating Regulations" revised May 25, 1942, a copy of which will be sent to you on request, and subject to the following conditions:

1. Drilling operations so authorized are subject to the attached sheet for general conditions of approval.
2. Furnish copies of all logs.


Very truly yours,

Jerry W. Long

Jerry W. Long
Acting District Engineer

JWLong:ac

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY




TO THE DIRECTOR, U. S. GEOLOGICAL SURVEY, WASHINGTON, D. C.

FROM THE CHIEF OF THE DISTRICT OF COLUMBIA, DISTRICT OF COLUMBIA, D. C.

SUBJECT: [Illegible]

[Illegible text follows, appearing to be a letter or report.]



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 679294-C
Unit 12 1/4

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Turner - S. F. Ripley
2-212
Well No. 990 is located 100 ft. from N line and 105 ft. from E line of sec. 21.
12 1/4 Sec. 21. T 27 N R 7 W S. M. P. M.
So. Blaine T. C. (Field) Rio Arriba County (County or Subdivision) New Mexico (State or Territory)

The elevation of the derrick floor above sea level is 6,663 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement-
Proposed to spud with cable tools, then drill with rotary tools to the top of the
Pictured Cliffs formation - expected between 1,900 feet and 2,200 feet below the
surface. Completion with cable tools - and sand oil fracturing or shooting with
solidified nitro glycerin as conditions warrant.

Casing program: 90 feet of 9-5/8" new 8 rd. thd. 21/2 casing. Circulate cement to
surface, using at least 75 sacks of cement.

5-1/2" OD 110 J-55 seamless casing to be set on top of Pictured Cliffs forma-
tion, cemented with 100 sacks regular cement.

1" tubing to be set within 20 feet of total depth for production.

This notice necessary as No. 2-21 had to be abandoned, per separate report.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

J. Olson Turner
Company
P. O. Box 725
Address
Farmington, New Mexico

By [Signature]
Title Branch Head, Agent in Farmington