

District I P.O. Box 1980, Hobbs, NM District II P.O. Drawer, Artesia, NM 88211 District III 1000 Rio Brazos Rd. Aztec, NM 87410	State Of New Mexico Energy, Minerals and Natural Resources Department OIL CONSERVATION DIVISION P.O. Box 2088 Santa Fe, New Mexico 87504-2088	SUBMIT 1 COPY TO APPROPRIATE DISTRICT OFFICE AND 1 COPY TO SANTA FE OFFICE (Revised 3/9/94)
--	--	--

PIT REMEDIATION AND CLOSURE REPORT

Operator: Conoco Inc. Telephone: 505-324-5846

Address: 3315 Bloomfield Hwy - Farmington, NM 87401

Facility Or: San Juan 28-7 #109

Well Name _____

Location: Unit or Qtr/Qtr Sec N Sec 18 T 27N R 7W County Rio Arriba

Pit Type: Separator X Dehydrator Other

Land Type: BLM X State Fee Other

Pit Location: (Attach diagram) Pit dimension: length 15' width 15' depth 3'

Reference: wellhead X other

Footage from reference: 30'

Direction from reference: 130 Degrees X East of North
 West X South

Depth To Ground Water: (Vertical distance from contaminants to seasonal high water elevation of ground water)	Less than 50 feet 50 feet to 99 feet Greater than 100 feet	(20 points) (10 points) (0 points)	
	Total		<u>0</u>
Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or; less than 1000 feet from all other water sources)	Yes (20 points) No (0 points)		
	Total		<u>0</u>
Distance To Surface Water: (Horizontal distance to perennial lakes, ponds, rivers, streams, creeks, irrigation canals and ditches)	Less than 200 feet 200 feet to 1000 feet Greater than 1000 feet	(20 points) (10 points) (0 points)	(20 points) (10 points) (0 points)
	Total		<u>0</u>
	RANKING SCORE (TOTAL POINTS):		<u>0</u>

Date Remediation Started:		N/A		Date Completed:	
Remediation Method:		Excavation:		Approx. cubic yards	
(Check all appropriate sections)		Landfarm		Insitu Bioremediation	
		Other			
Remediation Location:		Onsite		Offsite	
(ie. landfarmed onsite, name and location of offsite facility)					
General Description Of Remedial Action:					
No remediation necessary. Pit was backfilled and reseeded. Pit is in a non-vulnerable area.					
Ground Water Encountered: No ☒ Yes ☐ Depth					
Final Pit:		Sample location Center of pit - 3' below bottom			
Closure Sampling:					
(if multiple samples attach sample results and diagram of sample locations and depths)		Sample depth 6'			
		Sample date 2/14/00 Sample time 10:00 AM			
		Sample Results			
		Benzene (ppm) 0.0089			
		Total BTEX (ppm) 0.059			
		Field headspace (ppm) Not measured			
		TPH (ppm) 0.8			
Ground Water Sample:		Yes ☐ No ☒		(If yes, attach sample results)	
I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF					
DATE		2/15/00		PRINTED NAME John E. Cofer	
SIGNATURE		John E. Cofer		AND TITLE Environmental Coordinator	

--	--	--	--	--

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Conoco	Project #:	707003-128
Sample ID:	Sep Pit	Date Reported:	02-25-00
Laboratory Number:	G877	Date Sampled:	02-14-00
Chain of Custody No:	6817	Date Received:	02-24-00
Sample Matrix:	Soil	Date Extracted:	02-25-00
Preservative:	Cool	Date Analyzed:	02-25-00
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	0.6	0.2
Diesel Range (C10 - C28)	0.2	0.1
Total Petroleum Hydrocarbons	0.8	0.1

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: 28 - 7 #109.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Conoco	Project #:	707003-128
Sample ID:	Sep Pit	Date Reported:	02-25-00
Laboratory Number:	G877	Date Sampled:	02-14-00
Chain of Custody:	6817	Date Received:	02-24-00
Sample Matrix:	Soil	Date Analyzed:	02-25-00
Preservative:	Cool	Date Extracted:	02-25-00
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	8.9	1.8
Toluene	22.3	1.7
Ethylbenzene	4.1	1.5
p,m-Xylene	17.6	2.2
o-Xylene	6.1	1.0
Total BTEX	59.0	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Trifluorotoluene	100 %
	Bromofluorobenzene	100 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.


Comments: 28 - 7 #109.


Analyst


Review

Site Security

(Indicate North)



6817

ENVIROTECH INC.

**5796 U.S. Highway 64
Farmington, New Mexico 87401
(505) 632-0615**