District I 2 O Box 1980, Hobbs, NM District II P.O. Drawer DD, Artesia, NM 88211 District III 1000 Rio Brazos Rd, Azzec, NM 87410

State of New Mexico Energy, Minerals and Natural Resources Department

SUBMIT 1 COPY TO APPROPRIATE DISTRICT OFFICE OIL CONSERVATION DIVISION & SANTA FE OFFICE

DEPUTY OIL & GAS INSPECTOR

P.O. Box 2088 -Santa Fe, New Mexico 87504-2088

SEP 11 11 1995

PIT REMEDIATION AND CLOSURE REPORT

| | | F. Williams | |
|---|--------------------------------------|--|--|
| | | Telephone: 801-584-6999 | |
| Address: 295 Chipeta Way Salt Lake City, UT 84158 Facility Or: 55 27-4 # 14 × mV Well Name | | | |
| Location: Unit or Qtr/Qtr Sec NWSW Sec 18 T27N R 4N County RIO ARRIBA Pit Type: Separator Dehydrator X Other | | | |
| il | | , Other PRIVME - E.W. GREEN | |
| Pit Location: (Attach diagram) | Pit dimensions: length, width, depth | | |
| | Footage from referen | | |
| | | rence: <u>45</u> Degrees East North <u>X</u> of X West South | |
| Depth To Ground Water: (Vertical distance from contaminants to seasonal high water elevation of ground water) | | Less than 50 feet (20 points) 50 feet to 99 feet (10 points) Greater than 100 feet (0 Points) DECENYE | |
| Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or; less than 1000 feet from all other water sources) | | Yes (20 points) OIL CON. DIV. DIST. 3 | |
| Distance To Surface Water: (Horizontal distance to perennial lakes, ponds, rivers, streams, creeks, irrigation canals and ditches) | | Less than 200 feet (20 points) 200 feet to 1000 feet (10 points) Greater than 1000 feet (0 points) O | |
| | | RANKING SCORE (TOTAL POINTS): 10 | |

| Date Remediation St | arted: | Dated Completed: |
|---|---------------------------|--|
| Remediation Method: (Check all appropriate | Excavation | Approx. cubic yards |
| sections) | Landfarmed | |
| | Other | |
| | | |
| Remediation Location (ie. landfarmed onsite, name and location of | onsite | Offsite |
| offsite facility) | | |
| General Description | Of Remedial Act | tion: |
| Site Assessmen | t in accordance | with OCD and BLM guidance document. |
| | | |
| | | |
| | | |
| | | |
| Ground Water Encoun | tered: No \underline{X} | Yes Depth |
| | | |
| Final Pit: Closure Sampling: | Sample location | Standard Triangle from pit floor. |
| (if multiple samples, attach sample results and diagram of sample | | |
| locations and depths) | | 3' |
| | | 6-27-94 Sample time <u>5:000</u> |
| | Sample Results | |
| | Benzene (ppi | |
| | Total BTEX | |
| | Field heads | space(ppm) |
| | TPH | |
| Ground Water Sample: | Yes No | X (If yes, attach sample results) |
| I HEREBY CERTIFY THA OF MY KNOWLEDGE AND | T THE INFORMATION | ON ABOVE IS TRUE AND COMPLETE TO THE BEST |
| DATE 9-6-94 | | |
| SIGNATURE 71 / Seum | RINTE AND TI | ED NAME ITLE Lee Bauerle, Environmental Spec. |
| | | - Shec. |



AMERICAN WEST ANALYTICAL **LABORATORIES**

ORGANIC ANALYSIS REPORT

Client: Mile High Environmental Date Sampled: June 27, 1994

Date Received: July 5, 1994

Set Description: Sixty-One Solid Samples

Set Identification #: 18988 Contact: Mark Harvey

Received By: Eddie Richmond

Analysis Requested:

Total Recoverable Petroleum

Hydrocarbons

Method Ref. Number: EPA 418.1 (Extraction

Infrared Absorption)

Date Extracted: July 11, 1994

463 West 3600 South Salt Lake City, Utah 84115

Lab Sample ID. Number:

18988-27

Field Sample ID. Number: Vulnerable Area Pit Locations

SJ 27-4 #14X MV/72004

Date Analyzed: July 14, 1994

Analytical Results

Units = mg/kg (ppm)

Total Recoverable Petroleum Hydrocarbons

(801) 263-8686 Fax (801) 263-8687

Compound:

Total Recoverable Petroleum Hydrocarbons

Limit:

Detection

Amount Detected:

5.0 150.

< Value = None detected above the specified method detection limit, or a value that reflects a reasonable limit due to interferences.

Released by:

Report Date 7/18/94

1 of 1