


(SUBMIT IN TRIPLICATE)

Land Office SF
Lease No. 079365
Unit San Juan 28-6
14-05-001-1051UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	<u>Water Frac.</u>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

September 12, 1957

Well No. 68(PM) is located 1814 ft. from N line and 790 ft. from W line of sec. 13SW Sec. 13
(1/4 Sec. and Sec. No.)27N
(Twp.)6W
(Range)NMPM
(Meridian)Placito & Wildcat
(Field)Hio Ariba
(County or Subdivision)New Mexico
(State or Territory)The elevation of the derrick floor above sea level is 6345 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

- 9-3-56 C.O.T.D. 5420. Water fraced. P. L. perf. int. 2/DJ/ft. 5172-90; 5238-58; 5272-84; 5296-5320; 5336-54 w/62,000 gal. water and 60,000# sand. Max. pr. 3000#, avg. tr. pr. 1500; 1800; 2250#. IR 71.2 BPM. Flush 10,000 gallons. Dropped 20 balls 8 times - 7 stages.
- 9-3-57 Temporary bridge plug at 4970'. Water fraced C.H. perf. int. 4688-96; 4744-64; 4800-14; 4886-4906 w/ 2DJ/ft. w/60,000 gallons water and 60,000# sand. BD pr. 2400#, max. pr. 3000#, avg. tr. pr. 1800; 1950, 2000#. IR 65.7 BPM. Flush 10,000 gallons. 6 stages 5 drops of 20 balls.
- 9-3-57 Temporary bridge plug at 3900. Water fraced P.C. perf. int. 2/DJ/ft 3060 to 3070; 3080-3116 w/33,000 gal. water and 40,000# sand. BD pr. 1700#, max. pr. 1500#, avg. tr. pr. 1300#. IR 69.0 BPM. Flush 7000 gals.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company El Paso Natural Gas CompanyAddress Box 997Farmington, New MexicoOriginal Signed D. C. Johnston
By _____Title Petroleum Engineer