
By

Form 9-881 a (Feb. 1961)



(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Budget	Bureau	No.	42-R358.4
Form A	paraved		

Land Office New Mexico

Lasso No. 013654

Unit Rincon Unit

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL. X	
	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	
· · · · · · · · · · · · · · · · · · ·	<u></u>
(INDICATE ABOVE BY CHECK MARK NAT	URE OF REPORT, NOTICE, OR OTHER DATA)
	Sept. 12 1962
	·
ell No. 161 is located 1450 ft. from L	ine and 1000 ft. from Eline of sec. 17
	te ito it see.
NE/4 Sec. 17 27N 6W (H Sec. and Sec. No.) (Twp.) (Rang	N.M.P.M.
	,
Basin Dakota Rio Arr	iba New Mexico
(Fwld) (County or Sub	division) (State or Territory)
ne elevation of the derrick floor above sea level i	s 6589 ft.
DETAILS	OF WORK
ate names of and expected depths to objective sands; show sizes, we	sights, and lengths of proposed casings: indicate mudding labe sement.
ate names of and expected depths to objective sands; show sizes, we ing points, and all other i	sights, and lengths of proposed casings; indicate mudding jobs, coment- important proposed work)
ate names of and expected depths to objective sands; show sizes, we ing points, and all other to its intended to maid drill a well wit	sights, and lengths of proposed casings; indicate mudding jobs, coment- important proposed work) The rotary tools thruthe Dakota formation
ate names of and expected depths to objective sands; show sizes, we ing points, and all other to its intended to maid drill a well wit	sights, and lengths of proposed casings; indicate mudding jobs, coment- important proposed work) The rotary tools thruthe Dakota formation
ate names of and expected depths to objective sands; show sizes, we ing points, and all other in the sand of the sand of the sand to perforate and fracture possible	sights, and lengths of proposed casings; indicate mudding jobs, coment- important proposed work) The rotary tools thruthe Dakota formation
ate names of and expected depths to objective sands; show sizes, we ing points, and all other is intended to mad drill a well wit and to perforate and fracture possible Casing Program:	sights, and lengths of proposed casings; indicate mudding jobs, coment- important proposed work) th rotary tools thruthe Dakota formation producing zones. Est. T. D. 7745'.
to names of and expected depths to objective sands; show sizes, we ing points, and all other in points and all other in points and all other in possible casing Program: 9 5/8" @ 300' w/205 sacks come	sights, and lengths of proposed casings; indicate mudding jobs, coment- important proposed work) th rotary tools thru the Dakota formation producing zones. Est. T. D. 7745'.
to names of and expected depths to objective sands; show sizes, we ing points, and all other in the control of	sights, and lengths of proposed casings; indicate mudding jobs, coment- important proposed work) th rotary tools thru the Dakota formation producing zones. Est. T. D. 7745'. ent circulated to surface. collars. Set 2nd stage collar 50' - 100' bel
to names of and expected depths to objective sands; show sizes, we ing points, and all other in the intended to mad drill a well with and to perforate and fracture possible dasing Program: 9 5/8" @ 300' w/205 sacks come 5 1/2" @ 7745' w/2 & 3 stage cobase of Mesa Verde, 3rd stage	sights, and lengths of proposed casings; indicate mudding jobs, cament- important proposed work) The rotary tools thruthe Dakota formation producing zones. Est. T. D. 7745'. Interculated to surface. Sollars. Set 2nd stage collar 50' - 100' bel 50' - 100' below base of Pictured Cliffs.
to names of and expected depths to objective sands; show sizes, we ing points, and all other ing points, and all other ing points, and all other indicated to mad drill a well with and to perforate and fracture possible casing Program: 9 5/8" @ 300' w/205 sacks come 5 1/2" @ 7745' w/2 & 3 stage comes of Mesa Verde, 3rd stage coment first stage with 232 sa	sights, and lengths of proposed casings; indicate mudding jobs, commutation important proposed work) The rotary tools thruthe Dakota formation producing zones. Est. T. D. 7745'. Int circulated to surface. Toollars. Set 2nd stage collar 50' - 100' bel 50' - 100' below base of Pictured Cliffs. Tools to fill 100' below Mesa Verde.
tis intended to mud drill a well with the perforate and fracture possible casing Program: 9 5/8" @ 300' w/205 sacks come 5 1/2" @ 7745' w/2 & 3 stage coment first stage with 232 sacks to come stage w/200 sacks to come	sights, and lengths of proposed casings; indicate mudding jobs, coment- important proposed work) th rotary tools thru the Dakota formation producing zones. Est. T. D. 7745'. ent circulated to surface. collars. Set 2nd stage collar 50' - 100' bel 50' - 100' below base of Pictured Cliffs. cks to fill 100' below Mesa Verde. ever 100' above top of Cliff House.
to names of and expected depths to objective sands; show sizes, we ing points, and all other ing points, and all other ing points, and all other indicated to mad drill a well with and to perforate and fracture possible casing Program: 9 5/8" @ 300' w/205 sacks come 5 1/2" @ 7745' w/2 & 3 stage comes of Mesa Verde, 3rd stage coment first stage with 232 sa	sights, and lengths of proposed casings; indicate mudding jobs, coment- important proposed work) th rotary tools thru the Dakota formation producing zones. Est. T. D. 7745'. ent circulated to surface. collars. Set 2nd stage collar 50' - 100' bel 50' - 100' below base of Pictured Cliffs. cks to fill 100' below Mesa Verde. ever 100' above top of Cliff House.
to names of and expected depths to objective sands; show sizes, we ing points, and all others it is intended to mad drill a well with and to perforate and fracture possible. Casing Program: 9 5/8" @ 300' w/205 sacks come 5 1/2" @ 7745' w/2 & 3 stage comes of Mesa Verde, 3rd stage coment first stage with 232 sacks second stage w/200 sacks to come third stage with 190 sacks to come	sights, and lengths of proposed casings; indicate mudding jobs, cament- important proposed work) th rotary tools thru the Dakota formation producing zones. Est. T. D. 7745'. ent circulated to surface. collars. Set 2nd stage collar 50' - 100' bel 50' - 100' below base of Pictured Cliffs. ecks to fill 100' below Mesa Verde. ever 100' above top of Cliff House cover Ojo Alamo.
to names of and expected depths to objective sands; show sizes, we ing points, and all others it is intended to mad drill a well with and to perforate and fracture possible. Casing Program: 9 5/8" @ 300' w/205 sacks come 5 1/2" @ 7745' w/2 & 3 stage comes of Mesa Verde, 3rd stage coment first stage with 232 sacks second stage w/200 sacks to come third stage with 190 sacks to come	sights, and lengths of proposed casings; indicate mudding jobs, cament- important proposed work) th rotary tools thru the Dakota formation producing zones. Est. T. D. 7745'. ent circulated to surface. collars. Set 2nd stage collar 50' - 100' bel 50' - 100' below base of Pictured Cliffs. ecks to fill 100' below Mesa Verde. ever 100' above top of Cliff House cover Ojo Alamo.
It is intended to mad drill a well with and to perforate and fracture possible. Casing Program: 9 5/8" @ 300' w/205 sacks come 5 1/2" @ 7745' w/2 & 3 stage coment first stage with 232 sacks come formulation of the stage with 232 sacks come stage with 190 sacks to come the stage with 190 sacks to come st	sights, and lengths of proposed casings; indicate mudding jobs, cament- important proposed work) th rotary tools thru the Dakota formation producing zones. Est. T. D. 7745'. ent circulated to surface. collars. Set 2nd stage collar 50' - 100' bel 50' - 100' below base of Pictured Cliffs. ecks to fill 100' below Mesa Verde. ever 100' above top of Cliff House cover Ojo Alamo.
to names of and expected depths to objective sands; show sizes, we ing points, and all others it is intended to mad drill a well with and to perforate and fracture possible. Casing Program: 9 5/8" @ 300' w/205 sacks ceme 5 1/2" @ 7745' w/2 & 3 stage c base of Mesa Verde, 3rd stage Cement first stage with 232 sa Second stage w/200 sacks to co Third stage with 190 sacks to co	sights, and lengths of proposed casings; indicate mudding jobs, cament- important proposed work) The rotary tools thru the Dakota formation producing zones. Est. T. D. 7745'. Int circulated to surface. Sollars. Set 2nd stage collar 50' - 100' bel 50' - 100' below base of Pictured Cliffs. Ecks to fill 100' below Mesa Verde. Ever 100' above top of Cliff House cover 0jo Alamo. this well.
It is intended to mad drill a well with and to perforate and fracture possible. Casing Program: 9 5/8" @ 300' w/205 sacks come 5 1/2" @ 7745' w/2 & 3 stage come base of Mesa Verde, 3rd stage Cement first stage with 232 sacks come fracture possible. Second stage w/200 sacks to come The N/2 of Section 17 is dedicated to	sights, and lengths of proposed casings; indicate mudding jobs, cament- important proposed work) The rotary tools thru the Dakota formation producing zones. Est. T. D. 7745'. Int circulated to surface. Sollars. Set 2nd stage collar 50' - 100' bel 50' - 100' below base of Pictured Cliffs. Ecks to fill 100' below Mesa Verde. Ever 100' above top of Cliff House cover 0jo Alamo. this well.
It is intended to maid drill a well with and to perforate and fracture possible. Casing Program: 9 5/8" @ 300' w/205 sacks come 5 1/2" @ 7745' w/2 & 3 stage content first stage with 232 sacks come first stage with 232 sacks come stage with 190 sacks to content first stage with 190 sacks to cont	sights, and lengths of proposed casings; indicate mudding jobs, cament- important proposed work) The rotary tools thru the Dakota formation producing zones. Est. T. D. 7745'. Int circulated to surface. Sollars. Set 2nd stage collar 50' - 100' bel 50' - 100' below base of Pictured Cliffs. Ecks to fill 100' below Mesa Verde. Ever 100' above top of Cliff House cover 0jo Alamo. this well.
It is intended to maid drill a well with and to perforate and fracture possible. Casing Program: 9 5/8" @ 300' w/205 sacks come 5 1/2" @ 7745' w/2 & 3 stage coment first stage with 232 sacks coment first stage with 232 sacks coment first stage with 190 sacks to control of Section 17 is dedicated to support the stage of the same of the stage with 232 sacks to control of Section 17 is dedicated to support the stage with 232 sacks to control of Section 17 is dedicated to support the stage with 232 sacks to control of Section 17 is dedicated to support the stage with 232 sacks to control of Section 17 is dedicated to support the stage with 232 sacks to control of Section 17 is dedicated to support the stage with 232 sacks to control of Section 17 is dedicated to support the stage with 232 sacks to control of Section 17 is dedicated to support the stage with 232 sacks to control of Section 17 is dedicated to support the stage with 232 sacks to control of Section 17 is dedicated to support the stage with 232 sacks to control of Section 17 is dedicated to support the stage with 232 sacks to control of Section 17 is dedicated to support the stage with 232 sacks to control of Section 17 is dedicated to support the stage with 232 sacks to control of Section 17 is dedicated to support the stage with 232 sacks to control of Section 17 is dedicated to support the stage with 232 sacks to control of Section 17 is dedicated to support the stage with 232 sacks to control of Section 17 is dedicated to support the stage with 232 sacks to control of Section 17 is dedicated to support the support the stage with 232 sacks to control of Section 17 is dedicated to support the sup	sights, and lengths of proposed casings; indicate mudding jobs, cament- important proposed work) The rotary tools thru the Dakota formation producing zones. Est. T. D. 7745'. Int circulated to surface. Sollars. Set 2nd stage collar 50' - 100' bel 50' - 100' below base of Pictured Cliffs. Ecks to fill 100' below Mesa Verde. Ever 100' above top of Cliff House cover 0jo Alamo. this well.
ate names of and expected depths to objective sands; show sizes, we ing points, and all others in points, and all others. It is intended to mad drill a well with and to perforate and fracture possible. Casing Program: 9 5/8" @ 300' w/205 sacks ceme 5 1/2" @ 7745' w/2 & 3 stage condesse of Mesa Verde, 3rd stage cement first stage with 232 sacks second stage w/200 sacks to contribute stage with 190	sights, and lengths of proposed casings; indicate mudding jobs, cament- important proposed work) The rotary tools thru the Dakota formation producing zones. Est. T. D. 7745'. Int circulated to surface. Sollars. Set 2nd stage collar 50' - 100' bel 50' - 100' below base of Pictured Cliffs. Ecks to fill 100' below Mesa Verde. Ever 100' above top of Cliff House Ever 100' above top of Cliff House Ever 100' above top of Cliff House Ever 100' below Mesa Verde. Ever 100' above top of Cliff House Ever 100' above top of Cliff House
It is intended to mad drill a well with and to perforate and fracture possible. Casing Program: 9 5/8" @ 300' w/205 sacks come 5 1/2" @ 7745' w/2 & 3 stage coment first stage with 232 sacks coment first stage with 232 sacks coment first stage with 190 sacks to contain that this plan of work must receive approval in writing the same of the same company. I understand that this plan of work must receive approval in writing the same same same same same same same sam	sights, and lengths of proposed casings; indicate mudding jobs, cament- important proposed work) The rotary tools thru the Dakota formation producing zones. Est. T. D. 7745'. Int circulated to surface. Sollars. Set 2nd stage collar 50' - 100' bel 50' - 100' below base of Pictured Cliffs. Ecks to fill 100' below Mesa Verde. Ever 100' above top of Cliff House Ever 100' above top of Cliff House Ever 100' above top of Cliff House Ever 100' below Mesa Verde. Ever 100' above top of Cliff House Ever 100' above top of Cliff House
to names of and expected depths to objective sands; show sizes, we ing points, and all others it is intended to mad drill a well with and to perforate and fracture possible. Casing Program: 9 5/8" @ 300' v/205 sacks ceme 5 1/2" @ 7745' v/2 & 3 stage c base of Mesa Verde, 3rd stage Cement first stage with 232 sa Second stage v/200 sacks to contribute stage with 190 sacks to contribute stage with 1	sights, and lengths of proposed casings; indicate mudding jobs, cament- important proposed work) The rotary tools thru the Dakota formation producing zones. Est. T. D. 7745'. Int circulated to surface. Sollars. Set 2nd stage collar 50' - 100' bel 50' - 100' below base of Pictured Cliffs. Ecks to fill 100' below Mesa Verde. Ever 100' above top of Cliff House cover 0jo Alamo. this well.
It is intended to mad drill a well with and to perforate and fracture possible. Casing Program: 9 5/8" @ 300' w/205 sacks come 5 1/2" @ 7745' w/2 & 3 stage coment first stage with 232 sacks coment first stage with 232 sacks coment first stage with 190 sacks to continue that this plan of work must receive approval in writing many El Paso Natural Gas Company dress Box 990	sights, and lengths of proposed casings; indicate mudding jobs, cament- important proposed work) The rotary tools thru the Dakota formation producing zones. Est. T. D. 7745'. Int circulated to surface. Sollars. Set 2nd stage collar 50' - 100' bel 50' - 100' below base of Pictured Cliffs. Ecks to fill 100' below Mesa Verde. Ever 100' above top of Cliff House Ever 100' above top of Cliff House Ever 100' above top of Cliff House Ever 100' below Mesa Verde. Ever 100' above top of Cliff House Ever 100' above top of Cliff House

W MEXICO OIL CONSERVATION COMMIS ON

Well Location and Acreage Dedication Plat

Section A.				Date AUCUST 1, 1962				
EL PASO NATURAL GAS COM	Lease RINCON UNIT			10/013654				
Well No. 161 Unit Letter H	Section	17	Township		Range 6-W	NMPM		
ocated 1450 Feet From NORT				eet From		Line		
County RIO ARRIBA G. L. Elev		6579	Dedicate Pool	d Acreage RASTN	320 DAKOTA	Асген		
Name of Producing Formation DAKC . Is the Operator the only owner in the ded	icated acreas							
YesNo								
2. If the answer to question one is "no" agreement or otherwise? Yes	, have the in	terests of a	all the owner ver is "yes"	s been cons , Type of C	colidated by comm Consolidation.	nunitization		
3. If the answer to question two is "no", <u>Owner</u>	list all the o	wners and t		ve interests d Descriptio				
Section B.	Note:	ATT ALEMAN	an descript Middle for			**************************************		
This is to certify that the information		1	1	1367 M H GAR		Ŋ		
n Section A above is true and complete	Ŋ		1	1	0,	N		
o the best of my knowledge and belief.	N '	-	1	- 1-	4	- N		
Ill Page Belevent Gos Councery				,		N		
ORIGINAL CLOUES (Operator)	\	NI	1013654		_ ' _			
DRIGINAL SIGNED H.E. MCANALLY	N		ı	F	1000	° N		
(Representative)	N ₋			!		- N		
(Address)	Ŋ		ı	t	1	-N		
Permington, Bor Maxico	R		SECTI	ON 17	+	N		
					es es es es	ال الم		
			'	1				
				;		- N		
			ı	1	1			
		<u> </u>	i		!			
NOTE:		'	i	1	1			
THIS PLAT REISSUED TO SHOW			l .	1				
	- "	-		·				
MOVED LOCATION.			'	,	of!	-1/15/		
9 11 62	<u> </u>				- Klu	THA CO		
	0 330 6	00 990 1320 1	65019802310 2	640 2000	'**			
		٤	cale 4 inche	s equal 1 mi	le \	3 °1962		
•					1	ON. COM		
This is to	certify that	the above	olat was neer	pared from f	ield notes of act	ST. 3		
					true and correct			
	wledge and b							
(Seal)		D	ate yurveyed	JUNG	27, 1962			
V 1				01	200			
Farmington, New Mexico		R	egistered Pro	fessional E	ngineer and/or La	and Survey		
······································						•		