UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

RECEIVED BLM

Sundry Notices and Reports on Wells JUL 20 AM 10:57 070 FARMINGTON, Mase Number NM-03583 If Indian, All. or 1. Type of Well Tribe Name GAS Unit Agreement Name San Juan 28-6 Unit 2. Name of Operator MERIDIAN OIL OIL CORL DIV. Well Name & Number San Juan 28-6 U #22 3. Address & Phone No. of Operator PO Box 4289, Farmington, NM 87499 (505) 326-9700 API Well No. 30-039-07127 10. Field and Pool 4. Location of Well, Footage, Sec., T, R, M Blanco Mesa Verde 1650'FNL, 990'FEL, Sec.8, T-27-N, R-6-W, NMPM 11. County and State Rio Arriba Co, NM 12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA Type of Action Type of Submission ___ Change of Plans ____ Abandonment _X_ Notice of Intent New Construction ____ Recompletion Non-Routine Fracturing ____ Plugging Back Subsequent Report Casing Repair Water Shut off
Altering Casing Conversion to Injection ___ Casing Repair Final Abandonment X Other - Sidetrack workover Describe Proposed or Completed Operations It is intended to workover the subject well in the following manner: TOOH w/tbg. If tbg is stuck, cut off tbg approximately 100' below csg shoe. Set cmt retainer near bottom of 7" csg. TIH w/2 3/8" tbg, CO. Sting into ret. Test tbg to 2500 psi. Sting all the way through ret, load backside w/wtr, PT 500 psi. Squeeze open hole w/cmt. Pull out of retainer. Spot cmt on top of retainer. Pull up one joint, reverse excess cmt out. Run CBL. Perf squeeze holes above TOC. Squeeze cmt to 50'above Ojo Alamo. Drill to 10' below 7" csg shoe. Sidetrack using a downhole motor. Drill to approximately 6000'. Run a full string of 4 1/2" csg & cmt. Selectively perf and frac the Mesa Verde formation and return well to production. I hereby certify that the foregoing is true and correct. KAS)Title Regulatory Affairs Date 7/15/94____ (This space for Federal or State Office use) Title __ Date APPROVED BY CONDITION OF APPROVAL, if any: APPROVEU

APPROVED

APPROVED

APPROVED

APPROVED