(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

В	udget	Burtau	No.	42-R35	8.4
		pproved			

Land Office Sents Fe

Lease No. 079393

Unit San Juan 27-5 Unit 14-08-001-950

	TENTION TO DRILL	X	SUBSEQUENT REPORT OF WATER SHUT-OFF
	TENTION TO CHANGE PLANS		
	TENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING OF
	ENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING. SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR 5
NOTICE OF IN	TENTION TO SHOOT OR ACIDIZE		SHIPSEONENT DEBORT OF ARABDONALDA
NOTICE OF IN	TENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY
NOTICE OF IN	TENTION TO ABANDON WELL		1/0/3
	(INDICATE ABOVE BY CHE	CK MAPK NA	TURE OF REPORT, NOTICE, OR OTHER DATA) U.S. CEC OCICAL STATE OF THE CONTRACT
			August 24 , 1962
0	 .	. 121	Milk
ell No. O	is located 190 f	t. from	S line and 1825 ft. from W line of sec. 3
1/4 Sec.	3 27N (Twp.)		N.M.P.M. (Meridian)
asin Dak	o ta	Rio Am	riba New Mexico
(.	Field)	(County or 30	bdivision) (State or Territory)
1	(.) 1 .) (, ,	
ne elevatio	n of the derrick floor above	sea level	is 6609 ft.
	ī	DETAILS	•
			OF WORK
ats names of s	nd expected depths to objective sands	show sizes, w	OF WORK relights, and langths of proposed casings; indicate mudding jobs, coment-
ate names of a	nd expected depths to objective sand- ing points anded to mid drill a we	show sizes, w and all other ell with	OF WORK relights, and langths of proposed easings; indicate mudding jobs, coment— coportant proposed work) 1 rotary tools thru the Dakota formation
ate names of a	nd expected depths to objective sand- ing points anded to mid drill a we	show sizes, we and all other ell with	OF WORK relights, and langths of proposed casings; indicate mudding jobs, cement-
t is intended to per	indexpected depths to objective sand- ing points inded to mid drill a we forate and fracture pe	show sizes, we and all other ell with	OF WORK relights, and lengths of proposed casings; indicate mudding jobs, camentary proposed work) 1. rotary tools thru the Dakota formation
t is intended to per	ind expected depths to objective sand- ing points inded to mud drill a we forate and fracture po ogram:	show sizes, we and all other ell with	OF WORK relights, and lengths of proposed easings; indicate mudding jobs, coment- reportant proposed work) a rotary tools thru the Dakota formation producing zones. Est. T. D. 7915'.
is intended of a control of a c	ended to mud drill a we forate and fracture people ogram: 5/8" @ 300' w/210 sks	show sizes, we are all other ell with ossible	OF WORK relights, and lengths of proposed easings; indicate mudding jobs, coment- reportant proposed work) n rotary tools thru the Dakota formation producing zones. Est. T. D. 7915'. circulated to surface.
is intended to partial	ended to mid drill a we forate and fracture per ogram: 5/8" @ 300' w/210 sks 1/2" @ 7915' w/2 & 3 a	show sizes, we satisfact the sizes, we show sizes, we satisfact the sizes, we show sizes, we satisfact the sizes, which sizes, we show sizes, we show sizes, we satisfact the sizes, we satisfact the sizes, we show sizes, we satisfact the sizes, while sizes, we satisfact the si	OF WORK relights, and langths of proposed casings; indicate mudding jobs, coment- reportant preposed work) a rotary tools thru the Dakota formation producing zones. Est. T. D. 7915'. c circulated to surface. ollars. Set second stage collar.
ate names of a t is inte id to per asing Pro 9 4	ended to mud drill a weeforate and fracture per system: 5/8" @ 300' w/210 sks 1/2" @ 7915' w/2 & 3 and a grown base of Mesa Verde	show sizes, we satisfact the sizes, we show sizes, we satisfact the sizes, we show sizes, we satisfact the sizes, which sizes, we show sizes, we show sizes, we satisfact the sizes, we satisfact the sizes, we show sizes, we satisfact the sizes, while sizes, we satisfact the si	OF WORK relights, and lengths of proposed easings; indicate mudding jobs, coment- reportant proposed work) a rotary tools thru the Dakota formation producing zones. Est. T. D. 7915'.
ate names of a t is inte id to per asing Pro 4 be Cl	ended to mud drill a we forate and fracture per gram: 5/8" @ 300' w/210 sks 1/2" @ 7915' w/2 & 3 is allow base of Mesa Verde.	chow sizes, we are all other ell with ossible coment stage coment and 31	OF WORK relights, and langths of proposed easings; indicate mudding jobs, coment- reportant preposed work) a rotary tools thru the Dakota formation producing zones. Est. T. D. 7915'. c circulated to surface. collars. Set second stage collar 50 do stage 50' - 100' below base for Figured
is intended to per sing Property sing Property be Co	ended to mid drill a we forate and fracture per gram: 5/8" @ 300' w/210 sks 1/2" @ 7915' w/2 & 3 is allow base of Mesa Verde. iffs.	chow sizes, we shall other ell with ossible coment stage coment and 3100 aks. 1	OF WORK relights, and langths of proposed easings; indicate mudding jobs, coment- important preposed work) a rotary tools thru the Dakota formation producing zones. Est. T. D. 7915'. c circulated to surface. collars. Set second stage collar 5 100 rd Stage 50' - 100' below best for Floured co cover 200' above Greenborn.
is intended to per sing Property using Property be CI Ce Se	ended to mud drill a we forate and fracture per ogram: 5/8" @ 300' w/210 sks 1/2" @ 7915' w/2 & 3 and the stage w/130 econd Stage w/205 sks.	cement stage co and 31	OF WORK relights, and langths of proposed easings; indicate mudding jobs, coment- coportion; preposed work) a rotary tools thru the Dakota formation producing zones. Est. T. D. 7915'. circulated to surface. clicingly constructed to surface. clicingly constructed to surface. clicingly constructed to surface. const
is intended to per sing Property using Property be CI Ce Se	ended to mid drill a we forate and fracture per gram: 5/8" @ 300' w/210 sks 1/2" @ 7915' w/2 & 3 is allow base of Mesa Verde. iffs.	cement stage co and 31	OF WORK relights, and langths of proposed easings; indicate mudding jobs, coment- coportion; preposed work) a rotary tools thru the Dakota formation producing zones. Est. T. D. 7915'. circulated to surface. clicingly constructed to surface. clicingly constructed to surface. clicingly constructed to surface. const
sing Pro	ended to mud drill a we forate and fracture per system: 5/8" @ 300' w/210 sks 1/2" @ 7915' w/2 & 3 a show base of Mesa Verdaliffs. ement first stage w/136 econd Stage w/205 sks. hird stage w/185 sks.	cement stage cost and 31 to cover	OF WORK relights, and langths of proposed easings; indicate mudding jobs, coment- coportion; proposed work) a rotary tools thru the Dakota formation producing zones. Est. T. D. 7915'. circulated to surface. clicingly constructed to surface. clicingly constructed to surface. clicingly constructed to surface. const
is intended to per using Pro 9 4 be CI CC Se W/2 of	ended to mid drill a we forate and fracture per gram: 5/8" @ 300' w/210 sks 1/2" @ 7915' w/2 & 3 a low base of Mesa Verde iffs. Ement first stage w/130 econd Stage w/205 sks. Section 3 is dedicate	cement stage cost and 31 of the cover	of Work relation and langths of proposed easings; indicate mudding jobs, coment- reportant preposed work) a rotary tools thru the Dakota formation producing zones. Est. T. D. 7915'. circulated to surface. cliars. Set second stage collar. 5. cond Stage 50' - 100' below base of lightness co cover 200' above Greenborn. cond Stage 50' - 100' below base of lightness con cover 200' above Greenborn.
is intended to per selection of a se	ended to mid drill a weeforate and fracture personant. 5/8" @ 300' w/210 sks. 1/2" @ 7915' w/2 & 3 is allow base of Mesa Verde. ended to mid drill a weeforate and fracture personant. 5/8" @ 300' w/210 sks. 1/2" @ 7915' w/2 & 3 is allow base of Mesa Verde. elow base of Mesa Verde. ended to mid drill a weeforate with the plan of work must receive application.	cement stage come and 31 to cover to cover and to the cover and th	OF WORK relights, and langths of proposed easings; indicate mudding jobs, coment- coportion; preposed work) a rotary tools thru the Dakota formation producing zones. Est. T. D. 7915'. circulated to surface. clicingly constructed to surface. clicingly constructed to surface. clicingly constructed to surface. const
is intended to per selection of a se	ended to mid drill a we forate and fracture per gram: 5/8" @ 300' w/210 sks 1/2" @ 7915' w/2 & 3 a low base of Mesa Verde iffs. Ement first stage w/130 econd Stage w/205 sks. Section 3 is dedicate	cement stage come and 31 to cover to cover and to the cover and th	of Work relation and langths of proposed casings; indicate mudding jobs, coment- reportant preposed work) a rotary tools thru the Dakota formation producing zones. Est. T. D. 7915'. circulated to surface. cliars. Set second stage collar. collars. Set second stage collars. colla
ate names of a t is intend to per asing Pro y t be C: Ce Se T!	ended to mid drill a we forate and fracture per system: 5/8" @ 300' w/210 sks 1/2" @ 7915' w/2 & 3 a selow base of Mesa Verdaliffs. Ement first stage w/130 sks. Aird stage w/185 sks. C Section 3 is dedicate that this plan of work must receive app. Paso Natural Gas Comp	cement stage come and 31 to cover to cover and to the cover and th	of Work relation and langths of proposed easings; indicate mudding jobs, coment- reportant preposed work) a rotary tools thru the Dakota formation producing zones. Est. T. D. 7915'. circulated to surface. cliars. Set second stage collar. 5. cond Stage 50' - 100' below base of Platured co cover 200' above Greenborn. cond cover 200' above Greenborn. also of Alamo. Collars. AUG3 0 1962 Collars. Set Second Stage Sollar. 6. Collars. AUG3 0 1962 Collars. Set Second Stage Sollar. 6. Collars. AUG3 0 1962 Collars. Set Sollars. AUG3 0 1962 Collars. Set Second Stage Sollar. 6. Collars. AUG3 0 1962
sta names of a sign in the day of the sign	ended to mid drill a we forate and fracture per gram: 5/8" @ 300' w/210 sks 1/2" @ 7915' w/2 & 3 a glow base of Mesa Verde iffs. Ement first stage w/130 sks. and stage w/185 sks. and sks	ahow sizes, a solid other ell with ossible . cement stage co e and 3: 0 aks. to cover to cover ed to the provation write pany	OF WORK relights, and langths of proposed easings; indicate mudding jobs, coment- reportant preposed work) I rotary tools thru the Dakota formation producing zones. Est. T. D. 7915'. It circulated to surface. Collars. Set second stage collar 5 100 rd Stage 50' - 100' below base for figured Co cover 200' above Greenhorm. Co cover 200' above Greenhorm. Of Ojo Alamo. Oli COM: Oli WORK Controlled to proposed casings; indicate mudding jobs, coment- reportant preposed work) Cordary tools thru the Dakota formation producing zones. Est. T. D. 7915'.
stanames of a in the id to per grand process and in the impact of the im	ended to mid drill a we forate and fracture per system: 5/8" @ 300' w/210 sks 1/2" @ 7915' w/2 & 3 a selow base of Mesa Verdaliffs. Ement first stage w/130 sks. Aird stage w/185 sks. C Section 3 is dedicate that this plan of work must receive app. Paso Natural Gas Comp	ahow sizes, a solid other ell with ossible . cement stage co e and 3: 0 aks. to cover to cover ed to the provation write pany	of Work relation and langths of proposed easings; indicate mudding jobs, coment- reportant preposed work) a rotary tools thru the Dakota formation producing zones. Est. T. D. 7915'. circulated to surface. cliars. Set second stage collar 50' rd Stage 50' - 100' below base for Figure 6 co cover 200' above Greenbork. cr 100' above Cliff House. AUG30 1962 r 0jo Alamo. DIST. 3

NEW MEXICO OIL CONSERVATION COMMISSION

Well Location and Acrenge Dedication Plat

on A.			Date AUGUST 1, 1962					
Ator KL PASO NATURAL GAS C								07939
No. 84 Unit Letter N S ted 790 Feet From SOUT	Section H Tine	, <u>18</u> 2	Towns ¶	thip <u>≰.</u> Root	lan Prom	Kange Kange	2-M	
ty RIO ARRIBA G. L. Elev								
of Producing Formation DAKOT								
the Operator the only owner in the ded								
es No No								
the answer to question one is "no",								nitize
greement or otherwise? Yes	No	If ansv	ver is "ye	es", T	pe of	Consolidat	ion.	
the answer to question two is "no", l	ist all the	owners and t	hair rauna	otiva i	n ta pa ut i	, bolowi		
Owner	iist aii tiie	Owners and the		and De				
Ondo				241111 121		VII.		
						- · · · · · - · · - · · - · · - · · - · · - · · - · · - · · - · · · · · · · · · · · · · · · · · · · ·		
on B.	Note	u All distance	e must be	· fram	utas bo	undaries o	f varion	
	7777		7777	77		undaries o	section.	ר
is to certify that the information	N	1	į.	N	1		ı	
ction A above is true and complete	N T	1		N	1		1	
best of my knowledge and belief.	N	r -		17-	- 4-		٦ -	
Faso Netural Cas Company	N.	1	1	N	1		f	
(Operator)		1		N	ı		1	
ginal Signed D. W. Meehan	N	1	i	1	1		ı	
(Representative)	N	1	1	N	1		1	
990	N -	<u> </u>		N-	1 -		1	
(Address)	N	1	i	Ŋ	i		i	
armington, New Mexico	Ŋ	1	S	ECTION	I 3'		ì	
	N			N	· •, —			1
	N	1	1	Ŋ	ì		ı	
	Ŋ	SF079593	i	N.				N
200	N	1	4	Ŋ	ı		!	
	N		i	N			1	1
	N			N	i			1
3005	N		1	Ŋ	i		1	
W. J. Carlotte	N-	1825	- o	N	1		!	
Man Com	D · ·	+		N	- 1		4	
\ out cont	N		9	Ŋ	1		i	
on con com	N	1	1				1	
مشتن فاستعقب المغالب	7777	,,,,,,,,		4			TIT	_ 1
	0 330	660 990 1320 18	50 1980 231	2640	2000	1500 1000	500	Ċ
			cale 4 inc					

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

(Seal)

Registered Professional Engineer and/or Land Surveyor

JULY 10, 1962