(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Budget Bure		2-R358.4.
Form Appro	ved.	
Land Office	Santa	Fe

Loase No. 079393

Unit San Juan 27-5 Untt

SUNDRY NOTICES AND REPORTS ON WELLS

	INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF	INTENTION TO CHANGE PLANS		
NOTICE OF	INTENTION TO TEST WATER SHUT-OFF		
NOTICE OF	INTENTION TO RE-DRILL OR REPAIR V	WELL SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF	INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF	INTENTION TO PULL OR ALTER CASING		
NOTICE OF	INTENTION TO ABANDON WELL	Water Frac.	X
	(INDICATE ABOVE BY	CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)	!
		October 15	19_
Vell No	84 is located 79	O ft. from $\begin{bmatrix} X \\ S \end{bmatrix}$ line and $\begin{bmatrix} 1825 \\ S \end{bmatrix}$ ft. from $\begin{bmatrix} X \\ W \end{bmatrix}$ line of sec.	3
W S e cti		-N 5-W N.M.P.M.	
asin Da		p.) (Range) (Meridian) O Arriba New Mexico	
	(Field)	(County or Subdivision) (State or Territory)	
	ing poi	nds; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, ints, and all other important proposed work)	ceme
On 10-5	ing poi	.T.D. 7883'. ;7644-50 (3 SPF); 60,000# send. Flush 6.7 BPM. Max pr 4000#, BDP 1000#,	
0n 10-5	ing poi	.T.D. 7883'. ;7644-50 (3 SPF); 60,000# send. Flush 6.7 BPM. Max pr 4000#, BDP 1000#,	
0n 10-5	ing poi	.T.D. 7883'. ;7644-50 (3 SPF); 60,000# send. Flush 6.7 BPM. Max pr 4000#, BDP 1000#,	
On 10-5	ing poi	.T.D. 7883'. ;7644-50 (3 SPF); 60,000# send. Flush 6.7 BPM. Max pr 4000#, BDP 1000#,	
0n 10_5	ing poi	T.D. 7883'. 7644-50 (3 SPF); 60,000# send. Flush 6.7 BPM. Max pr 4000#, BDP 10 PD C 18 balls. RECEIVED U.S. CECCOCCA.	
0n 10_5	ing poi	T.D. 7883'. 7644-50 (3 SPF); 60,000# send. Flush 6.7 BFM. Max pr 4000#, BDP 1000#, BDP	
On 10-5 Perf 78 Frac w/ s/5400 tr pr 3	-52, T.D. 7923'. C.0 30-35;7746-52;7700-06 51,740 gallons water, gallons water. I.R. 2 000-4000#. 3 drops of	T.D. 7883'. 7644-50 (3 SPF); 60,000# send. Flush 6.7 BPM. Max pr 4000#, BDP 10 PD C 18 balls. RECEIVED U.S. CECCOCCA.	100 TO 10
On 10-5 Perf 78 Frec w/ w/5400 tr pr 3	-62, T.D. 7920'. C.0 30-36;7746-52;7700-06 61,740 gallons water, gallons water I.R. 2 000-4000#. 3 drops of	T.D. 7883'. 17644-50 (3 SPF); 60,000# send. Flush 6.7 BFM. Max pr 4000#, BDP 1000, CCC 1000 1000 1000 1000 1000 1000	100 TO 10
On 10-5 Perf 78 Frec w/ w/5400 : tr pr 3	-62, T.D. 7920'. C.0 30-36;7746-52;7700-06 61,740 gallons water, gallons water. I.R. 2 000-4000#. 3 drops of	T.D. 7883'. 17644-50 (3 SPF); 60,000# send. Flush 6.7 BFM. Max pr 4000#, BDP 1000, CCC 1000 1000 1000 1000 1000 1000	100 TO 10
On 10-5 Perf 78 Frec w/ w/5400 tr pr 3	-62, T.D. 7920'. C.0 30-36;7746-52;7700-06 61,740 gallons water, gallons water I.R. 2 000-4000#. 3 drops of	T.D. 7883'. 17644-50 (3 SPF); 60,000# send. Flush 6.7 BFM. Max pr 4000#, RDP 1000#, CELEVED OCT 23 1962 COMPANY ORIGINAL SIGNED H.E. McANALLY	CUNTON COM
On 10-5 Perf 78 Frec w/5400 tr pr 3	-52, T.D. 7920'. C.O 30-35;7746-52;7700-06 61,740 gallons water, gallons water. I.R. 2 000-4000#. 3 drops of	T.D. 7883'. 7644-50 (3 SPF); 60,000# sand. Flush 6.7 BPM. Max pr 4000#, BDP 1000#, CELEVED OCT 2 3 1962 approval in writing by the Geological Survey before operations may be commented. Company ORIGINAL SIGNED H.E. McANALLY	SUN