ror (1	eb. 1	951)		
				ĺ

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office	Santa Fe
Lease No	079393
Sa	n Juan 27-5
	AS AAT 350

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF.
	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	· ·
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	
(INDICATE ABOVE BY CHECK MARK	NATURE OF REPORT, NOTICE, OR OTHER DATA)
	December 13, , 19.60
N/4 Sec. 5 27+2 (Twp.)	S line and 1650 ft. from W line of sec. S (Meridian)
lo.Blanco F.C. & Blanco M.V. Rio A	Arriba iev iextco r Subdivision) (State or Territory)
The elevation of the derrick floor above sea lev	rel is <u>60</u> 10 ft. LS OF WORK
ing points, and all ot	es, weights, and lengths of proposed casings; indicate mudding jobs, cemen ther important proposed work)
(State names of and expected depths to objective sands; show size ing points, and all of the 11-29-60, Total Depth 3651. State 91 joints 7 5/8", J-55, 26.4 \$, continued to 105 sks regular commut, 2 \$ calcular are continued to 1000 \$ 30 minutes 12-2-60 Total Depth 5840. State 12-2-60 Total Depth 5840. San 55 joints 5 1/2", J-55, 15.5 \$ 11. San 5836 with 215 sks regular commut, 15. Silsonite/sk.,1/3 \$ Flocele/sk. Seld 1000 \$ 30 minutes. Sop of commut by temperature survey are	asing (3540) set at 3550' ium chloride, 1/4 cu.ft. tes. mer (2231) set from 3605 4 % Gel, 1/4 cu.ft. fine
ing points, and all of the line of the line of the loss of the los	asing (3540) set at 3550' ium chloride, 1/4 cu.ft. tes. mer (2231) set from 3605 4 % Gel, 1/4 cu.ft. fine
ing points, and all of the line of the line of the line of the loss of the los	assing (3840) set at 3550' ium chloride, 1/4 cu.ft. tes. mer (2231) set from 3605 b \$ Gel, 1/4 cu.ft. fine UEC 16 1600 t 3505. writing by the Geological Survey before operations may be commenced.
ing points, and all of its 11-29-60, Total Depth 3651. In 91 joints 7 5/8", J-55, 26.4 \$, could 105 sks regular commut, 2 \$ calcularate-crete/sk. Reld 1000 \$ 30 minutes in 12-2-60 Total Depth 5840. In 12-2-60 Total Depth 5840. In 59 joints 5 1/2", J-55, 15.5 \$ 11. In 5836 with 215 sks regular commut, 12-2-60 with 215 sks regular commut, 1	asing (3640) set at 3550' ium chloride, 1/4 cu.ft. tos. ner (2231) set from 3605 b & Gel, 1/4 cu.ft. fine DEC 16 1900 t 3505. writing by the Geological Survey before operations may be commenced.